OFF-ROAD

Side-by-Side & ATV Product Spec Book

2023

Vehicle Specifications, Accessories, and Parts & Maintenance

TABLE OF CONTENTS

CAN-AM DEFENDER

| CAN-AM MAVERICK X3 | 21 |
|----------------------------------|----------|
| Comparative Chart Accessories | 18 21 |
| Model Packages | 6 |

70 76 77

| Model Packages | | |
|-------------------|--|--|
| Comparative Chart | | |
| Accessories | | |

CAN-AM COMMANDER

| Model Packages | 116 |
|-------------------|-----|
| Comparative Chart | 120 |
| Accessories | 121 |

CAN-AM ATVs

| Model Packages | 168 |
|-------------------|-----|
| Comparative Chart | 176 |
| Accessories | 177 |

PARTS AND MAINTENANCE

| Genuine Parts | 223 |
|----------------------------|-----|
| Lubricant & Oil Change Kit | 228 |
| Maintenance Products | 229 |
| Care Products | 231 |

CAN-AMOFFROAD.COM

© 2023 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Product performance may vary depending on weather, temperature, altitude, driving ability and driver/passenger weight. Prices, if shown, are based on the manufacturer's suggested retail price. Dealers may sell at a different price. BRP recommends that all ATV-SSV driver lake a training course. See your dealer or call the ATV Safety Institute at 1-800-887-2887 (USA) or the Canadian Safety Council at 1-613-739-1535 (Canada). ATVs and SSVs can be hazardous to operate. Never carry passengers on any ATV-SSV not specifically designed by the manufacturer for such use. All adult-model Can-Am ATVs are category GATVs (general-use models) intended for recreational and/or utility use by an operator age 16 or oder. Carefully read the vehicle's operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. ATVs and SSVs are for drives only, never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding, alcohol and drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibily and safely. See your authorized BRP dealer for details and visit can-am.brp.com.



BRP 12 MONTH LIMITED WARRANTY ON GENUINE PARTS & ACCESSORIES

For new Can-Am accessories & geninue parts products sold through BRP & our authorized dealer network.

The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty. See the complete limited warranty applicable to your product, or contact your authorized Can-Am Off-Road dealer. Applicable only to BRP products purchased at authorized BRP dealers or distributors. This limited warranty may not apply to factory-installed parts and accessories. Always refer to the product-specific limited warranty. Some states and provinces do not allow for some disclaimers, limitations and exclusions and, as a result, you have other specific rights.

CUSTOMISING MADE EASY

1 Select

model.

the

Select the package.

2

3


Customise colour, engine, and accessories (or accessory bundles) for your vehicle. Click "Save" or "Send to dealer".

4



If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above.

BUILD Yours Now



CAN-AM DEFENDER

MODEL PACKAGES

| Can-Am Defender DPS HD7 | 7 |
|---|----|
| Can-Am Defender XU HD9 / HD10 | 8 |
| Can-Am Defender XU HD9 Competitive Chart | 9 |
| Can-Am Defender XT HD10 | 10 |
| Can-Am Defender XT HD10 Competitive Chart | 11 |
| Can-Am Defender Limited HD10 | 12 |
| Can-Am Defender X mr HD10 | 13 |
| Can-Am Defender MAX DPS HD9 | 14 |
| Can-Am Defender MAX XT HD10 | 15 |
| Can-Am Defender 6x6 DPS HD10 | 16 |
| Can-Am Defender Pro (Pick-Up) DPS HD10 | 17 |

18

COMPARATIVE CHART

Can-Am Defender Lineup

ACCESSORIES

| Roofs | 22 |
|-------------------------------|----|
| Cabs | 23 |
| Windshields & Mirrors | 24 |
| Doors | 27 |
| Rear Wind Protection | 29 |
| Aluminum Skid Plates | 30 |
| Bumpers & Guards | 31 |
| LinQ: Easy On, Easy Off Cargo | 35 |
| Cargo & Storage | 40 |
| Racks & Holders | 43 |
| Lights | 46 |
| Audio & Communication Systems | 49 |
| Electronic Accessories | 50 |
| Winches & Hitches | 53 |
| Seats | 56 |
| Performance | 57 |
| Apache Track Systems | 60 |
| ProMount Plows | 62 |
| Covers & Add-Ons | 66 |
| Tyres & Rims | 66 |
| | |



WHAT'S NEW

65" Forward A-Arms: able to fit up to 30" tyres For Factory Limited and X mr packages

2023 CAN-AM DEFENDER DPS HD7



Yellow / HD7

| Rotax® ACE (Advanced Combustion cc single cylinder, liquid-cooled |
|--|
| |
| ttle Control (iTC™) Fuel Injection (EFI) |
| CVT king and Electronic Drive Belt Protection |
| Mode/2WD/4WD auto-locking front differential |
| Descent Control,)ff/Work modes |
| Steering (DPS™) |
| |

SUSPENSIONS

| Front Suspension | Double A-arm/10 in. (25.4 cm) travel |
|------------------|--|
| Front Shocks | Twin tube gas-charged shocks |
| Rear Suspension | TTA with external sway bar/10 in. (25.4 cm) travel |
| Rear Shocks | Twin tube gas-charged shocks |

TYRES & WHEELS

| Front Tyres | XPS Trail Force 27 x 9 x 14 in. | |
|-------------|----------------------------------|--|
| Rear Tyres | XPS Trail Force 27 x 11 x 14 in. | |
| Wheels | 14 in. cast-aluminum | |

BRAKES

| DRAKES | |
|--------|--|
| Front | Dual 220 mm disc brakes with hydraulic twin-piston calipers |
| Rear | Dual 220 mm disc brakes with hydraulic single-piston calipers |

PACKAGE HIGHLIGHTS

- 650 cc single cylinder Rotax Engine
- 27 in. 8 ply XPS Trail Force tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

DIMENSIONS & CAPACITIES

| DIMENSIONS & CAPA | DIMENSIONS & CAPACITIES | | |
|------------------------|---|--|--|
| Cage | Profiled cage, ROPS approved | | |
| Estimated Dry Weight | 1,471 lb (667 kg) | | |
| LxWxH | 121 x 62 x 76 in. (307.1 x 157.5 x 193 cm) | | |
| Wheelbase | 83 in. (211.5 cm) | | |
| Ground Clearance | 11 in. (28 cm) | | |
| Cargo Box Dimensions | 38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm) | | |
| Cargo Box Capacity | 1,000 lb (454 kg) | | |
| Tailgate Load Capacity | 250 lb (113.4 kg) | | |
| Storage Capacity | Total: 10.4 gal (39.5 L) | | |
| Towing Capacity | 2,500 lb (1,134 kg) | | |
| Payload Capacity | 1,500 lb (680 kg) | | |
| Fuel Capacity | 10.6 gal (40 L) | | |
| Person Capacity | 3 | | |
| | | | |

FEATURES

| Gauge | 4.5 in. wide digital display |
|-----------------|--|
| Battery | 12 V (18 amp/h) |
| Magneto | 650 W |
| Instrumentation | DC outlet (10-A) |
| Lighting | Front lighting output 140 W, LED tail lights |
| Winch | N/A |
| Seat | VERSA-PRO bench seat with passenger seats flipping up Underside hooks |
| Steering Wheel | Adjustable tilt steering |
| Protection | Integrated front steel bumper, HMWPE central skid plate |
| Hitch Type | 2-in. hitch receiver |

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

2023 CAN-AM DEFENDER XU HD9 / HD10



PACKAGE HIGHLIGHTS

- Full Hard Roof
- Brake Hold Mechanism
- Rotax[®] 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail Force tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS[™])
- 14 in. cast-aluminium wheels

Yellow / HD9 Tundra Green / HD9 / HD10

| ENGINES | HD9 | HD10 |
|----------------------|--|--|
| Туре | 65 hp/59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled | 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | |
| Transmission | PRO-TORQ CVT Transmission (QRS), high-airflow ventilation Protection, Extra L/H/N/R/P | |
| Drive Train | Selectable Turf Mode/2WD/4 with Visco-Lok [†] auto-locking f | |
| Driving Assistance | Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes | |
| Power Steering | Dynamic Power Steering (DPS | S™) |
| SUSPENSIONS | HD9 | HD10 |
| Front Suspension | Double A-arm/ 10 in. (25.4 cm) travel | Arched Double A-arm/ 11 in. (27.9 cm) travel |
| Front Shocks | Twin tube gas-charged shock | s |
| Rear Suspension | TTA with external sway bar/ 10 in. (25.4 cm) travel | Arched TTA with external sway bar/ 11 in. (27.9 cm) travel |
| Rear Shocks | Twin tube gas-charged shock | S |

TYRES & WHEELS

| Front Tyres | XPS Trail Force 27 x 9 x 14 in. | |
|-------------|----------------------------------|--|
| Rear Tyres | XPS Trail Force 27 x 11 x 14 in. | |
| Wheels | 14 in. cast-aluminum | |

BRAKES

| DIVANEO | | |
|---------|--|--|
| Front | Dual 220 mm disc brakes with hydraulic twin-piston calipers | |
| Rear | Dual 220 mm disc brakes with hydraulic single-piston calipers | |
| | Brake holding mechanism | |

TALK TO US ABOUT OUR NEW UTILITY KIT (715008856)

• 3 position full glass tilt-up windshield with wipe/washer kit

- Wiper and power cable
- Roof power cable kit
- Full Glass Rear window kit

| CAPACITIES | HD9 | HD10 |
|------------------------|---|---|
| Cage | Profiled cage, ROPS approve | d |
| Estimated Dry Weight | 1,623 lb (736 kg) | 1,645 lb (746 kg) |
| L×W×H | 121 x 62 x 76 in. (307.1 x 157.5 x 193 cm) | 121 x 64 x 78 in. (307.1x162.5x198.1 cm) |
| Wheelbase | 83 in. (211.5 cm) | |
| Ground Clearance | 11 in. (27.9 cm) | 13 in. (33 cm) |
| Cargo Box Dimensions | 38 x 54.5 x 12 in. (96.5 x 138.4 | 1 x 30.5 cm) |
| Cargo Box Capacity | 1,000 lb (454 kg) | |
| Tailgate Load Capacity | 250 lb (113.4 kg) | |
| Storage Capacity | Total: 10.4 gal (39.5 L) | |
| Towing Capacity | 2,500 lb (1,134 kg) | |
| Payload Capacity | 1,500 lb (680 kg) | |
| Fuel Capacity | 10.6 gal (40 L) | |
| Person Capacity | 3 | |

FEATURES

| Gauge | 4.5 in. wide digital display |
|-----------------|---|
| Battery | 12 V (18 amp/h) |
| Magneto | 650 W |
| Instrumentation | DC outlet (10-A) |
| Lighting | Front lighting output 140 W, LED tail lights |
| Winch | N/A |
| Seat | VERSA-PRO bench seat with passenger seats flipping up Underside hooks |
| Steering Wheel | Adjustable tilt steering |
| Protection | Integrated front steel bumper, HMWPE central skid plate, Full hard roof |
| Hitch Type | 2 in. hitch receiver |

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

| | | Can-Am Defender XU HD9 | Polaris Ranger 1000 EPS | Honda Pioneer 700-2 | Kawasaki Mule Pro-FX |
|----------------------------|---|--|---------------------------------|--|--|
| Engine Size (cc) | | 976 cc | 999 cc | 675 cc | 813 cc |
| No of Cylinders | | 2 | 2 | 1 | 3 |
| Horsepower | + | 65 hp | 61 hp | 36.1 hp | 47 hp |
| Transmission | + | PRO-TORQ CVT Transmission with Quick Response System (QRS) | Automatic PVT (CVT) | 3 speed with reverse; manual and automatic modes | Dual range (high/low) CVT with reverse |
| Front Diff. Type | + | Selectable Turf Mode/ 2WD/4WD with Visco-Lok [†] auto locking front diff. | AWD/2WD/Versatrac turf mode | 2WD, 4WD, 4WD Lock | 2WD/4WD dual mode differential |
| Turf Mode | = | Yes | Yes | No | Yes |
| Power Steering | = | Dynamic Power Steering | Electronic Power Steering | Electric Power Steering | Speed sensitive Electric Power Steering |
| Hill Descent Assistance | = | Electric hill descent control | No engine braking | Engine braking | Engine braking |
| Seating Capacity | = | 3 | 3 | 2 | 3 |
| Front Suspension | = | Double-A-arm | Dual A-arm | Independent Double-wishbone | Double wishbone |
| Rear Suspension | + | Torsional trailing arm with external sway bar | Dual A-arm | Independent Double-wishbone | Double wishbone |
| Wheel Size | + | 14" | 12" | 12" | 12" |
| Wheel Material | + | Aluminium | Steel | Steel | Steel |
| Tyre Ply Rating | + | 8 ply | 4 ply | 4 ply | 4 ply |
| Towing Capacity | = | 1,134 kg | 1,134 kg | 680 kg | 907 kg |
| Cargo Bed Capacity | = | 454 kg | 454 kg | 408 kg | 453 kg |
| Total Payload | = | 680 kg | 680 kg | 604 kg | 733 kg |
| Ground Clearance | | 28 cm | 30.5 cm | 27 cm | 26.5 cm |
| Overall Length | | 307.1 cm | 305 cm | 291 cm | 338.5 cm |
| Overall Width | | 157.5 cm | 158 cm | 152.5 cm | 162.5 cm |
| Vehicle Dry Weight | | 736 kg | 674 kg | 583 kg | 824 kg - kerb |
| Fuel Capacity | | 40 L | 43 L | 30 L | 30 L |
| Winch | | No | No | No | No |
| Speed Limiting Device | + | 23 kph drivers seatbelt finder, plus optional speed limiting safety keys (40 kph, 70 kph, and open) | Drivers seatbelt limiter 25 kph | Drivers seatbelt limiter 25 kph | No |
| Warranty Period | | 2 Years/15,000 km, whichever comes first | 1 year Unlimited km | 3 years unlimited km | 3 years unlimited km |

2023 CAN-AM DEFENDER XT HDIO



PACKAGE HIGHLIGHTS

- 4,500 lb. (2,014 kg) winch
- XT Front bumper
- HMWPE full skid plate
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- Rotax® 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS[™])
- 14 in. cast-aluminium wheels

| Timeless Black / HD10 | Timeles | s Black / | HD10 |
|-----------------------|---------|-----------|------|
|-----------------------|---------|-----------|------|

| ENGINE | HD10 |
|----------------------|---|
| Туре | 82 hp/69 lb-ft, Rotax [®] 976 cc, V-twin, liquid-cooled |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P |
| Drive Train | Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential |
| Driving Assistance | Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes |
| Power Steering | Dynamic Power Steering (DPS™) |

SUSPENSIONS

| Front Suspension | Arched double A-arm/11 in. (27.9 cm) travel |
|------------------|---|
| Front Shocks | Twin tube gas-charged shocks |
| Rear Suspension | Arched TTA with external sway bar/11 in. (27.9 cm) travel |
| Rear Shocks | Twin tube gas-charged shocks |

TYRES & WHEELS

| Front Tyres | XPS Trail King 27 x 9 x 14 in. | |
|-------------|---------------------------------|--|
| Rear Tyres | XPS Trail King 27 x 11 x 14 in. | |
| Wheels | 14 in. cast-aluminum | |

| BRAKES | | |
|--------|--|--|
| Front | Dual 220 mm disc brakes with hydraulic twin-piston calipers | |
| Rear | Dual 220 mm disc brakes with hydraulic single-piston calipers | |
| | Brake holding mechanism | |

DIMENSIONS & CAPACITIES

| Cage | Profiled cage, ROPS approved | |
|------------------------|---|--|
| Estimated Dry Weight | 1,623 lb (736 kg) | |
| LxWxH | 125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm) | |
| Wheelbase | 83 in. (211.5 cm) | |
| Ground Clearance | 13 in. (33 cm) | |
| Cargo Box Dimensions | 38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm) | |
| Cargo Box Capacity | 1,000 lb (454 kg) | |
| Tailgate Load Capacity | 250 lb (113.4 kg) | |
| Storage Capacity | Total: 16.2 gal (61.3 L) | |
| Towing Capacity | 2,500 lb (1,134 kg) | |
| Payload Capacity | 1,500 lb (680 kg) | |
| Fuel Capacity | 10.6 gal (40 L) | |
| Person Capacity | 3 | |
| | | |

FEATURES

| Gauge | 4.5 in. wide digital display |
|-----------------|--|
| Battery | 12 V (30 amp/h) |
| Magneto | 650 W |
| Instrumentation | DC outlet (10-A), USB Port (10-A) x 2 |
| Lighting | Front lighting output 140 W, LED tail lights |
| Winch | 4,500 lb (2,041 kg) winch with roller fairlead |
| Seat | VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin. |
| Steering Wheel | Adjustable tilt steering |
| Protection | XT front bumper, HMWPE full skid plate, Full hard roof |
| Hitch Type | 2 in. hitch receiver |

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

| | | Can-Am Defender XT HD10 | Polaris Ranger XP 1000 HD EPS ADC | Honda Pioneer 1000-3 |
|----------------------------|---|--|--|------------------------------------|
| Engine Size (cc) | | 976 cc | 999 cc | 999 cc |
| No of Cylinders | = | 2 | 2 | 2 |
| Horsepower | = | 82 hp | 82 hp | 72 hp |
| Transmission | + | PRO-TORQ CVT Transmission with Quick Response System (QRS) | Automatic PVC | Automatic dual clutch transmission |
| Front Diff. Type | | Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential | High Performance On-Demand True AWD/2WD/Versatrac turf mode | 2WD/4WD/4WD Lock |
| Turf Mode | = | Yes | Yes | Yes |
| Power Steering | + | Dynamic Power Steering | Electronic Power Steering | Electric Power Steering |
| Hill Descent Assistance | | Electric Hill descent control | Active Decent Control | Engine braking |
| Seating Capacity | = | 3 | 3 | 3 |
| Front Suspension | + | Arched Double A-arm | Dual A-arm | Independent Double-wishbone |
| Rear Suspension | + | Arched torsional trailing arm with external sway bar | Dual A-arm, IRS | Independent Double-wishbone |
| Wheel Size | = | 14" | 14" | 12" |
| Wheel Material | = | Aluminium | Aluminium | Steel |
| Tyre Ply Rating | = | 8 ply | 8 ply | 6 ply |
| Tyre Size | = | 27" | 27" | 27" |
| Towing Capacity | = | 1,134 kg | 1,133.9 kg | 1,134 kg |
| Cargo Bed Capacity | = | 454 kg | 454 kg | 454 kg |
| Total Payload | | 680 kg | 871 kg | 748 kg |
| Ground Clearance | | 33 cm | 33 cm | 34.5 cm |
| Overall Length | + | 319.4 cm | 305 cm | 296.6 cm |
| Overall Width | + | 162.5 cm | 158 cm | 159.9 cm |
| Vehicle Dry Weight | | 736 kg | 723 kg | 703 kg - Kerb |
| Fuel Capacity | | 40 L | 43.5 L | 30 L |
| Winch | + | Yes - 2,014kg with roller fairlead | No | No |
| Speed Limiting Device | + | 23 kph drivers seatbelt finder, plus optional DESS speed limiting safety keys (40 kph, 70 kph, and open) | 24 kph drivers seatbelt limiter | 24 kph drivers seatbelt limiter |
| Anti Theft Device | + | Optional vehicle specific DESS keys - vehicle can not be hot wired | No | No |
| Warranty Period | | 2 Years/15,000 km, whichever comes first | 1 year unlimited km | 3 years unlimited km |
| Display | + | 4.5" wide digital display | 4" LCD | Multi-function LCD dash display |

2023 CAN-AM DEFENDER LIMITED HDIO



PACKAGE HIGHLIGHTS

- Auto heating and air conditioning (HVAC) climate system
- · Full hard roof with liner and interior dome light
- · Full colour match doors with electric opening windows
- 3-position full glass tilt up windshield with wiper/washer kit
- Rear glass window
- Brake holding mechanism
- Panoramic mirror
- VERSA-PRO bolster bench seat with reinforced
- Limited seat skin and adjustable driver seat
- 7.6 in. digital display with keypad
- Extra wide stable footprint
- LED signature lights
- 30 in. XPS Trac Force tyres
- 4,500 lb (2,014 kg) winch
- XT front bumper
- HMWPE full skid plate

Stone Gray / HD10

| ENGINE | HD10 |
|----------------------|---|
| Туре | 82 hp/69 lb-ft, Rotax [®] 976 cc, V-twin, liquid-cooled |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P |
| Drive Train | Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential |
| Driving Assistance | Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes |
| Power Steering | Dynamic Power Steering (DPS™) |

SUSPENSIONS

| Front Suspension | Arched double A-arm with sway bar/12 in. (30.5 cm) travel |
|------------------|---|
| Front Shocks | Twin tube gas-charged shocks |
| Rear Suspension | Arched TTA with external sway bar/12 in. (30.5 cm) travel |
| Rear Shocks | Twin tube gas-charged shocks |

TYRES & WHEELS

| Front Tyres | XPS Trac Force 30 x 9 x 14 in. | |
|-------------|---------------------------------|--|
| Rear Tyres | XPS Trac Force 30 x 10 x 14 in. | |
| Wheels | 14 in. cast-aluminum | |

| BRAKES | |
|--------|--|
| Front | Dual 220 mm disc brakes with hydraulic twin-piston calipers |
| Rear | Dual 220 mm disc brakes with hydraulic single-piston calipers |
| | Brake holding mechanism |

| DIMENSIONS & CAPACITIES | | |
|-------------------------|---|--|
| Cage | Profiled cage, ROPS approved | |
| Estimated Dry Weight | 1,976 lb (896 kg) | |
| LxWxH | 126 x 65 x 81 in. (319 x 165.1 x 252 cm) | |
| Wheelbase | 83 in. (211.5 cm) | |
| Ground Clearance | 14 in. (35.56 cm) | |
| Cargo Box Dimensions | 38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm) | |
| Cargo Box Capacity | 1,000 lb (454 kg) | |
| Tailgate Load Capacity | 250 lb (113.4 kg) | |
| Storage Capacity | Total: 12.7 gal (48.1 L) | |
| Towing Capacity | 2,500 lb (1,134 kg) | |
| Payload Capacity | 1,200 lb (544 kg) | |
| Fuel Capacity | 10.6 gal (40 L) | |
| Person Capacity | 3 | |

FEATURES

| Gauge | 7.6 in. wide digital display with keypad | |
|-----------------|--|--|
| Battery | 12 V (30 amp/h) | |
| Magneto | 850 W | |
| Instrumentation | DC outlet (10-A), USB Port (10-A) x 2 | |
| Lighting | Front lighting output 140 W, LED signature lights, LED tail lights | |
| Winch | 4,500 lb (2,041 kg) winch with roller fairlead | |
| Seat | VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trims | |
| Steering Wheel | Adjustable tilt steering | |
| Protection | XT front bumper, HMWPE full skid plate, Full hard roof with liner and interior dome light, Full colour match doors with electric opening windows, 3-position full glass tilt-up windshield with wiper/washer kit, Rear glass window | |
| | Panoramic mirror | |
| | Auto heating and air conditioning (HVAC) climate system | |
| Hitch Type | 2 in. hitch receiver | |

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

2023 CAN-AM DEFENDER X MR HDIO



PACKAGE HIGHLIGHTS

- Smart-Lok front differential
- · Strategically positioned engine air intake and CVT inlet/outlet
- Brake holding mechanism
- VERSA-PRO bolster bench seat, reinforced seat skin featuring X package trims and adjustable driver seat
- 7.6 in. digital display with keypad
- Extra high clearance Arched A-Arms
- LED Signature lights
- 30 in. XPS Swamp Force tyres
- 4,500 lb (2,014 kg) High mount winch
- Heavy-duty front steel bumper
- Aluminum rock sliders
- HMWPE full skid plate
- Under passenger seat waterproof removable storage box

Mossy Oak[®] Break-Up Country Camo / HD10

| ENGINE | HD10 |
|----------------------|--|
| Туре | 82 hp/69 lb-ft, Rotax* 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | PRO-TORQ CVT Transmission with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio, and high-airflow ventilation with strategically positioned CVT air intake and exhaust Extra L/H/N/R/P |
| Drive Train | Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok technology |
| Driving Assistance | Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes |
| Power Steering | Dynamic Power Steering (DPS™) |

SUSPENSIONS

| Front Suspension | Arched double A-arm with sway bar/12 in. (30.5 cm) travel |
|------------------|---|
| Front Shocks | Twin tube gas-charged shocks |
| Rear Suspension | Arched TTA with external sway bar/12 in. (30.5 cm) travel |
| Rear Shocks | Twin tube gas-charged shocks |

TYRES & WHEELS

| Front Tyres | XPS Swamp Force 30 x 9 x 14 in. | |
|-------------|----------------------------------|--|
| Rear Tyres | XPS Swamp Force 30 x 11 x 14 in. | |
| Wheels | 14 in. cast-aluminum | |

BRAKES

| Front | Dual 220 mm disc brakes with hydraulic twin-piston calipers | _ |
|-------|--|---|
| Rear | Dual 220 mm disc brakes with hydraulic single-piston calipers | |
| | Brake holding mechanism | |

| DIMENSIONS & CAPACITIES | | |
|-------------------------|--|--|
| Cage | Profiled cage, ROPS approved | |
| Estimated Dry Weight | 1,746 lb (792 kg) | |
| LxWxH | 129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm) | |
| Wheelbase | 83 in. (211.5 cm) | |
| Ground Clearance | 15 in. (38.1 cm) | |
| Cargo Box Dimensions | 38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm) | |
| Cargo Box Capacity | 1,000 lb (454 kg) | |
| Tailgate Load Capacity | 250 lb (113.4 kg) | |
| Storage Capacity | Total: 16.2 gal (61.3 L) | |
| Towing Capacity | 2,500 lb (1,134 kg) | |
| Payload Capacity | 1,500 lb (680 kg) | |
| Fuel Capacity | 10.6 gal (40 L) | |
| Person Capacity | 3 | |

FEATURES

| Gauge | 7.6 in. wide digital display with keypad |
|-----------------|--|
| Battery | 12 V (30 amp/h) |
| Magneto | 650 W |
| Instrumentation | DC outlet (10-A), USB Port (10-A) x 2 |
| Lighting | Front lighting output 140 W, LED signature lights, LED tail lights |
| Winch | Relocated 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead |
| Seat | VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring X package trims |
| Steering Wheel | Adjustable tilt steering |
| Protection | Heavy-duty front steel bumper, HMWPE full skid plate, Aluminum rock sliders, Mudguards |
| Hitch Type | 2 in. hitch receiver |

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

2023 CAN-AM DEFENDER MAX DPS HD9



Tundra Green / HD9

| ENGINE | HD9 |
|----------------------|---|
| Туре | 65 hp/59 lb-ft, Rotax [®] 976 cc, V-twin, liquid-cooled |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra L/H/N/R/P |
| Drive Train | Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential |
| Driving Assistance | Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes |
| Power Steering | Dynamic Power Steering (DPS™) |

SUSPENSIONS

| Front Suspension | Double A-arm/10 in. (25.4 cm) travel |
|------------------|--|
| Front Shocks | Twin tube gas-charged shocks |
| Rear Suspension | TTA with external sway bar/10 in. (25.4 cm) travel |
| Rear Shocks | Twin tube gas-charged shocks |

TYRES & WHEELS

| Front Tyres | XPS Trail Force 27 x 9 x 14 in. | |
|-------------|----------------------------------|--|
| Rear Tyres | XPS Trail Force 27 x 11 x 14 in. | |
| Wheels | 14 in. cast-aluminum | |

BRAKES

| BRAKES | |
|--------|--|
| Front | Dual 220 mm disc brakes with hydraulic twin-piston calipers |
| Rear | Dual 220 mm disc brakes with hydraulic twin-piston calipers |

PACKAGE HIGHLIGHTS

- Rotax[®] 976 cc V-twin engine
- 6 seat capacity
- Longer wheelbase providing smoother ride over rough ground
- 27 in. 8 ply XPS Trail Force tyres
- 771 kg payload / 1,134 kg towing capacity / 454 kg tray capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

DIMENSIONS & CAPACITIES

| DIMENSIONS & CAPA | DIMENSIONS & CAPACITIES | |
|------------------------|--|--|
| Cage | Profiled cage, ROPS approved | |
| Estimated Dry Weight | 1,771 lb (803 kg) | |
| LxWxH | 153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm) | |
| Wheelbase | 115.5 in. (294 cm) | |
| Ground Clearance | 11 in. (28 cm) | |
| Cargo Box Dimensions | 38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm) | |
| Cargo Box Capacity | 1,000 lb (454 kg) | |
| Tailgate Load Capacity | 250 lb (113.4 kg) | |
| Storage Capacity | Total: 11.1 gal (42.1 L) | |
| Towing Capacity | 2,500 lb (1,134 kg) | |
| Payload Capacity | 1,700 lb (771 kg) | |
| Fuel Capacity | 10.6 gal (40 L) | |
| Person Capacity | 6 | |
| | | |

FEATURES

| Gauge | 4.5 in. wide digital display |
|-----------------|--|
| Battery | 12 V (30 amp/h) |
| Magneto | 650 W |
| Instrumentation | DC outlet (10-A) |
| Lighting | Front lighting output 140 W, LED tail lights |
| Winch | N/A |
| Seat | VERSA-PRO bench seat with passenger seats flipping up Underside hooks |
| Steering Wheel | Adjustable tilt steering |
| Protection | Integrated front steel bumper, HMWPE central skid plate |
| Hitch Type | 2 in. hitch receiver |
| | |

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

2023 CAN-AM DEFENDER MAX XT HDIO



PACKAGE HIGHLIGHTS

- 6 seat capacity
- 4,500 lb. (2,014 kg) winch
- XT Front bumper
- HMWPE full skid plate
- VERSA-PRO bolster bench seats with reinforced XT seat skin and adjustable drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- Rotax[®] 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS[™])
- 14 in. cast-aluminium wheels

Stone Gray / HD10

| HD10 |
|---|
| 82 hp/69 lb-ft, Rotax [®] 976 cc, V-twin, liquid-cooled |
| Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection Extra L/H/N/R/P |
| Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential |
| Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes |
| Dynamic Power Steering (DPS™) |
| |

SUSPENSIONS

| Front Suspension | Arched double A-arm/11 in. (27.9 cm) travel |
|------------------|---|
| Front Shocks | Twin tube gas-charged shocks |
| Rear Suspension | Arched TTA with external sway bar/11 in. (27.9 cm) travel |
| Rear Shocks | Twin tube gas-charged shocks |

TYRES & WHEELS

| Front Tyres | XPS Trail King 27 x 9 x 14 in. |
|-------------|---------------------------------|
| Rear Tyres | XPS Trail King 27 x 11 x 14 in. |
| Wheels | 14 in. cast-aluminum |

BRAKES

| DRAKES | | |
|--------|--|--|
| Front | Dual 220 mm disc brakes with hydraulic twin-piston calipers | |
| Rear | Dual 220 mm disc brakes with hydraulic twin-piston calipers | |
| | Brake holding mechanism | |

DIMENSIONS & CAPACITIES

| Cage | Profiled cage, ROPS approved |
|------------------------|---|
| Estimated Dry Weight | 1,928 lb (875 kg) |
| L×W×H | 158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm) |
| Wheelbase | 115.5 in. (294 cm) |
| Ground Clearance | 13 in. (33 cm) |
| Cargo Box Dimensions | 38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm) |
| Cargo Box Capacity | 1,000 lb (454 kg) |
| Tailgate Load Capacity | 250 lb (113.4 kg) |
| Storage Capacity | Total: 16.9 gal (63.9 L) |
| Towing Capacity | 2,500 lb (1,134 kg) |
| Payload Capacity | 1,700 lb (771 kg) |
| Fuel Capacity | 10.6 gal (40 L) |
| Person Capacity | 6 |
| | |

FEATURES

| Gauge | 4.5 in. wide digital display |
|-----------------|---|
| Battery | 12 V (30 amp/h) |
| Magneto | 650 W |
| Instrumentation | DC outlet (10-A), USB Port (10-A) x 2 |
| Lighting | Front lighting output 140 W, LED tail lights |
| Winch | 4,500 lb (2,041 kg) winch with roller fairlead |
| Seat | VERSA-PRO bolster bench seats with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin. |
| Steering Wheel | Adjustable tilt steering |
| Protection | XT front bumper, HMWPE full skid plate, 2-piece full hard roof |
| Hitch Type | 2 in. hitch receiver |

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

2023 CAN-AM DEFENDER 6X6 DPS HDIO



PACKAGE HIGHLIGHTS

- Dynamic Power Steering (DPS™)
- · 64 in. wide with Arched A-arm • 14 in. cast-aluminum wheels
- 27 in. XPS Trail King tyres

Tundra Green / HD10

| ENGINE | HD10 |
|----------------------|---|
| Туре | 82 hp/69 lb-ft, Rotax [®] 976 cc, V-twin, liquid-cooled |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection, Extra L/H/N/R/P |
| Drive Train | Selectable Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking front differential |
| Driving Assistance | Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes |
| Power Steering | Dynamic Power Steering (DPS™) |

SUSPENSIONS

| Front Suspension | Arched double A-arm/11 in. (27.9 cm) travel |
|------------------|---|
| Front Shocks | Twin tube gas-charged shocks |
| Rear Suspension | Arched TTA with external sway bar/11 in. (27.9 cm) travel |
| Rear Shocks | Twin tube gas-charged shocks |

TYRES & WHEELS

| Front Tyres | XPS Trail King 27 x 11 x 14 in. | |
|-------------|---------------------------------|--|
| Rear Tyres | XPS Trail King 27 x 11 x 14 in. | |
| Wheels | 14 in. cast-aluminum | |

BRAKES

| BRAKES | | |
|---|---|--|
| Front | Dual 220 mm ventilated disc brakes with hydraulic twin-piston calipers | |
| Rear Dual 220 mm ventilated disc brakes with hydraulic twin-piston calipers | | |

DIMENSIONS & CAPACITIES Cage Profiled cage, ROPS approved Estimated Dry Weight 1,953 lb (886 kg) LxWxH 154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm) Wheelbase 115.5 in. (294 cm) Ground Clearance 13 in. (33 cm) Cargo Box Dimensions 72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm) Cargo Box Capacity 1,000 lb (454 kg) Tailgate Load Capacity 250 lb (113.4 kg) Storage Capacity Total: 10.4 gal (39.5 L) 3,000 lb (1,360.8 kg) Towing Capacity Payload Capacity 1,700 lb (771 kg) Fuel Capacity 10.6 gal (40 L) Person Capacity 3

FEATURES

| , | | |
|------------------------------------|--|--|
| Gauge 4.5 in. wide digital display | | |
| Battery | 12 V (18 amp/h) | |
| Magneto | 650 W | |
| Instrumentation | DC outlet (10-A) | |
| Lighting | Front lighting output 140 W, LED tail lights | |
| Winch | N/A | |
| Seat | VERSA-PRO bench seat with passenger seats flipping up Underside hooks | |
| Steering Wheel | Adjustable tilt steering | |
| Protection | otection Integrated front steel bumper, HMWPE central skid plate | |
| litch Type 2 in. hitch receiver | | |
| | | |

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

2023 CAN-AM DEFENDER PRO (PICK-UP) DPS HDIO



Yellow / HD10

| ENGINE | HD10 | |
|----------------------|---|--|
| Туре | 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled | |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | |
| Transmission | PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection Extra L/H/N/R/P | |
| Drive Train | Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential | |
| Driving Assistance | Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes | |
| Power Steering | Dynamic Power Steering (DPS™) | |
| | | |

SUSPENSIONS

| Front Suspension Arched double A-arm/11 in. (27.9 cm) travel | |
|--|---|
| Front Shocks | Twin tube gas-charged shocks |
| Rear Suspension | Arched TTA with external sway bar/11 in. (27.9 cm) travel |
| Rear Shocks Twin tube gas-charged shocks | |

TYRES & WHEELS

| Front Tyres | XPS Trail King 27 x 9 x 14 in. | |
|-------------|---------------------------------|--|
| Rear Tyres | XPS Trail King 27 x 11 x 14 in. | |
| Wheels | 14 in. cast-aluminum | |

BRAKES

| BRARES | |
|--------|--|
| Front | Dual 220 mm disc brakes with hydraulic twin-piston calipers |
| Rear | Dual 220 mm disc brakes with hydraulic twin-piston calipers |

PACKAGE HIGHLIGHTS

- 712 kg. payload capability
- 6 ft. long tray
- Removable sides turning the tray into a flatbed
- 316.5 L undertray dust and water resistent storage locker
- Ultrasmooth ride thanks to longer chassis
- $\boldsymbol{\cdot}$ One of the quietest SXS on the market
- Rotax[®] 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- · 14 in. cast-aluminium wheels

| DIMENSIONS & CAPACITIES | | | |
|---|--|--|--|
| Cage Profiled cage, ROPS approved | | | |
| Estimated Dry Weight | 1,815 lb (823 kg) | | |
| LxWxH | 154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm) | | |
| Wheelbase | 115.5 in. (294 cm) | | |
| Ground Clearance | 13 in. (33 cm) | | |
| Cargo Box Dimensions 72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm) | | | |
| Cargo Box Capacity | 1,000 lb (454 kg) | | |
| Tailgate Load Capacity | 250 lb (113.4 kg) | | |
| Storage Capacity | Total: 94 gal (356 L) | | |
| Towing Capacity | 2,500 lb (1,134 kg) | | |
| Payload Capacity | 1,570 lb (712 kg) | | |
| Fuel Capacity | 10.6 gal (40 L) | | |
| Person Capacity | 3 | | |

FEATURES

| Gauge | 4.5 in. wide digital display | |
|---|--|--|
| Battery | 12 V (18 amp/h) | |
| Magneto | 650 W | |
| Instrumentation | DC outlet (10-A) | |
| Lighting | Front lighting output 140 W, LED tail lights | |
| Winch | N/A | |
| Seat VERSA-PRO bench seat with passenger seat flippi Underside hooks | | |
| Steering Wheel | Adjustable tilt steering | |
| Protection | Integrated front steel bumper, HMWPE central skid plate | |
| Hitch Type | itch Type 2 in. hitch receiver | |
| | | |

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

| | DEFENDER | DPS | xu | | |
|----------------------|-------------------------------------|--|---|---|--|
| | | | | | |
| cc | DLOUR OPTIONS | Yellow | Yellow / Tundra Green | Tundra Green | |
| | Туре | HD7 | HD9 | HD10 | |
| | ijpe | 52 hp/41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled | 65 hp/59 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled | 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled | |
| | Fuel Delivery System | Intellig | gent Throttle Control (iTC™) with Electronic Fuel Injectic | n (EFI) | |
| ENGINES | Transmission | pDrive primary CVT with engine braking and Electronic Drive Belt Protection, L/H/N/R/P | PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P | | |
| | Drive Train | Selectable | Turf Mode/2WD/4WD with Visco-Lok [†] auto-locking fron | t differential | |
| | Driving Assistance | Elec | ctronic Hill Descent Control, ECO™/ECO™ Off/Work mo | des | |
| | Power Steering | | Dynamic Power Steering (DPS™) | | |
| | | Double | | Arched double A-arm/ | |
| ONS | Front Suspension | 10 in. (25.4 | | 11 in. (27.9 cm) travel | |
| SUSPENSIONS | Front Shocks | | Twin tube gas-charged shocks | Arehed TTA with a strength of the | |
| ISPE | Rear Suspension | TTA with exter 10 in. (25.4 | | Arched TTA with external sway bar/ 11 in. (27.9 cm) travel | |
| ิร | Rear Shocks | | Twin tube gas-charged shocks | | |
| TYRES/ WHEELS | Front/Rear Tyres Wheels | | XPS Trail Force 27 x 9/11 x 14 in. 14 in. cast-aluminum | | |
| . > | Front | Dual 220 mm disc brakes with hydraulic twin-piston calipers | | | |
| BRAKES | | | · · · · | | |
| BRA | Rear | | al 220 mm disc brakes with hydraulic single-piston calipers | | |
| N/A Brake holdin | | | | g mechanism | |
| | Cage | | Profiled cage, ROPS approved | | |
| | Estimated Dry Weight | 1,471 lb. (667 kg) | 1,623 lb. (736 kg) | 1,645 lb. (746 kg) | |
| | LxWxH | 121 x 62 (307.1 x 157 | | 121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm) | |
| ŝ | Wheelbase | | 83 in. (211.5 cm) | | |
| ENSIONS / CAPACITIES | Ground Clearance | 11 in. (| | 13 in. (33 cm) | |
| APA | Cargo Box | | 38 x 54.5 x 12 in. | | |
| s/c | Dimensions | | (96.5 x 138.4 x 30.5 cm) | | |
| NOI | Cargo Box Capacity Tailgate Load | | 1,000 lb (454 kg) | | |
| IENS | Capacity | | 250 lb (113.4 kg) | | |
| DIM | Storage Capacity | | Total: 10.4 gal (39.5 L) | | |
| | Towing Capacity | | 2,500 lb (1,134 kg) | | |
| | Payload Capacity | | 1,500 lb (680 kg) | | |
| | Fuel Capacity | | 10.6 gal (40 L) | | |
| <u> </u> | Person Capacity | | 3 | | |
| | Gauge | | 4.5 in. wide digital display | | |
| | Battery | | 12 V (18 amp/h) | | |
| | Magneto | | 650 W | | |
| | Instrumentation Lighting | | DC outlet (10-A) Front lighting output 140 W, LED tail lights | | |
| | | | | | |
| KES | Winch | N/A | | | |
| FEATURES | Seat | VERSA-PRO bench seat with passenger seat flipping up, underside hooks | | | |
| | Steering Wheel | Adjustable tilt steering | | | |
| | Protection | Integrated front steel bumper, HMWPE central skid plate, full hard roof | | | |
| | Hitch Type | | 2 in. hitch receiver | | |
| L | | | | | |

 $^{\dagger}\mbox{Visco-Lok}$ is a trademark of GKN Viscodrive GmbH.

| | DEFENDER | хт | Limited | X mr | | |
|----------------------|----------------------------------|--|---|---|--|--|
| | | | | | | |
| C | DLOUR OPTIONS | Timeless Black | Stone Gray | Mossy Oak [®] Break-Up Country Camo | | |
| | | HD10 | HD10 | HD10 | | |
| | Туре | 82 hp/69 lb-ft, Rotax® 97 | 6 cc, V-twin, liquid-cooled | 82 hp/69 lb-ft, Rotax [®] 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake | | |
| | Fuel Delivery System | Intellige | ent Throttle Control (iTC™) with Electronic Fuel Inject | | | |
| ENGINES | Transmission | high-airflow ventilation, and E | th Quick Response System (QRS), lectronic Drive Belt Protection, H/N/R/P | PRO-TORQ CVT Transmission with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio, and high-airflow ventilation with strategically positioned CVT air intake, and exhaust Extra L/H/N/R/P | | |
| | Drive Train | Selectable Turf Mode/2WD/4WD with | Visco-Lok [†] auto-locking front differential | Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok* technology | | |
| | Driving Assistance | Elect | tronic Hill Descent Control, ECO™/ECO™ Off/Work m | nodes | | |
| | Power Steering | | Dynamic Power Steering (DPS™) | | | |
| | Front Suspension | Arched double A-arm/ | | arm with sway bar/ | | |
| SUSPENSIONS | | 11 in. (27.9 cm) travel | | 5 cm) travel | | |
| ENSI | Front Shocks | Arohod TTA with outside lower here' | Twin tube gas-charged shocks | ovtornol ovvov hor (| | |
| JSPE | Rear Suspension | Arched TTA with external sway bar/ 11 in. (27.9 cm) travel | | external sway bar/ 5 cm) travel | | |
| sr | Rear Shocks | | Twin tube gas-charged shocks | | | |
| LS S | | | | V/D2 0 | | |
| TYRES/ WHEELS | Front/Rear Tyres Wheels | XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum | XPS Trac Force 30 x 9/10 x 14 in. 14 in. cast-aluminum | XPS Swamp Force 30 x 9/11 x 14 in. 14 in. cast-aluminum | | |
| s | Front | Du | al 220 mm disc brakes with hydraulic twin-piston cali | pers | | |
| BRAKES | Rear | Dual 220 mm disc brakes with | hydraulic single-piston calipers | Dual 220 mm disc brakes with hydraulic twin- piston calipers | | |
| BR | | | piston calipera | | | |
| | Cage | | Brake holding mechanism Profiled cage, ROPS approved | | | |
| | Estimated Dry | | | | | |
| | Weight | 1,623 lb (736 kg) | 1,976 lb (896 kg) | 1,746 lb (792 kg) | | |
| | LxWxH | 125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm) | 126 x 65 x 81 in. (319 x 165.1 x 252 cm) | 129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm) | | |
| IES | Wheelbase | | 83 in. (211.5 cm) | | | |
| ACIT | Ground Clearance | 13 in. (33 cm) | 14 in. (35.56 cm) | 15 in. (38.1 cm) | | |
| CAP | Cargo Box Dimensions | | 38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm) | | | |
| NS / | Cargo Box Capacity | | 1,000 lb (454 kg) | | | |
| ENSIONS / CAPACITIES | Tailgate Load | | 250 lb (113.4 kg) | | | |
| DIMEN | Capacity | T. 1 (0.0. 1(0).01) | | T | | |
| ā | Storage Capacity | Total: 16.2 gal (61.3 L) | Total: 12.7 gal (48.1 L) | Total: 16.2 gal (61.3 L) | | |
| | Towing Capacity | 4 500 lb (000 bc) | 2,500 lb (1,134 kg) | 4 500 ltr (000 ltr) | | |
| | Payload Capacity | 1,500 lb (680 kg) | 1,200 lb (544 kg) | 1,500 lb (680 kg) | | |
| | Fuel Capacity Person Capacity | | 10.6 gal (40 L) 3 | | | |
| | | 4.5 in wide digital display | [| diaplay with koursed | | |
| | Gauge | 4.5 in. wide digital display | | display with keypad | | |
| | Battery Magneto | 650 W | 12 V (30 amp/h) 850 W | 650 W | | |
| | Instrumentation | 050 W | DC outlet (10-A), USB Port (10-A) x 2 | 050 W | | |
| | Lighting | Front lighting output 140 W, LED tail lights | | D signature lights, LED tail lights | | |
| | | | | | | |
| RS | Winch | 4,500 lb (2,041 kg) wit | nch with roller fairlead | Relocated 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead | | |
| FEATURES | Seat | VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin. | VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trim. | VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring X package trim. | | |
| | Steering Wheel | | Adjustable tilt steering | | | |
| | Protection | XT front bumper, HMWPE full skid plate, full hard roof | XT front bumper, HMWPE full skid plate, full hard roof with liner and interior dome light, full colour match doors with electric opening windows, 3-position full glass tilt-up windshield with wiper/washer kit, rear glass window, panoramic mirror. Auto heating and air conditioning (HVAC) climate system | Heavy-duty front steel bumper, HMWPE full skid plate, aluminum rock sliders, mudguards | | |
| | Hitch Type | | 2 in. hitch receiver | · | | |
| | | | | | | |

[†] Visco-Lok is a trademark of GKN Viscodrive GmbH. *Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.

| | DEFENDER | MAX DPS | MAX XT | PRO DPS | 6x6 DPS | | |
|-------------------------|----------------------------|--|--|---|---|--|--|
| | | | | | | | |
| cc | LOUR OPTIONS | Tundra Green | Stone Gray | Yellow | Tundra Green | | |
| | Туре | HD9 65 hp/59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled | HD10 | HD10 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled | HD10 | | |
| | Fuel Delivery System | | Intelligent Throttle Control (iTC™) | with Electronic Fuel Injection (EFI) | | | |
| ENGINES | Transmission | | | airflow ventilation, and Electronic Drive | | | |
| | Drive Train | | Selectable Turf Mode/2WD/4WD with | Visco-Lok ^T auto-locking front differential | | | |
| | Driving Assistance | | | , ECO™/ECO™ Off/Work modes | | | |
| | Power Steering | | Dynamic Power | Steering (DPS™) | | | |
| SN | Front Suspension | Double A-arm/10 in. (25.4 cm) travel | A | rched double A-arm/11 in. (27.9 cm) trav | vel | | |
| SIO | Front Shocks | | Twin tube gas- | charged shocks | | | |
| PEN | Rear Suspension | TTA with external sway bar/ 10 in. (25.4 cm) travel | Arched | TTA with external sway bar/11 in. (27.9 c | m) travel | | |
| SUSPENSIONS | Rear Shocks | | Twin tube gas- | charged shocks | | | |
| | | | | | | | |
| TYRES/ WHEELS | Front/Rear Tyres Wheels | XPS Trail Force 27 x 9/11 x 14 in. 14 in. cast-aluminum | | 27 x 9/11 x 14 in. aluminum | XPS Trail King 27 x 11 x 14 in. 14 in. cast-aluminum | | |
| ß | Front | | Dual 220 mm disc brakes with | n hydraulic twin-piston calipers | | | |
| BRAKES | Rear | Dual 220 mm disc brakes with hydraulic twin-piston calipers | | | | | |
| B | | N/A | Brake holding mechanism | N | /A | | |
| | Cage | | Profiled cage, I | ROPS approved | | | |
| | Estimated Dry Weight | 1,771 lb (803 kg) | 1,928 lb (875 kg) | 1,815 lb (823 kg) | 1,953 lb (886 kg) | | |
| | LxWxH | 153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm) | 158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm) | 154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm) | | | |
| ŝ | Wheelbase | | 115.5 in. | (294 cm) | | | |
| DIMENSIONS / CAPACITIES | Ground Clearance | 11 in. (28 cm) | | 13 in. (33 cm) | | | |
| / CAF | Cargo Box Dimensions | 38 x 54.9 (96.5 x 138. | 5 x 12 in. 4 x 30.5 cm) | 72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm) | | | |
| ONS | Cargo Box Capacity | | 1,000 lb | (454 kg) | | | |
| MENS | Tailgate Load Capacity | | 250 lb (* | 113.4 kg) | | | |
| ā | Storage Capacity | Total: 11.1 gal (42.1 L) | Total: 16.9 gal (63.9 L) | Total: 94 gal (356 L) | Total: 10.4 gal (39.5 L) | | |
| | Towing Capacity | | 2,500 lb (1,134 kg) | | 3,000 lb (1,360.8 kg) | | |
| | Payload Capacity | 1,700 lb | (771 kg) | 1,570 lb (712 kg) | 1,700 lb (771 kg) | | |
| | Fuel Capacity | | 10.6 ga | al (40 L) | | | |
| | Person Capacity | (| 5 | | 3 | | |
| | Gauge | | 4.5 in. wide o | digital display | | | |
| | Battery | 12 V (18 amp/h) | 12 V (30 amp/h) | 12 V (18 | amp/h) | | |
| | Magneto | | 65 | 0 W | | | |
| | Instrumentation | DC outlet (10-A) | DC outlet (10-A), USB Port (10-A) x 2 | DC outl | et (10-A) | | |
| | Lighting | | | 140 W, LED tail lights | · · · · · · · · · · · · · · · · · · · | | |
| FEATURES | Winch | N/A | 4,500 lb (2,041 kg) winch with roller fairlead | N/A | | | |
| FEAT | Seat | VERSA-PRO bench seat with passenger seats flipping up, underside hooks | ch seat with flipping up, divershed striver cost underside VERSA-PRO bench seat with passenger seats flipping up, VERSA-PRO bench seat with passenger seats flipping up, underside hor | | | | |
| 1 | Steering Wheel | | Adjustable | tilt steering | | | |
| | Protection | Integrated front steel bumper, HMWPE central skid plate | XT front bumper, HMWPE full skid plate, 2-piece full hard roof | | t steel bumper, tral skid plate | | |
| | Hitch Type | | | l h receiver | | | |
| | | | 2.11.11101 | | | | |

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH.



ROOFS

| | | Defender | 715002430 |
|----------------------------|---|---|--|
| Sport Roof | | Defender MAX | 715003038 |
| | Robust injection-molded po Provides added protection f | lypropylene construction. or rider and passenger from the elements. | |
| Deluxe Sport Roof | | Defender | 715002511 |
| Not illustrated) | | Defender MAX | 715003039 |
| | and also diminishes noise v | to the seal kit and the liners included. | Includes - Sport Roof - Sport Roof Seal Kit - Front Roof Liner - Rear Roof Liner |
| | | Defender | 715003126 |
| Sport Roof Seal Kit | | Defender MAX | 715003583 |
| Bimini Roof with Sun Visor | or when installing the Front | ndividual cab components with Sport Roof and Rear Roof Liners. Defender (not compatible for use with soft and rigid full doors) Defender MAX | 715003418 · Black 715003030 · Black |
| | Heavy-duty canvas made of Soft top comes with a hard Quick and easy installation. | UV-resistant polyester. visor that allows for storage of rolled-up soft top and mounting | of Light Rack. |
| Front Roof Liner | | Defender, Defender MAX | 715008226 |
| | • | oof-mounted lights and audio systems. of Windshield Wiper and Washer Kit. | <u>.</u> |
| | | Defender | 715006334 |
| | | | |
| Rear Roof Liner | | Defender MAX ⁺ (Not illustrated) | 715006391 |

†Needs to be installed with Sport Roof (715002430). ‡Needs to be installed with Sport Roof (715003038).

CABS

Hard Cabs

| Cab Enclosure | Defender XT | | 715006333 |
|--|--|---|--|
| come stock with a models with the a • Offers good driver elements. • Rear Wind Protect | re ideal for Defender XT vehicles that a roof, but also fits on Base and DPS addition of a roof. r and passenger protection from the tion Installation Seal Kit (715006705) is llation on 2020 Defender models. | Included: - Flip Glass Windshield - Full Doors with Power Windows - Rear Window | - Insulation Acoustic Kit - Window Harness - Roof Power Cable Kit - Hard Enclosure Roof Seal Kit |

| | Defender (all model years) | 715007269 |
|-----------------|---------------------------------------|------------------|
| Clear Rigid Cab | Defender MAX 2022 & up (except X mr m | odels) 715007270 |
| | | |

| | 700 | - |
|----|-------|---|
| 01 | Under | |
| - | | |

- Includes:
 Front Clear Rigid Doors
- Sport Roof
- Flip Glass Windshield
- Rear Polycarbonate Window
- Creat Deef Ceel Kit
- Sport Roof Seal Kit

| | | | | 715008607 |
|--------------------------|--|--|--|--|
| remium Rigid Cab Enclos | ure | Defender (except X mr models) | | 715006330 Rear Glass Window with Sliding Pane |
| | Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer. | Includes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer Kit | - Full Doors with Power Windows - Rear Glass Window - Thermal Insulation Kit | - Wiper and Powered Windows Cable - Roof Power Cable - Rigid Cab Seal Kit |
| | | | | |
| | | | | 715008608 |
| remium Rigid Cab Enclosi | ure | Defender MAX (except X mr m | iodels) | 715008608 715006332 Rear Glass Window with Sliding Pane |
| remium Rigid Cab Enclose | Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer. | Defender MAX (except X mr m • Includes: - Deluxe Sport Roof Kit - Flip Glass Windshield with Wiper and Washer Kit | odels) - Full Doors with Power Windows - Rear Glass Window - Rear Full Doors | 715006332 Rear Glass |
| remium Rigid Cab Enclose | Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product | Includes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer | - Full Doors with Power Windows - Rear Glass Window - Rear Full Doors | - Wiper and Powered Windows Cable - Roof Power Cable |



Soft Cabs

Soft Cab Enclosure

(Not illustrated)

Included:

- Sport Roof

- Full Windshield

- Hardcoated

- Soft Doors

Defender MAX 2018 & prior, Defender MAX 2021 & up (models produced after January 18)

- Rear Polycarbonate Window

715008063

715008064

| Cab Kits – Reference Chart | | | | | | | | | |
|----------------------------|-------------------------------------|--------------------|------------------------|---|---|---|--|-----------------------|------------------------------|
| | Cab Enclosure XT | Clear Rigid Cab | Clear Rigid Cab MAX | Premium Rigid Cab Enclosure | Premium Rigid Cab Enclosure (Rear Glass Window with sliding panel) | Premium Rigid Cab Enclosure MAX | Premium Rigid Cab Enclosure MAX (Rear Glass Window with sliding panel) | Soft Cab Enclosure | Soft Cab Enclosure MAX |
| Kit | 715006333 | 715007269 | 715007270 | 715008607 | 715006330 | 715008608 | 715006332 | 715008063 | 715008064 |
| Windshield | 715002942 | 715002942 | 715002942 | 715002441 | 715002441 | 715002441 | 715002441 | 715002432 | 715002432 |
| Rear Window | 715007081 | 715007081 | 715007081 | 715007079 | 715007080 | 715007079 | 715007080 | 715007081 | 715007081 |
| Roof | Stock | 715002430 | 715003038 | 715002430 | 715002430 | 715003038 | 715003038 | 715002430 | 715003038 |
| Front Doors | 715006331 | 715006261 | 715006261 | 715006331 | 715006331 | 715006331 | 715006331 | 715008059 | 715008059 |
| Rear Doors | - | - | 715006262 | - | - | 715006329 | 715006329 | - | 715006318 |
| Others | 710004462 715003094 715003126 | 715003126 | 715003583 | 710004462 715003094 715003126 715008226 715006334 | 710004462 715003094 715008226 715006334 715003126 | 710004462 715003094 715008226 715006391 715003583 | 710004462 715003094 715008226 715006391 715003583 | - | - |

Defender

WINDSHIELDS & MIRRORS

Windshields

| Powerflip Windshield | | Defender, Defender MAX | | 715003885 |
|--|---|---|---|--|
| | The PowerFlip Windshield is cylinders that allow the ride opening at the touch of a bu Windshield is made of hardor rubber seal contour and a ti Allows you to quickly adapt adjusting the windshield as | r to adjust the windshield itton. coated polycarbonate with a nted top section. to changing conditions by | Can be fully opened for optimal visibility and ventilation fully closed for maximum protection from the element and in between, you have an infinite number of openin possibilities depending on protection, visibility and aim flow preferences. Compatible with Can-Am roofs and windshield wiper a washer kit. Not EC compliant. | |
| Flip Glass Windshield | | Defender, Defender MAX | | 715002942 |
| | Curved and laminated glass full windshield in metal frame. Provides excellent optical clarity. Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled air flow. 3-position flip can be set at fully closed, ¼ open, or fully | | Gas-shock-assisted operation and pivots on 2 hinges located at the top of the windshield. Ideal for muddy conditions. Can be used with Windshield Wiper & Washer Kit (715001638). Not EC compliant. | |
| Flip Glass Windshield With | Wiper & Washer Kit | Defender, Defender MAX | | 715002441 |
| Curved and laminated glass frame. Provides excellent optical classes of the second second | | arity. e and protects rider and ts while allowing for ully closed or fully open | Ideal for muddy conditions. Gas-shock-assisted operatillocated at the top of the wir Single-speed wiper with wa Requires Wiper and Power of Sport Roof, Power Cables 7 required. If equipped with the 1715008781 & 715003094 and Not EC compliant. | dshield. sher fluid dispenser. Cables: If equipped with the 10004462 & 715003094 are ne Audio Roof, Power Cables |

| Windshield Wiper & Washer K | it | Defender, Defender MAX | | 715001638 |
|-----------------------------|--|---|---|---|
| | An ideal way to keep your w while riding through mud ar Includes single-speed wipe windshields frame mount. | nd water. | required. If equipped with t | Cables: If equipped with the 10004462 & 715003094 are he Audio Roof, Power Cables re required. Not EC compliar |
| | Must be used with the Glass Flip Glass Windshield (7150 Windshield (715003885). | | | |
| Viper & Power Window Cable | | Defender, Defender MAX | | 715008781 |
| | | 9 Roof (715005206 or 71500687 2441), Windshield Wiper & Was rs (715006329). | | |
| Viper & Power Windows Cabl | e | Defender, Defender MAX | | 710004462 |
| | • | s with Power Windows (715006 ild your own cab enclosure fror | | & Washer Kit (715001638). |
| lip Windshield – Hardcoated | | Defender, Defender MAX | | 715002442 |
| | High-impact-resistant Makr. polycarbonate full windshie Provides excellent optical cl resistance. Seals firmly against the cag. passenger from the elemen controlled air flow. | ld in metal frame. arity and better abrasion e and protects rider and | 3-position flip can be set at or fully open. Gas-shock-assisted operati Ideal for muddy conditions. | on. |
| lass Windshield | | Defender, Defender MAX | | 715001303 |
| | Curved and laminated glass frame. Seals firmly against the cag passenger from the elemen optical clarity. | e and protects rider and | Must be used with Windshi (715001638) to maintain clo riding conditions. Not EC compliant. | |
| ull Windshield – Hardcoated | | Defender, Defender MAX | | 715002432 |
| | • • | | | |
| ull Windshield | | Defender, Defender MAX | | 715002431 |
| | High-impact-resistant durab full windshield. Formulated to be non-yellow non-cracking with excellent optical clarity. | ving, non-crazing, | Protects driver and passeng Quick and easy tool-less ins | 5 |
| lalf Windshield | | Defender, Defender MAX | | 715002433 |
| | High-impact-resistant durab half windshield. Formulated to be non-yellov non-cracking with excellent optical clarity. | ving, non-crazing, | Protects driver and passenge Features reverse angle lip t Quick and easy tool-less ins Not compatible with Soft D | o deflect air flow. stallation or removal. |
| ProVent Windshield | | Defender, Defender MAX | | 715005276 |
| | High-impact-resistant Quan polycarbonate full windshie Optimal performance with F Controllable vents to manage Channels air into the cabin, closes to eliminate air flow. | ld. Full Cab Enclosure. Je air flow. | 2 lower vents and one upper Provides excellent optical or resistance. Protects driver and passenge Quick and easy tool-less instance. Not compatible with wiper | larity and better abrasion ger from the elements. stallation or removal. |

| Side Wind Deflectors | | Defender, Defender MAX | | 715005081 |
|-------------------------|--|--|--|---|
| | Clear polycarbonate air defl the cage. Not compatible with Full Dc Sold in pairs. Compatible with all windshi | | Can be adjusted at three different for cabin air flow control whis installed: 1. Outside deflection to red and turbulence. 2. Inside deflection to incre 3. Windshield ventilation to | nen a full windshield uce cabin air flow ase air flow in the cabin. |
| Side Mirrors | | Defender, Defender MAX | | 715008100 · Black |
| | cast-aluminum mount. • Dual adjustment (horizontal any rider. • Convex optics deliver optim | on 6/6 construction with coated ount. Fit with and without doors and half do sold in pairs. Sold in pairs. | | nd half doors. |
| | | Defender, Defender MAX 202 | 20 & up | 715008101 |
| Side Mirror | | Defender, Defender MAX 20 | 19 & prior | 715002459 |
| | Molded heavy-duty aluminum mirror. Stays in place on rough trails. Ball-joint design for steady multi-angle adjustment and outstanding vision. | | Use with or without any roof, windshield or doors. Not for road use. Fits either side. Sold individually. | |
| Panoramic Center Mirror | | Defender, Defender MAX | | 715003638 |
| | Wide-angle convex mirror. Offers enhanced visibility. Can be used with or withou | t roof or windshield and with c | cab enclosures. | |

DOORS

| Front Deluxe Full Doors | | Defender, Defender MAX 202 | 22 & up (except X mr models) | 715005214 |
|---|---|---|---|---|
| Premium doors made from Offer excellent protection Easy to remove on hot and Convenient integrated sto Doors' curved design prov Rear-hinge wide opening in the cockpit. Power window delivers action | | a from the elements. b sunny days. b orage areas. vides even more room. for ease of ingress/egress Require Wiper & Power Windows Cable (71 Roof Power Cable (715003094) and Seal Ki Colour Door Trim are required (sold separation of the the the the the the the the the the | | ndows Cable (710004462), 094) and Seal Kit (715003126) ired (sold separately). |
| Rear Deluxe Full Doors | | Defender MAX 2022 & up (ex | ccept X mr models) | 715005215 |
| | Premium doors made from Offer excellent protection fr Easy to remove on hot and s Convenient integrated stora Curved design provides even Rear hinge opens wide for even in the cockpit. | om the elements. sunny days. age areas. en more room. | Roll-Down Window deliver Require Front Doors (7150 Windows Cables (7100044 and Sport Roof Seal Kit (71 Colour Door Trim are requi Hardware to install the Door | 05214), Wiper and Power 62), Power Cable (715003094 5003583). red (sold separately). |
| Front Deluxe Half Doors | | Defender, Defender MAX 202 | 22 & up | 715007201 |
| | Premium colour matching of polyethylene. Premium fit and finish. Slim with interior pockets. Rear hinge wide opening fo in the cockpit. | | Interior and exterior handle Colour accent panels are r Hardware to install the Door | equired (sold separately). |
| Rear Deluxe Half Doors | | Defender MAX 2022 & up | | 715007202 |
| | Premium colour matching of polyethylene. Premium fit and finish. Slim with interior pockets. Rear hinge wide opening fo in the cockpit. | | Interior and exterior handle Colour accent panels are r Hardware to install the Door | equired (sold separately). |
| Front Door Trim | | Defender, Defender MAX 202 | 2 & up | |
| | Customize your Defender b | y adding colour-matched door | panels. | |
| | Front Left Door Trim | | Front Right Door Trim | |
| J | 705800818 · Liquid Titanium 705800784 · Asphalt Gray 705800782 · Mossy Oak Break-Up Country Camo 705800810 · Oxford Blue 705800814 · Tundra Green 705800812 · Timeless Black | | 705800819 · Liquid Titanium 705800785 · Asphalt Gray 705800783 · Mossy Oak Break-Up Country Camo 705800811 · Oxford Blue 705800815 · Tundra Green 705800813 · Timeless Black | |
| Rear Door Trim | | Defender MAX 2022 & up | | |
| TIME | Customize your Defender b | y adding colour-matched door | panels. | |
| | Rear Left Door Trim | | Rear Right Door Trim | |
| | Rear Left Door Trim 705800832 · Liquid Titanium 705800820 · Asphalt Gray 705800828 · Mossy Oak Break-Up Country Camo 705800822 · Oxford Blue 705800826 · Tundra Green 705800824 · Timeless Black | | 705800833 · Liquid Titanium 705800821 · Asphalt Gray 705800829 · Mossy Oak Break-Up Country Camo 705800823 · Oxford Blue 705800827 · Tundra Green 705800825 · Timeless Black | |

| Rear | Full | Doors |
|------|------|-------|
| | | |

Defender MAX produced before January 18, 2021

715006329

 Made from robust high-density polyethylene. Requires Wiper & Power Cables and Seal Kit: If equipped with the Sport Roof, Power Cables 710004462 & • Offer excellent protection from the elements. 715003094 and Seal Kit 715003126 are required. If - Easy to remove on hot and sunny days. equipped with the Audio Roof, Power Cables 715008781 · Lockable doors with convenient integrated storage areas. & 715003094 and Seal Kit 715003126 are required. Curved design provides even more roominess. Rear hinge opens wide for ease of ingress/egress in the cockpit. Pop-out window delivers added ventilation. . ī.

| Front Full Doors with Power Windows | | Defender & Defender MAX proc | duced before January 18, 2021 | 715006331 |
|-------------------------------------|---|--|--|--|
| | Doors' curved-design provid | om the elements. sunny days. lient integrated storage areas. | Power window delivers add. Compatible with all BRP win Requires Wiper & Power Ca with the Sport Roof, Power (715003094 and Seal Kit 715 equipped with the Audio Ro & 715003094 and Seal Kit 7 | dshields. bles and Seal Kit: If equipped Cables 710004462 & 003126 are required. If of, Power Cables 715008781 |

| | Defender (2 doors) | 715006314 |
|------------|------------------------|-----------|
| Half Doors | Defender MAX (4 doors) | 715006316 |
| | | |

- Half doors made of plastic.
- Metal frame for a higher level of fit and finish and rigidity.
 - Rear hinge wide opening for ease of
 - ingress/egress in the cockpit.
 - Interior pockets and liners for more protection.

| | De | Defender (2 doors) | | 715008059 |
|------------|---|---|---|-----------|
| Soft Doors | | Defender MAX 2018 & prior, Defender MAX 2021 & up (models produced after January 18) | | 715006318 |
| | Bestop designed soft doors for (Weather-resistant soft doors rei | | Zip-down windows made of material for added ventilation | |
| | offer good protection from the e | elements. | Easily removable on hot sur | nny days. |
| | Made of heavy-duty UV-resistant canvas for excellent resistance to tear and abrasion. | | Compatible with roofs and r | mirrors. |
| | | | Soft Door Installation Kit (715006238/2X for MAX) is | |

- Rear hinge wide opening for ease of ingress/egress.
- required for installation of 2019 & prior doors, on 2020 Defender models.

| Front Clear Rigid Doors | | Defender (all model years), Defender MAX 2022 & up (ex | ccept X mr models) | 715006261 |
|-------------------------|---|---|---|-----------------------|
| | Sturdy and compact steel-fr open field of view. Lower hardcoated polycarb maximizes visibility around Upper portion composed of windows for unmatched air | onate transparent panel your unit. two tempered-glass sliding | EC- and ROHVA-compliant to remove the stock side processing space. Sealed contour allows for in in all weather. Lockable doors for peace of | nproved rider comfort |
| Rear Clear Rigid Doors | | Defender MAX 2022 & up (ex | ccept X mr models) | 715006262 |

| Defender MAX 2022 & up (except X mr models) |
|---|
| |

- Sturdy and compact steel-frame doors for a robust yet open field of view.
- · Lower hardcoated polycarbonate transparent panel maximizes visibility around your unit.
- · Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.
- to remove the stock side protection bar for increased cabin space. · Sealed contour allows for improved rider comfort in all weather.


· EC- and ROHVA-compliant for optimal safety, allowing you

- Lockable doors for peace of mind.

REAR WIND PROTECTION

| Rear Glass Window with Sliding Panel | | Defender, Defender MAX (except X mr models) | | 715007080 | |
|--------------------------------------|--|---|--|-----------|--|
| | Made of high-strength temp Ideal for preventing backdra environments. Sliding panel for enhanced v Quick and easy installation. | ft of dust or rain in harsh | Sport Roof (715002430 or 7 for installation. Not compatible with Snorke | | |
| Rear Glass Window | | Defender, Defender MAX (ex | cept X mr models) | 715007079 | |
| | Made of high-strength temp Ideal for preventing backdra environments. Quick and easy installation. | 0 | Sport Roof (715002430 or 7 installation. Not compatible with Snorke | | |
| Rear Polycarbonate Window | | Defender, Defender MAX (ex | cept X mr models) | 715007081 | |
| | High-impact-resistant polyc. Ideal for preventing backdra in harsh environments. Quick and easy installation. | | Sport Roof (715002430 or 7 for installation. Not compatible with Snorke | | |
| Rear Wind Screen | | Defender, Defender MAX | | 715002851 | |
| | Full rear mesh screen reduc added cabin comfort. Installs quick and easily on r White Can-Am logo at top, to | roll cage. | | | |
| Soft Rear Window | | Defender, Defender MAX | | 715003249 | |
| | Clear, flexible window made Resists cold cracking to -4°F Blocks windshield backdraft entering, for added cabin cc | - (-20°C). or dust and rain from | Installs quick and easily on White Can-Am logo at top, t | • | |

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum $\frac{3}{6}$ " (4.5 mm) thick.

Ultimate durability

High strength

DEFENDER, DEFENDER MAX

| | | 2019 & prior | | 2020 & up | | |
|------|---|--|--|--|--|---|
| | your Defender the full protection kit t parts individually | Base, DPS, XT, XT-P, XT Cab 2017 & prior & Hunting Edition | XT Cab 2018-2019, Lone Star Edition & X mr | 62" Base, DPS (HD5, HD8 & HD9), XT (HD8 & HD9) & PRO (HD8) | 64" 6x6 (DPS & XT) or Pro (DPS, XT), XT PRO, DPS (HD10), XT (HD10) & XT-P | 67" XT Cab, Hunting Edition, Lone Star Edition, Limited, & X mr |
| Ful | I Protection Kit | | | | | |
| Alur | ninum Skid Plate Protection Kit | 715003711 (except MAX) | 715006977 (3-up) | 715006694 (except MAX) | 715006696 (3-up & 6x6) | 715006979 (3-up 2020 to 2021 only) |
| Aiui | | 715003712 (MAX only) | 715006978 (MAX) | 715006695 (MAX only) | 715006697 (MAX & PRO) | 715006980 (MAX 2020 to 2021 only) |
| Ind | ividual Aluminum Skid Plates | | | | | |
| Ŭ | Front A-Arm Protectors Extra underside protection for your vehicle's steering mechanism and suspension (A-Arm). Sold in pairs. Not compatible with Apache Track Systems. | 715008274 | 715006975 | 715008274 | 715008275 | 715008275 (2022 & up) 715006975 (2020 to 2021 only) |
| U | Front Skid Plate Protects the front underside of your vehicle when riding in rough terrain conditions. Adds style to the front of your vehicle. | 715002447 | 715002447 | 715002447 | 715002447 | 715002447 |
| Ŭ | Central Skid Plate Central Skid Plate Kit includes central and lateral skid plates. • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Must be used with Underbelly Skid Plate Kit. | 715003467 (MAX only) | 715003467 (MAX only) | 715003467 (MAX only) | 715003467 (MAX only) | 715003467 (MAX only) |
| Ŭ | Underbelly Skid Plate Kit • Ultra-durable protection for the underside of your vehicle. • Makes work easy in more demanding terrain. • Kit includes central, lateral and rear skid plates. | 715002446 | 715002446 | 715007982 | 715007982 | 715007982 |
| U | Rear A-Arm Protectors • Extra underside protection for your vehicle's suspension (A-Arm). • Sold in pairs. • Not compatible with Apache Track Systems. | 715002445 | 715006976 | 715002445 | 715004388 | 715004388 (2022 & up) 715006976 (2020 to 2021 only) |

BUMPERS & GUARDS

Bumpers

Front Bumper

Defender, Defender MAX (2019 & prior) Defender, Defender MAX (2020 & up)

715002418 715005754

• Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.

- Provides enhanced protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated mounting points for lights.
- Required to install the Xtreme Front Bumper Plates, Front Rack and the Front Corner Protectors.

| | Defender, Defender MAX (2019 & prior)† | 715003005 |
|-----------------------------------|---|-----------|
| Xtreme Front Bumper Plates | Defender, Defender MAX (2020 & up) [‡] | 715005777 |
| | | |

· Made of high-strength heavy-gauge steel with rubber pads for increased protection.

• Inside and outside anti-corrosion coating with durable powder coat finish.


- Provide additional front-end protection.
- †Require Front Bumper (715002418) for installation.

‡Require Front Bumper (715005754) for installation.

| Front Corner Protectors | | Defender, Defender MAX (201 Defender, Defender MAX (202 | . , | 715002833 715005774 |
|-------------------------|---|--|---|----------------------------|
| De et | Provide enhanced protectio | ameter steel-tube construction n for front corners. osion coating with durable pov | | |
| | †Require Front Bumper (7150024 ‡Require Front Bumper (7150057 | , | | |
| Rancher Front Bumper | | Defender, Defender MAX | | 715005410 |
| | The low front-end protection your vehicle within cattle he both the vehicle and the ani The flat front portion facilita pushing light objects, e.g., c The full frontage coverage e layer of defense to your hea Inside and outside anti-corre powder coat finish. | erds and guard the safety of mals. tes gently prodding cattle or closing a fence. extends to provide an extra dlights and radiator. | Defender, Defender MAX (20 • Improved approach angle. • Compatible with front rack, tyre and track kits, winches | snow plows, |
| XT Front Bumper | | Defender, Defender MAX (201 | 19 & prior) | 715004407 |
| | 1.5" (3.8 cm) diameter steel-tube construction. Provides light-duty protection. Inside and outside anti-corrosion coating with durable powder coat finish. Light-kit compatible. | | Standard on XT and XT Cab Not compatible with Xtreme Corner Protectors or LinQ F | Front Bumper Plates, Front |

X mr Front Bumper **715006143** · Black Defender, Defender MAX • Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. Includes a front tow hook. Inside and outside anti-corrosion coating with durable Standard on X mr models. finish. Winch sold separately. Provides additional front body protection. Integrated winch support plate for winch relocation at a higher position for easier access in muddy conditions or for auxiliary lights.

Cargo Bed Protectors & Tie Rails



Defender 6x6 & PRO models

715005415


- Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. · Reliable cargo box protection and tie-down attachment point to secure large loads.
- Anti-corrosion coating with durable powder coat finish. · Designed to stay in place when cargo bed side walls are removed.

| Rear Bumper | Defender, Defender MAX | 715008109 | |
|---------------------|--|--|--|
| | Heavy-duty 1.5" (3.8 cm) diameter steel construction and integrated tubular design. | Inside and outside anti-corrosion coating with durable powder-coat finish. | |
| | Increased protection of rear box and lower box corner while allowing normal tailgate function. | Required to install Rear Body Side Protector (715003055). | |
| Rear Bumper Adapter | Defender 6x6& PRO models | 715006060 | |

• Required to install the Rear Bumper on Defender models with the long box.

| Rear Body Side Protectors | Defender, Defender MAX (exce | ept 6x6 & PRO) | 715003055 |
|---------------------------|---|--|-------------|
| | Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction. Reliable cargo box protection. | Compatible with fender flare Integrated brush and low-lyi | |
| | Inside and outside anti-corrosion coating with durable | Require Rear Bumper for inst | stallation. |

Sold in pairs.



Body Side Protectors

Front Body Side Protectors Defender, Defender MAX 715003450 Heavy-duty 1.25" (3.2 cm) diameter steel-tube Sold in pairs. Require Front Bumper (715002418 or 715005754) with Front Corner Protectors (715002833 or 715005774) and construction. Front side protection for farm, ranch and forestry applications. Rock Slider (715002569 or 715003040 for MAX models) for installation. Offer complete front body protection. Inside and outside anti-corrosion coating with durable powder coat finish.

| Front Rancher Body Side Protectors | | Defender, Defender MAX | | 715003617 |
|------------------------------------|--|------------------------|---|---|
| | Heavy-duty 1.25" (3.2 cm) di construction. Front side protection for farr applications. Offer complete front body protection for the second sec | m, ranch and forestry | Inside and outside anti-corr powder coat finish. Sold in pairs. Require Rancher Bumper ar | osion coating with durable nd Rock Sliders for installation. |

32

T

Fender Flares

Fender Flares

| Defender (except 6x6 & PRO), Defender MAX | 715006821 |
|---|-----------|
| Defender 6x6 | 715005409 |
| Defender PRO | 715006001 |

- Robust injection-molded polypropylene construction. · Perfect for keeping mud and debris outside the vehicle. Include front and rear extension, and all mounting hardware.
 - Ideal for track equipped vehicles.



| Sport Fender Flares | | Defender (except 6x6 & PRO), Defender MAX | 715003898 |
|---------------------|--|---|-----------|
| | Sleek fender flares just the r | ight size to reduce mud and debris kick-up from your tyres. | |



- Robust injection-molded polypropylene construction.
- Include front and rear extension, and all mounting hardware.

Rock Sliders

Rock Sliders

| | Defender | 715006671 · Black |
|---------------------------------|-----------------------------------|--------------------------------|
| | | 715006675 · Manta Green |
| | Defender | 715006673 · Yellow |
| | Defender MAX, Defender PRO | 715006721 · Black |
| Heavy-duty rock sliders mad | e of painted 3/6" (5 mm) aluminum | |

- with an integrated step for elevated cargo box access.
- Protect vehicle's sides and undercarriage against large obstacles.
- · Lodge tight up against vehicle body for better clearance from obstacles.
- Not compatible with other rock sliders.
- Sold in pairs.
- Standard on Defender X mr, Defender MAX X mr and Defender XT-P models.

| Rock Sliders | | Defender, Defender 6x6 Defender MAX, Defender PRO | 715002569 715003040 |
|--------------|--|--|------------------------|
| | Protect vehicle's sides and u Made of heavy-duty 1.5" (3.8) | | |

• Inside and outside anti-corrosion coating with durable powder coat finish.

Integrated step for easy cargo box access.

Sold in pairs.

Mud Flaps

Mud Flaps

Defender, Defender MAX

- · Keep mud and debris out of cargo area and protect trailer
- or vehicles behind you. Add aesthetic appeal to your vehicle.
- Made of EPDM rubber.
- Require Rear Bumper for installation.
- Sold in pairs.

715003041

| S3 for Can-Am | | | | 1 |
|--|---|--|--|------------------------------------|
| S3 Front Winch Bumper | | Defender, Defender MAX (20 | 19 & prior) | 715003779 · Black |
| | Made of 1.5" (3.8 cm) diame powder coat finish. Specifically developed for m Integrated mounting plates a Allows higher winch position in mud. | ud riding enthusiasts. accommodate all winches. | Added body protection. Not compatible with LinQ Fi Mounting Kit, Super-Duty P and Plow Pulley. "S3 for Can-Am" branded. Winch not included. | |
| Rear Winch Electrical Harness (Not illustrated) | | Defender, Defender MAX (20 | 19 & prior) | 715004233 |
| | Required for the installation | of a winch on the S3 Rear Win | ich Bumper. | ĥ |
| | Compatible with complete I | Defender winch lineup. | | |
| 53 Nerf Bars | | Defender, Defender 6x6 | | 715005094 · Sunburst Yellow |
| | Made of 1.5" (3.8 cm) diame powder coat finish. Specifically developed for m Protect vehicle's lower sides | ud riding enthusiasts. | Integrated step makes ingre Not compatible with Front E Rancher Body Side Protecto System. | Body Side Protectors, Front |

• "S3 for Can-Am" branded.

Protect vehicle's lower sides without affecting ground clearance.

20-

LINQ: EASY ON, EASY OFF CARGO

DEFENDER'S LINQ ACCESSORIES

Mounting location and requirements

| No tools needed: Quickly install and remove accessories by hand Equip your Can-Am for specialized tasks in no time Sturdy mounting system that holds up to the roughest terrain | Cargo Bed (long box bed LinQ) | LinQ Cargo Rack 715006140 | Adventure Roof Rack 715003870 / 715004391 |
|---|---|---|--|
| LinQ Accessories with 16" Base | Lower loading capacity that | nches apart, center-to-center. n the LinQ with 36" base acces V and SSV vehicles, Can-Am S -Doo snowmobiles. | ssories. |
| LinQ 4.2 Gal Cooler 295100698 • Gray 219400964 • Black | | LinQ Base Installation Kit 715008125 | No compatibility |
| LinQ Tool Kit 715006829 | | | |
| LinQ Tool Box 715008111 | | | |
| LinQ SR 5.5 Gal (21 L) Bag 860202449 | LinQ Base Installation Kit 715008125 | | No further requirements |
| LinQ 4.5 Gal (17 L) Sport Bag 860202447 | | No further requirements | |
| LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L) | | | |
| LinQ Roll-Top Bag 715008110 | | | No compatibility |
| LinQ Accessories with 36" Base | | used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles. | |
| LinQ 12 Gal (45 L) Cargo Box 715003879 | | | |
| LinQ 23 Gal (86 L) Trunk Box 715004923 | | | No further requirements |
| LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018 | | | |
| LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Gray | No compatibility | No further requirements | No compatibility |
| LinQ Premium Storage Bag by OGIO 715002923 • Black | | | |
| LinQ Heavy Duty Basket 715001215 | | | No further requirements |
| LinQ Low Profile Basket 715004282 | | | |
| LinQ Holders | | | |
| LinQ Gear Grips 715005340 | No further requirements | No further requirements | Side wall installation LinQ Adapters |
| LinQ Tool Holder 715007358 | | | 715003058 |

LinQ Accessories with 16" base

| | | | | 715005494 · (10 L) |
|-----------------------------|--|--|---|--|
| LinQ Modular Box | | Defender, Defender MAX | | 715007112 · (20 L) 715006830 · (30 L) |
| | Allows stacking of other mo Always have the right box s Can be installed on any Lin See table for installation loc | dular boxes to always have the rivize to fit everything. Q base with a 16" width. | ght gear accessible. | /1300055 (30 L) |
| Thermal Insert for LinQ Mod | ular Box (10 L) | Defender, Defender MAX | | 219401110 |
| | Insulated liner. Fits very well in the LinQ M Can contain five 473 ml car | · · · | | |
| LinQ Tool Box | | Defender, Defender MAX | | 715008111 |
| | High precision injected HD 5 gal (19 L) maximum capare Weather-resistant, sealed a Easy one-second on/off too All the benefits of LinQ—sire See table for installation loop | nd lockable cover. bl-less system. mple, fast and secure. | and durability. | |
| LinQ Tool Kit | | Defender, Defender MAX | | 715006829 |
| | Includes: Cutter pliers Long-nose pliers Locking plier Ratchet wrench %" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) | Long-socket 19 mm %" drive - 6pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive Socket 8 mm %" drive | Combined wrench 19 mm Combined wrench 18 mm Combined wrench 15 mm Combined wrench 13 mm Combined wrench 10 mm Combined wrench 8 mm | Socket Torx' T40 %" drive Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive See table for installation location and requirements. |
| LinQ 4.2 Gal (16 L) Cooler | | Defender, Defender MAX | | 219400964 · Black 295100698 · Gray |
| Con Cont | Premium-quality foam insu | or exceptional rigidity and durabili lation for optimal ice retention. n (Patent US 8777531 and US 887 pl-less system. | | |
| LinQ SR 5.5 Gal (21 L) Bag | | Defender, Defender MAX | | 860202449 |
| | Semi-rigid expandable bag. 5.5 gal (21 L) capacity. See table for installation loc | | | · |

| e Bag by | OGIO | Defender, Defender MAX | 715002923 · Black |
|----------|------|------------------------|--------------------------|
| 1 | | l bag organization. | <i>i</i> ehicle. |
| | | | |

LinQ 4.5 Gal (17 L) Sport Bag

4.5 gal (17 L) capacity.

• Rigid bottom, semi-rigid top.

See table for installation location and requirements.

Defender, Defender MAX

| LinQ Roll-Top Bag | | Defender, Defender MAX | 715008110 |
|---|--|--|-------------------------|
| | LinQ mounted using heavy- High capacity storage soluti Bottom foam liner for additid Integrated handle for easy tr Sea-Doo: marinized LinQ for | ion (40 L). onal equipment protection. ransportation on/off the vehicle. r salt water uses. | |
| LinQ Accessories wit | h 36" base | | |
| Integrated handle for easily transportation on/off the vehicle. Sea-Doo: marinized LinQ for salt water uses. See table for installation location and requirements. LinQ Accessories with 36" base LinQ 12 Gal (45 L) Cargo Box Oefender, Defender MAX A Holds cargo safely and securely while riding. See table for installation location and requirements. LinQ 23 Gal (86 L) Trunk Box | 715003879 | | |
| | • • | | |
| LinQ 23 Gal (86 L) Trunk Box | | Defender, Defender MAX | 715004923 |
| CITY | Holds cargo safely and secu | urely while riding. | |
| LinQ 11.5 Gal (43 L) Audio Ca | rgo Box | Defender, Defender MAX | 715003018 |
| | The rear installation does no • Mounts on/off easily to hold • The Bluetooth enabled rece | | tegrated in the cover. |
| | | | 715004698 · Gray |
| LinQ 8 Gal (30 L) Cooler Box | | rovides exceptional rigidity and durability. ation for optimal ice retention. compartment protects food. | ■ 715004778 · Black |

LinQ Premium Storage

860202447

| LinQ Heavy-Duty Basket | | Defender, Defender MAX | 715001215 | | | |
|-------------------------|---|---|-------------------|--|--|--|
| can-am | Made of high-strength, low- See table for installation loc | - | | | | |
| LinQ Low Profile Basket | | Defender, Defender MAX | 715004282 | | | |
| | Low profile, open basket inc Perfect for easy access to to Multiple bungee cord and ti Made of impact-resistant in See table for installation loc | pols, rope, winch and plow accessories. ie-down anchor points. jected polypropylene. | | | | |
| | | Defender, Defender MAX (except 6x6 and PRO models) | 715002464 | | | |
| inQ Tailgate Extension | | Defender 6x6 & PRO | 715005412 | | | |
| | falling off the back. • Stores neatly out of the way bed wall as a mini headach • Anti-corrosion coating with | Steel-tubing-system-style barrier mounts on top of the bed walls using the easy, tool-less LinQ System. Can be mounted to serve as cargo divider at different locations along the bed wall while preventing larger items from falling off the back. Stores neatly out of the way and offers additional cab area protection since it can be mounted upside down on the front bed wall as a mini headache rack. Anti-corrosion coating with durable powder coat finish. Not compatible with hard rear windows on Defender MAX produced before January 2021. | | | | |
| inQ Tyre Holder | | Defender (except 6x6 & PRO models), Defender MAX | 715003448 | | | |
| | Mounts on top of the bed w Compatible with Bed Wall E Uses BRP standard wheel b Accommodates BRP tyres u | on. osion coating with durable powder coat finish. alls using the easy, tool-less LinQ System. | | | | |
| inQ Cargo Rack | | Defender, Defender MAX | 715006140 | | | |
| | Allows the installation of Lir 2 racks can be installed at the installed | he same time. n cargo bed, accommodates 5 gal (19 L) bucket. in place. ie-down anchor points. e in the cargo box. | | | | |
| LinQ Front Rack | | Defender, Defender MAX | 715006064 | | | |
| | Heavy-duty 1.25" (3.2 cm) d Inside and outside anti-corr Flip-up configuration provid Allows the installation of Lir Kit includes LinQ Base. Multiple bungee cord and ti | nounts on top of vehicle hood and provides additional storage iameter steel-tube construction. osion coating with durable powder coat finish. les easy access to service area. nQ accessories (especially for use with LinQ Low Profile Bask ie-down anchor points. (715005410) or Front Bumper (715002418 or 715005754) for | tet [715004282]). | | | |

Allows the installation of LinQ Low Profile Basket.

| LinQ Tool Holder | | Defender, Defender MAX | 715007358 |
|----------------------------|---|---|-----------------------|
| | Suitable for installation onto Loadout Rack. | ws tools to be stored in any orientation. the cargo walls, Deluxe Headache Rack, Bed Wall Extender, . eadache Rack or the Bed Wall Extender, LinQ Adapter is requ | |
| LinQ Gear Grips | | Defender, Defender MAX | 715005340 |
| ŶŶ | Heavy-duty design for carry Quick-release button opens Heavy-duty base system but | rovide a custom fit for a variety of items from 1" to 4" (2.5 cm t ing bows, fishing poles, rakes, farm tools and more. grip quickly for easy access to gear. It for the toughest adventures. Is a snap by combining the Gear Grips with the LinQ System. | o 10 cm) in diameter. |
| LinQ Mounting | | | |
| LinQ Adapter | | Defender, Defender MAX | 715003058 |
| | Allows the installation of the Sold in pack of 4. | e LinQ Tool Holder to the Bed Wall Extender or the Deluxe Hea | adache Rack. |
| LinQ Lock | | Defender, Defender MAX | 860201968 |
| - Jan | Simple way to securely lock r Lock cover protects lock from Corrosion resistant. Pack of 1, includes 2 keys. Not compatible with LinQ 4.2 | | Gear Grips. |
| LinQ Base Installation Kit | | Defender, Defender MAX | 715008125 |
| | Unique mounting fastener u Included: 2 LinQ Cargo Base | usable on any LinQ System accessory. es and hardware. | |
| LinQ Replacement Part | | Defender, Defender MAX | 715001707 |
| | Unique mounting fastener u Tool-less installation and rei Sold in pairs. | isable on any LinQ System accessory. moval. | |

CARGO & STORAGE

| Loadout Rack | | Defender, Defender MAX | 715005447 |
|----------------------------|---|---|----------------------------------|
| | Adjustable height that goes Modular basket adapts to d Multiple hooks and holes to Basket accommodates multiple Combine with cargo net to a | that creates a second level of storage. from mid cab height to roof line. ifferent cargo with folding front and rear panels. hang items both inside and outside the rack. tiple LinQ positions. create a hanging storage net below the basket for additional s Defender Pro & Defender 6x6. | space. |
| Hanging Storage Box Kit | | Defender, Defender MAX | 715005449 |
| | along the sidewall, and outs Includes Can-Am branded s | IN be tailored to hold the crates in multiple positions: headacl side the box along the side wall. | ne rack position, inside the box |
| Can-Am Storage Box | | Defender, Defender MAX | 708303237 |
| · <u>·</u> ···· | Conventional 13" x 13" plass Perforated bottom allows w | tic storage box with Can-Am branding. | |
| Exterior Cargo Reinforceme | | | 715006198 |
| | | ed side to further support and protect bed wall when in outwa anging storage box and/or gun and tool holder when installe O). | • |
| Deluxe Headache Rack | | Defender, Defender MAX | 715002423 |
| | Protects cab components fr Increases box capacity whe Required to install the Bed \ Compatible with gear rail. | en used in tandem with the Bed Wall Extender (715002421). | |
| Headache Rack | | Defender, Defender MAX | 715003873 |
| | Full rear roll cage coverage and the load in your cargo b Compatible with gear rail. Rack's open design helps m Not compatible with Bed W. | naintain a clear rear view. all Extender. | your head or cab's components |
| Bed Wall Extender | | Defender, Defender MAX (except Defender 6x6 & Defender PRO) Defender 6x6 & PRO models | 715002421 |
| | Increases box capacity. Quick and easy tool-less mo Easily removable rear door Variable full or half height so Foldable top panels come o Requires Deluxe Headache | dularity. can be latched open. ettings. ff in seconds. | 710003411 |

| Tonneau Cover | | Defender 2018 & up (except Mossy Oak Break-Up Country Camo model), Defender MAX | 715008306 |
|------------------------------|--|--|-------------------------|
| | Prevents splash from enteri Rolls up to the front. Easily removable for quick a | | |
| Removable Storage Bin | | Defender, Defender MAX | 715004344 |
| | • Provides 1.7 gal (6.3 L) of st | tool box will make sure you have your critical equipment when orage and clips on and off in a snap. our contents remain safe and dry. apt Base. | re you need it. |
| Removable Storage Bin – Pass | senger | Defender, Defender MAX | 715003314 |
| S | | underseat storage. gal (14 L) storage capacity bin. a snap and comes with an integrated handle. | |
| Driver Underseat Storage Bin | | Defender, Defender MAX | 715003399 |
| | Front opening for quick and | al (15 L) capacity bin fits securely under the driver's seat. l easy access. sistant items, such as ropes, tow straps and winch accessorie | es that are needed at a |
| Center Underseat Storage Bin | L | Defender, Defender MAX | 715003446 |
| | Polypropylene-injected 2 ga Watertight design keeps icce Easy to drain and wash by n Accessible by lifting center | e and drinks cold. emoving it with integrated handle. | |
| Cargo Bed Rails | | Defender (except 6x6 & PRO), Defender MAX | 715003444 |
| | Added cargo box protection Inside and outside anti-corr Heavy-duty 1" (2.5 cm) diam Add height to the bed side v | a to your cargo box while enhancing the look. n. osion coating with durable powder coat finish. neter steel-tube construction. wall and serve as a tie-down anchor for ropes, straps or bunge all Extender and Headache Rack (715003873). | ees. |
| Cargo Bed Net | | Defender (except 6x6 & PRO), Defender MAX | 715003445 |
| | Solid net designed to hook Keeps items tightly against | to the bottom of the cargo box for secure and compact confin the bed floor. | ement of your cargo. |

Perfect for securing items in the dash storage area.

• To be installed when Lower Dashboard for Heating System is installed.



| Lower Dashboard for Heating | g System | Defender, Defender MAX (2019 & prior) | 715003441 |
|-----------------------------|--|--|-------------------------|
| | passenger to conveniently • To be installed when the D | at comes stock with the vehicle, and features a tablet that store small items in the dash. efrost, Heat & Ventilation System is installed. n Storage Compartment Net for Heating System (71500354 nent from falling. | · |
| Dash Storage Compartment | Nets | Defender, Defender MAX (except Limited models) | 715003129 |
| | Perfect for securing items Not compatible with Defrom Sold in pairs. | in the dash storage area. st, Heat & Ventilation System. | |
| ed Tool Box | | Defender, Defender MAX | 715003028 |
| Soft Storage Bag | Features cup holders and i Sized to give you the option | provides exceptional rigidity and durability. Integrated groove for pipe or 2x4 cutting. In of installing 2 tool boxes in the cargo bed (quick bolt-on in lockable covers and rubber latches. Defender, Defender MAX | nstallation). 715003759 |
| | 11.8 gal (45 L) capacity sof 3 sections. Weatherproof. | t cargo bag designed with vehicle's rear in mind to maximi | ze potential storage. |
| ackrest Rear Storage | | Defender MAX | 715003019 |
| | Netting installs easily. Made from polyester that v Sold in pairs. | von't discolour. | |
| Storage 2.6 Gal (10 L) Bag | | Defender, Defender MAX | 269502121 |
| 0 | Roll-top dry bag for fully pre | otecting your cargo from the elements. | |

RACKS & HOLDERS

| Rear Accessory Bar | | Defender, Defender MAX | 715005450 |
|-----------------------------|---|--|----------------------|
| B ZA | Holes for carabiners, duck d | ng installation or hanging items off the back. ecoy hangers or other items. on of many LinQ accessories. | |
| | | Defender Loads of up to 40 lb (18 kg). | 715003870 |
| Adventure Roof Rack | | Defender MAX Loads of up to 75 lb (34 kg). | 715004391 |
| | Built with heavy-duty 1.25" (Modular LinQ support plate Integrated mounting points | s allow for installation of most LinQ cargo accessories. for lights can hold up to 8 pod-type LED lights (99 cm) LED bar (front)—see table for compatibility. pare tyre attachment. separately. e Cargo Box Elastic Net cargo in the rack. | y and completely. |
| Spare Tyre Ratchet Tie-Down | S | Defender, Defender MAX | 280000955 |
| E M B | Adjustable to accommodate Ratchet and junction ring magina | rrap with loop ends. pare tyres on accessories equipped with integrated spare tyr most common UTV tyre sizes. ade of durable zinc-plated steel. chment on Adventure Roof Rack. | e attachment points. |
| LinQ Tool & Gun Holder | | Defender, Defender MAX (except 6x6 and PRO models) | 715005466 |
| REAL | Includes 5 locations to secu with gunstock shaped mold Easy to remove, install or rep Can be attached at multiple | sed both on the job or on the hunt. rely hold tools and guns using rubber grips and retention stra ing at the bottom. position using our simple and secure LinQ System. positions along the cargo bed walls, facing inside or outside he Exterior Cargo Reinforcement Panel (715006198) when ir | the bed. |
| LinQ Gun Case | | Defender, Defender MAX | 715004968 |
| | Adapt to different weapon s | to store shotguns and rifles up to 52" (132 cm) even with mos hapes and features with foam cushions that can be reposition nd secure storage, locked in place with only a quarter turn. | |
| LinQ Gun Case Mounting Kit | | Defender, Defender MAX | 715006443 |
| 4 4 8 4 | Required to install the LinQ Allows you to install up to tw | Gun Case on a Defender and Defender MAX. ro LinQ gun cases. | |

| Gun Boot 6.0† Impact by Kolp | pin' | Defender, Defender MAX | 715001419 |
|---|---|--|----------------------------------|
| | Extra room for pistol-grip | -type weapons and small bipods. | |
| | Easily fits firearms up to 5 | 51" (1.3 m) in total length. | |
| 1 mar | Provides ample room for a | 2.4" (60 mm) scopes. | |
| | Hatchback design allows | easy access. | |
| | Snap-close cover with loc | cking capability. | |
| | Ergonomically designed I | handle and molded attachment points for sling. | |
| | Designed to accommoda | te left- and right-hand bolt-action rifles and shotguns. | |
| | Requires Gear Rail and G | un Boot Mount by Kolpin for installation. | |
| | | ck-absorbing foam and nylon Impact liner | |
| | for superior interior prote | ection. | |
| | Compatible for dual mour | nt with additional Gun Boot Mount. | |
| Stronghold Gun Boot Impact | [†] by Kolpin [†] | Defender, Defender MAX | 705011442 |
| | Compact low-profile designation with optics. | gn with Kolpin Stronghold styling securely holds up to 52" (| 132 cm) long rifles and shotguns |
| an an | | ock absorbing foam Impact ⁺ liner. | |
| | | vith an attached lid for quick access along with an integrated | d closure strap. |
| | • • • | tronghold Auto Latch Mount System. | |
| | | | |
| Stronghold Auto-Latch Mour | nt by Kolpin | Defender, Defender MAX (except X mr models) | 715003899 |
| | | | |
| The make the law | | vides quick and secure gun boot attachment to your vehicle | |
| | - | ged high impact, reinforced nylon and coated steel. | |
| | For use with Stronghold 0 | Gun Boot. | |
| | Requires Gear Rail for Str | ronghold (715004089). | |
| | | | |
| | | | |
| Gear Rail For Stronghold | | Defender, Defender MAX | 715004089 |
| | - Designed for the Strength | old Auto-Latch Mount by Kolpin. | |
| | | ghold Gun Boots (two Latch mounts required). | |
| 1 All All | | - | |
| | - Deluxe Headache Rack (| 715002423) or Gear Rail Adapter (715003392) required. | |
| | | | |
| ENER TENT | | | |
| N.M. | | | |
| | | | |
| Gun Boot Mount by Kolpin | | Defender, Defender MAX | 715001420 |
| Gun Boot Mount by Kolpin | Fits one Kolpin Gun Boot | , | 715001420 |
| Gun Boot Mount by Kolpin | Fits one Kolpin Gun Boot Lightweight and extreme | 6.0 Impact. | 715001420 |
| Gun Boot Mount by Kolpin | | 6.0 Impact. ly durable. | 715001420 |
| Gun Boot Mount by Kolpin | Lightweight and extreme | 6.0 Impact. Iy durable. the use of any tools. | 715001420 |
| aun Boot Mount by Kolpin | Lightweight and extreme Easily adjustable without | 6.0 Impact. Iy durable. the use of any tools. le adjustability. | 715001420 |
| Gun Boot Mount by Kolpin | Lightweight and extreme Easily adjustable without Offers precision gun angl | 6.0 Impact. Iy durable. the use of any tools. le adjustability. | 715001420 |
| | Lightweight and extreme Easily adjustable without Offers precision gun angl | 6.0 Impact. Iy durable. the use of any tools. le adjustability. | 715001420 |
| Additional Gun Boot Mount | Lightweight and extreme Easily adjustable without Offers precision gun angl | 6.0 Impact. Iy durable. the use of any tools. le adjustability. stallation. | |
| Additional Gun Boot Mount | Lightweight and extreme Easily adjustable without Offers precision gun angl | 6.0 Impact. Iy durable. the use of any tools. le adjustability. | 715001420 |
| Additional Gun Boot Mount | Lightweight and extreme Easily adjustable without Offers precision gun angl | 6.0 Impact. Iy durable. the use of any tools. le adjustability. stallation. | |
| Additional Gun Boot Mount Not illustrated) | Lightweight and extreme Easily adjustable without Offers precision gun angl | 6.0 Impact. Iy durable. the use of any tools. le adjustability. stallation. | |
| Additional Gun Boot Mount Not illustrated) | Lightweight and extreme Easily adjustable without Offers precision gun angl | 6.0 Impact. Iy durable. the use of any tools. le adjustability. stallation. Defender, Defender MAX | 715001586 |
| Additional Gun Boot Mount Not illustrated) | Lightweight and extreme Easily adjustable without Offers precision gun angl Requires Gear Rail for ins | 6.0 Impact. Iy durable. the use of any tools. le adjustability. stallation. Defender, Defender MAX | 715001586 |
| Gun Boot Mount by Kolpin | Lightweight and extreme Easily adjustable without Offers precision gun angl Requires Gear Rail for ins | 6.0 Impact. ly durable. the use of any tools. le adjustability. istallation. Defender, Defender MAX Defender, Defender MAX s, rifles or muzzleloaders. or board between driver and passenger. | 715001586 |
| Additional Gun Boot Mount Not illustrated) | Lightweight and extremel Easily adjustable without Offers precision gun angl Requires Gear Rail for ins Accommodates shotguns Mounts in the cab, on floor | 6.0 Impact. ly durable. the use of any tools. le adjustability. stallation. Defender, Defender MAX Defender, Defender MAX s, rifles or muzzleloaders. or board between driver and passenger. protection. | 715001586 |
| Additional Gun Boot Mount Not illustrated) | Lightweight and extremel Easily adjustable without Offers precision gun angl Requires Gear Rail for ins Accommodates shotguns Mounts in the cab, on flog Rubber pads provide gun Can be removed to allow | 6.0 Impact. ly durable. the use of any tools. le adjustability. stallation. Defender, Defender MAX Defender, Defender MAX s, rifles or muzzleloaders. or board between driver and passenger. protection. a center passenger. | 715001586 |
| Additional Gun Boot Mount Not illustrated) | Lightweight and extremel Easily adjustable without Offers precision gun angl Requires Gear Rail for ins Accommodates shotguns Mounts in the cab, on floo Rubber pads provide gun Can be removed to allow Anti-corrosion coating with | 6.0 Impact. ly durable. the use of any tools. le adjustability. stallation. Defender, Defender MAX Defender, Defender MAX s, rifles or muzzleloaders. or board between driver and passenger. protection. a center passenger. th durable powder coat finish. | 715001586 |
| Additional Gun Boot Mount Not illustrated) | Lightweight and extremel Easily adjustable without Offers precision gun angl Requires Gear Rail for ins Accommodates Rail for ins Mounts in the cab, on floo Rubber pads provide gun Can be removed to allow Anti-corrosion coating wi Comes with all hardware | 6.0 Impact. ly durable. the use of any tools. le adjustability. stallation. Defender, Defender MAX Defender, Defender MAX s, rifles or muzzleloaders. or board between driver and passenger. protection. a center passenger. th durable powder coat finish. | 715001586 |

| Gear Rail | | Defender, Defender MAX (except X mr models) | 715003391 |
|------------------------------|---|---|--|
| | Universal mounting options Rail is made with heavy-duty Mounts on roll bar. Includes one versatile Gear | ally designed for your side-by-side vehicle. for many Kolpin accessories like Gear Grips and Universal S y 7-gauge extruded anodized black aluminum. Rail Mount by Kolpin. Rack (715002423), Headache Rack (715003873) or Gear Rai | |
| Gear Rail Adapter | | Defender, Defender MAX (except X mr models) | 715003392 |
| | Allows the installation of ge | ar rails directly onto the cargo box without the need for a hea | dache rack. |
| Gear Rail Mount by Kolpin | | Defender, Defender MAX | 715001422 |
| | Accessory bracket for mour Includes C-clamp and meta | ting additional accessories to the Gear Rail. I mounting brackets. | |
| | | | 715003133 · Black |
| Double Gun Bag | | Defender (except XT Cab, X mr models), Defender MAX (except XT Cab and Limited package) | 715003134 · Mossy Oak Break-Up Country Camo |
| | while the thick interior pade Fits perfectly on rear cage, a Design features include a restorage pockets for hunting Solid, quick installation. Not compatible with rear with | y-duty, weather-resistant polyester to shelter guns from dust ling protects the guns from shocks. and guns are readily accessible from both sides of vehicle. emovable center pocket that can be mounted on both sides of gear. nd protection, headache racks and gear rails. nction of the Defender 6x6 or Defender PRO models' bed. | |
| Universal Saw Press by Kolpi | n | Defender, Defender MAX (except X mr models) | 715001423 |
| | Heavy-duty, black powder-c Rubber pads provide cushic Hinged design for quick ren | - | |
| LinQ Gear Grips | | Defender, Defender MAX | 715001421 |
| 49 | cm) in diameter. • Heavy-duty design for carry • Quick-release button opens • Heavy-duty base system bui | on and protect while providing a custom fit for a variety of ite ing bows, fishing poles, rakes, farm tools and more. grip quickly for easy access to gear. ilt for the toughest adventures. racks, extension racks, brackets or bumpers. | ms from 1" to 4" (2.5 cm to 10 |

LIGHTS

| 1 Choose your | 2 Find your | | 3 (| choose your li | ights | |
|---|--|--|--|--|---|--|
| mount point | platform | 10" (25 cm) Double Stacked LED Bar | 15" (38 cm) Double Stacked LED Bar | 39" (99 cm) Double Stacked LED Bar | 4" (10 cm) Round LED LIGHTS (Sold in pairs) | 3.5" (9 cm) LED Lights (Sold in pairs) |
| Front Bumper Rancher Bumper XT Front Bumper | Defender Defender MAX 2019 & prior | 715002933 PLUS 715002454 (Light Power Cable) | 715002934 PLUS 715002454 (Light Power Cable) | N/A | 715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715002454 (Light Power Cable) | |
| X mr Front Bumper (w/o winch) X-TP Front Bumper | Defender Defender MAX 2020 & up | 715002933 PLUS 715006034 (Light Power Cable) | 715002934 PLUS 715006034 (Light Power Cable) | N/A | 715002935 715003665 0 715003666 PL 715006034 (Lig | (3.5" Flood) r 5 (3.5" Spot) US |
| Light Rack or Light Bars *Roof Power Cable and Front Roof Liner may not be required | Defender & Defender MAX (except XT Cab) | 715002933 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner) | 715002934 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner) | 715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable) & 715008226 (Front Roof Liner) | 715002935 715003665 9L 715003094 (Ro 8 715003094 (Ro 8 715008226 (Fr | (3.5" Flood) r \$ (3.5" Spot) US of Power Cable) & |
| if already installed with other accessories. | Defender Defender MAX XT Cab Limited | 715002933 | 715002934 | 715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable) | 715002935 715003665 0 715003666 | (3.5" Flood) r |
| Adventure Roof Rack *Roof Power Cable may not be required if already installed with other accessories. | Defender & Defender MAX (except XT Cab Limited) | N/A | Front only: 715002934 PLUS 715003417 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner) | Front only: 715004007 PLUS 715005822 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner) | Front o 715002935 715003665 90 715003666 PL 715003417 (8 715003094 (Ro 8 715008226 (Fr | (3.5" Flood) r § (3.5" Spot) US Power Cable) & of Power Cable) |
| | Defender, Defender MAX XT Cab Llmited | N/A | Front only: 715002934 PLUS 715003417 (Power Cable) | Front only: 715004007 PLUS 715005822 (Power Cable) | Front or Rear: 715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715003417 (Power Cable) | |
| 4 Order | | *Note: When ins | | numbers in int | ersecting box | g kit is required. |
| Roof Power Cable | • | llation of some electi | r, Defender MAX rical accessories. | | 7150030 | 994 |
| Light Kit Power Cable | Brings power from | Defender Defender | r, Defender MAX (201: r, Defender MAX (202: ble Can-Am light kits | 0 & up) | 7150024 7150060 | |

| 10" (25 cm) Double Stacked LED Light Bar (60 W) | Defender, Defender | MAX | | | | 71 | 50029 | 33 | |
|---|--|---|--|----------------------|-----------|---------------------------------|--------------------------------------|-------------|----------------------------|
| 370 | 20 | m . | | | | | | | _ |
| | 5,400 lumens | • | | | | | | | _ |
| | | 20 | | | | | | | _ |
| Ŧ | | 0 100 | 200 3 | 300 4 | 00 50 | 600 | 700 | 800 m | |
| equipped with twelve 5 W Cree LEDs. | Requires light pov | | | | | | | | |
| 5,400 lumens. | Lights up to more wide on each side | | (460 m) ı | in front | of the ve | ehicle ar | id arour | id 65 ft (2 | 20 m) |
| Packs a big punch for its size. Rugged and waterproof. | EC compliant. | | | | | | | | |
| Can be installed on front bumpers, sport roof and Bimini roof | | | | | | | | | |
| with sun visor. | | | | | | | | | |
| 5" (38 cm) Double Stacked LED Light Bar (90 W) | Defender, Defender | MAX | | | | 71 | 50029 | 34 | |
| 22 | 20 | | | | | | | | |
| | 8,400 lumens | 0 | | | | | | | _ |
| | | 20 | | | | 4 | | | _ |
| | | 0 100 | 200 3 | 300 4 | 00 50 | 0 600 | 700 | 800 m | _ |
| | - 1 : | | | | | | | | 20) |
| Equipped with 18 5 W Cree LEDs. 8,400 lumens. | Lights up to more wide on each side | | (300 m) l | ninont | or the ve | enicie ar | iu arour | iu oo ii (i | ∠∪ m) |
| Complements the Light Racks and most bumpers. | EC compliant. | | | | | | | | |
| Rugged and waterproof. | | | | | | | | | |
| 99 (99 cm) Double Stacked LED Light Bar (270 W) | Defender, Defender | MAX | | | | 71 | 50040 | 07 | |
| | , | | | | | | | | |
| | 24 200 | m | | | | | | | - |
| | 24,300 lumens | 0 | | | | | | | |
| | | 20 | | | | | | | _ |
| | | 0 100 | 200 3 | 300 4 | 00 50 | 600 | 700 | 800 m | |
| Equipped with 54 5W Cree LEDs. | Compatible on the | e Adventure R | loof Rack | κ. | | | | | |
| 24,300 lumens. | Compatible with | lip Windshiel | d. Full W | indehio | ld and C | | | | ne Lig |
| | | | | | | | | | |
| | Bar Support (715 | | | | | | | ht Bar | |
| | | | | | | | | ht Bar | |
| around 115 ft (35 m) wide on each side. | Bar Support (715 | stalled.a | | | | (99 cm) | | | |
| around 115 ft (35 m) wide on each side. | Bar Support (7156 (715005822) is in Defender, Defender | stalled.a | | | | (99 cm) | LED Lig | | |
| around 115 ft (35 m) wide on each side. | Bar Support (7150 (715005822) is in Defender, Defender | MAX | | | | (99 cm) | LED Lig | | |
| around 115 ft (35 m) wide on each side. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 | MAX | | | | (99 cm) | LED Lig | | |
| around 115 ft (35 m) wide on each side. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 | MAX | | | | (99 cm) | LED Lig | 35 | - |
| around 115 ft (35 m) wide on each side. (10 cm) Round LED Lights (2 x 25 W) | Bar Support (7150 (715005822) is in Defender, Defender 1,800 | MAX 0 20 0 | | ting Kit | | (99 cm) | 50029: | 35 | - |
| around 115 ft (35 m) wide on each side. F" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. | Bar Support (7150 (715005822) is in Defender, Defender | mAX 0 20 0 grill. | | ting Kit | | (99 cm) | 50029: | 35 | |
| around 115 ft (35 m) wide on each side. (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light pow • Sold in pairs. | mAX m o 20 grill. ver cable. | | ting Kit | | (99 cm) | 50029: | 35 | |
| around 115 ft (35 m) wide on each side. (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light poor | mAX m o 20 grill. ver cable. | | ting Kit | | (99 cm) | 50029: | 35 | |
| around 115 ft (35 m) wide on each side. I" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light pow • Sold in pairs. | mAX m o 20 grill. ver cable. | | ting Kit | | (99 cm) | 50029: | 35 | |
| around 115 ft (35 m) wide on each side. I" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light pox • Sold in pairs. • Not EC compliant Defender, Defender | mAX m o 20 grill. ver cable. | | ting Kit | | (99 cm) | 500293 | 35 | |
| Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. F" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. 3.5" (9 cm) LED Driving Lights (2 x 14 W) | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light poo • Sold in pairs. • Not EC compliant Defender, Defender | MAX m 0 20 0 grill. ver cable. | | ting Kit | | (99 cm) | 500293 | 35 | |
| around 115 ft (35 m) wide on each side. I" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light poo • Sold in pairs. • Not EC compliant Defender, Defender | m AX m 0 20 0 grill. ver cable. | | ting Kit | | (99 cm) | 500293 | 35 | - |
| around 115 ft (35 m) wide on each side. I" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light poo • Sold in pairs. • Not EC compliant Defender, Defender | mAX m 0 20 0 grill. ver cable. MAX | | | | (99 cm) | 500293 | 35 | |
| around 115 ft (35 m) wide on each side. " (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. 5.5" (9 cm) LED Driving Lights (2 x 14 W) | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light pow • Sold in pairs. • Not EC compliant Defender, Defender | m AX m 0 20 0 grill. ver cable. MAX MAX | Dr Mount | 100 60 | For 39" | (99 cm) 71 71 71 71 | 500293 2000 1 2000 1 500366 | 35 n | |
| around 115 ft (35 m) wide on each side. " (10 cm) Round LED Lights (2 x 25 W) (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. .5" (9 cm) LED Driving Lights (2 x 14 W) (2 x 14 W) (3 x 14 W) (4 W LED lights producing 1,260 lumens each. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light poo • Sold in pairs. • Not EC compliant Defender, Defender | m AX m 0 20 0 grill. ver cable. MAX | 20 Mount 20 20 20 20 20 20 20 20 20 20 20 20 20 2 | 100 60 attachm | For 39" | (99 cm) 71 71 71 71 | 500293 2000 1 2000 1 500366 | 35 n | - - - - rotate |
| around 115 ft (35 m) wide on each side. I'' (10 cm) Round LED Lights (2 x 25 W) EXAMPLE 1 EXAMPLE 1 | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light pow • Sold in pairs. • Not EC compliant Defender, Defender | m AX m 0 20 0 grill. ver cable. MAX | 20 Mount 20 20 20 20 20 20 20 20 20 20 20 20 20 2 | 100 60 attachm | For 39" | (99 cm) 71 71 71 71 | 500293 2000 1 2000 1 500366 | 35 n | - - - rotate |
| around 115 ft (35 m) wide on each side. I" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. | Bar Support (7150 (715005822) is in Defender, Defender 1,800 Iumens • Can-Am branded • Requires light poo • Sold in pairs. • Not EC compliant Defender, Defender | m AX m 0 20 0 grill. ver cable. MAX | 20 Mount 20 20 20 20 20 20 20 20 20 20 20 20 20 2 | 100 60 attachm | For 39" | (99 cm) 71 71 71 71 | 500293 2000 1 2000 1 500366 | 35 n | - - - - rotat |

| 3.5" (9 cm) LED Flood Ligh | ts (2 x 14 W) | Defender, Defender MAX | 715003665 |
|--|---|--|--|
| | | 1,260 lumens 0 -15 0 15 30 45 60 78 | 5 90 105 m |
| 14 W LED lights producing 1,260 lun Flood lens for a wide light beam spr applications like plowing or cornerin riding conditions. Equipped with six high-power LEDs aluminum housing. | ead, ideal for working ng. Suitable for dusty or foggy | Features two attachment points. If one attachme the next channel point and remount the light. Sold in pairs. EC compliant. | ent point fails due to a collision, rotate |
| ight Bar Support | | Defender, Defender MAX | 715006226 |
| | Mounting Bracket that allo Low and forward mounting Compatible with all windst | | 04007). |
| ight Rack | | Defender, Defender MAX | 715002456 |
| | Power Cable, Sport Roof, I | d for installation on the roof (except Cab models or wi veluxe Sport Roof or Sport Roof for MAX required for eamlessly into our roof products. | 1 / |
| Rear Cargo Light | | Defender, Defender MAX (2020 & up) | 715007077 |
| | Not EC compliant. | - | (715003038) is required for installatic |
| AM [†] LED Spotlight | | Defender, Defender MAX (2019 & prior) | 710005423 |
| and the second s | 540 lumens LED light (9 was ball and socket system. | att) heavy-duty spotlight standard-equipped with 1" (ź | 2.5 cm) diameter rubber-coated doubl |
| Dome Light | | Defender, Defender MAX | 715002455 |
| | LED array integrates perfe Wiring included. Can be installed on cage of | r roof, with or without roof liner. | |
| LED Signature Lights | | Defender, Defender MAX (2020 & up) | 715006896 |
| | The stylish LED set puts th Included on Limited and Le | e finishing touch to your Defender, accentuating its a one Star models. | nggressive stance. |

AUDIO & COMMUNICATION SYSTEMS

| Can-Am Audio Roof | | Defender | | 715005206 |
|-----------------------------|--|--|---|--|
| | Full roof with sleek built-in audio. Fully sealed and waterproof. Easy to install: one wire connects the roof to the vehicle's electronics. Four 8" speakers, one 280 watt amplifier, and one weatherproof source unit supplied by JL Audio'. | | AM/FM tuner. To install the Audio Roof with the following accessorie the Power Harnesses 715003094 & 715008781 are required: Flip Glass Windshield With Wiper & Washer Kit (7150024 Windshield Wiper & Washer Kit (715001638), Front Full Doors With Power Windows (715006331), | |
| | Speakers include LED lighting designed to uniformly illumi A 3" full-colour LCD display, lighting themes for visibility, | nate with an RGB glow. with separate day/night | Rear Full Doors (715006325 (715005214), Rear Deluxe F • Not compatible with Advent | 9), Front Deluxe Full Doors Full Doors (715005215). |
| an-Am Audio Roof MAX | | Defender MAX | | 715006879 |
| EP. | Full roof with premium JL Au for Defender MAX. | | Mediamaster[®] source unit e LCD display, with day/night | lighting modes. |
| | Fully sealed and waterproof construction. | components and | Designed to not drain the base Specific to the type of riding | • |
| | Simple to install: one conne vehicle's electrical system. | | Specific to the type of riding To install the Audio Roof wit the Power Harnesses 71500 | h the following accessories, |
| | Weatherproof components: Six 7.7" coaxial speakers, 280 watt amplifier and 70 watt Mediamaster[®] source unit. AM/FM tuner. Expertly tuned for exceptional sound on the move in your Defender MAX. | | required: Flip Glass Windshield With Wiper & Washer Kit (7150 Windshield Wiper & Washer Kit (715001638), Front Full Doors With Power Windows (715006331) Rear Full Doors (715006329), Front Deluxe Full Doo | |
| | Speakers include adjustable controlled via an app on you | | (715005214), Rear Deluxe F • Not compatible with Advent | |
| | | l | | |
| Vetsound Stealth XT 6 Can-A | m Edition Sound Bar | Defender, Defender MAX | | 715008282 |
| | Built-in Bluetooth connectiv Built-in Broadcast mode. Backlit control panel with In | | 4 marine-rated 3" full range 2 marine-rated 1" tweeters. Operating voltage: 12 V. | drivers. |
| | lights. Integrated LED Dome. | - | IP rated: IP67.Length: 21.31" | |
| | IP67 rated RF wireless remo 3.5 aux input/output. | te control. | • Width: 4.04" | |
| | Built-in 300 W Class D Ampl | ifier. | Height: 3.85" Sound Bar Mounting Kit req | uired for installation. |
| ound Bar Mounting Kit | | Defender, Defender MAX | | 715007840 |
| PQ | Required to install the Wetse | ound Stealth XT 6 Can-Am Edit | ion Sound Bar on a Defender ai | nd Defender MAX. |
| Overhead Audio System | | | | |
| | Rugged waterproof Jensent System offers multi-source (iPod[®] and iPhone[®] ready). | | 30 programmable AM/FM s pre-set scan. Separate RCA audio output | |
| r 7 | Convenient white LED-back Stream from any Bluetooth- MP3 player). Powerful 4x40W amplifier w Voice-control of AVRCP-acti | enabled device (smartphone, ith remote turn-on. | Separate RCA audio output and input. UV-resistant finish/corrosion-resistant components. Requires Sport Roof (715002430), Front Roof Liner (715008226) or Deluxe Sport Roof (715002511) and Power Cable (715003094). | |
| omplete Overhead Audio Sy | stem | Defender, Defender MAX | | 715002019 |
| | | | | |
| | Complete with 4 ultra-sturdy | / outdoor speakers (2 front and | 2 rear) and 4 black speaker box | kes. |

| Rugged Radios Car-to-Ca | r System | Defender, Defender MAX | 715003440 · US ONLY |
|-------------------------|--|---|---|
| | Perfect for communicating with friends and family on group rides. Push-to-talk button conveniently mounted on the steering wheel. May be connected with the Rugged Radios Intercom System (with provided adapter cable). | This kit includes: 5-watt V3 Radio: UHF/VHF + FM frequency, programmable c includes belt clip, recharging cable, high capacity, all day lith NOAA weather channels, 1-touch FM radio, backlit screen/b Helmet Speaker/Mic Kit: Clear Hear audio speakers, Full Flex Velcro mount speakers, quick & easy install. Harness & Cables: Single Person Harness, Driver Coil Cord F radio mounting bracket, complete plug & play kit. | hium-ion battery, 1-3 mile range, buttons. x mic boom, cloth mic cover, |
| Rugged Radios Intercom | System | Defender, Defender MAX | 715002891 · US ONLY |
| - | Specifically designed to faci | litate clear in-vehicle communication between driver and pass | senger(s). |

- Expandable to 4 people.
- Includes music port for enjoying your favorite tunes.
- Seamless integration with in-dash switch panel.
- May be synched with the Rugged Radios Car-to-Car System (715003440).

ELECTRONIC ACCESSORIES

| • Ui | Itiple camera feeds can be seen with the rear view camera, to it replaces stock rear view mirror (screen is integrated in the un mera uses infrared light for night vision capabilities. | 5 |
|------|--|---|
| | | |

| | , | |
|--|---|--------------------------------|
| Fully waterproof rear view care | amera and monitor kit. | |
| The camera is one of the cle mm lens with 130° viewing a | arest and sharpest available on the market, with 250,000 pixel angle. | image resolution and a 2.1 |
| Features 18 infrared lights the to light intensity changes and | nat allow up to 50 ft. (15.24 m) visibility in complete darkness, a Id an adjustable sunshade. | n auto iris sensor that adapts |
| • 7" (17.78 cm) digital TFT LC | D colour monitor comes with power harness and can support | up to two camera inputs. |
| The camera can be roof more cargo box for hitching purport | unted to monitor your cargo load or to see farther behind, and i ose. | t can be mounted under the |
| Not compatible with Defrost | t Heat and Ventilation System or HVAC. | |

| Canadian Map for Garmin N (Not illustrated) | lontana 680t GPS | Defender, Defender MAX | 710005065 |
|--|---|---|-------------|
| | Additional and readily progr Requires Garmin Montana 6 | ammable Canadian basemap for Garmin Montana 680T C 580T GPS. | GPS system. |
| | | Defender (except 6x6), Defender MAX (2020 & up) | 715007096 |
| Power Tilt Bed | | Defender 6x6 | 715007204 |
| | Powerful cargo box tilter wit Electrical actuated hydraulion | th dash-integrated switch. cs for a strong and quick tilting system. | |



| Battery Charger/Maintainer | | | | 715005061 |
|-------------------------------|--|---|---|--|
| | Keeps stored lead-acid batte | eries charged. | Auto-voltage detection. | |
| | Charges and maintains sma Microprocessor controlled radded precision, safety and | multi-stage charging for | Press the display button to show the charge progress Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads harness | |
| Pro | - Automatically detects 0 of 12 voit batteries. | | with weather cap, owner's • Not EC compliant. | manual. |
| Imp Starter | | | | 715005062 |
| | IPX3 water-resistant and end 4 LED battery indicators for level. | | | ection against reverse polarit igh temperature and reverse |
| | Compact design, will converge on the store of th | ige compartment. | Built-in LED light (3 modes Content: 300CA jump start |). er, SA858 smart cable clamp cable, travel bag, user manua |
| uick Connect Battery Cable | | | | 715005408 |
| | Sold individually. | | | |
| uick Connect Cable with Ba | ttery Indicator | | | 715006055 |
| | | and charge different batteries tides constant battery health in | | 1 |
| -Mode Switch | | Defender, Defender MAX | | 715004445 |
| | | conomy. | leco modes. eleration and reduced load imp | pact. |
| AM GPS Mount | | | | 715003325 |
| | Allows for GPS integration c Standard AMPS hole pattern | | | |
| | | | | |
| Digitally Encoded Security Sy | stem (DESS™) Keys | Defender, Defender MAX | | 715002458 |

| | | Defender, Defender MAX (201 | 19 & prior) | 715003758 |
|--------------------------------|--|--|---|---|
| Auxiliary Battery Installation | Kit | Defender, Defender MAX (2020 & up) | | 715006035 |
| R. C. | Allows you to add a second battery setup that will give y to power auxiliary electrical system or winch. Additional battery sold sepa | you the extra juice you'll need components like a sound | | battery junction block, all |
| JSB Power Outlet Kit | | Defender, Defender MAX (202 | 20 & up) | 219400510 |
| | Recharges your electronic o Dual port USB connectors. | devices while riding [.] (smartpho | ne, MP3, heating gear, etc.). | |
| (GB) | *The power outlet is not capable | of recharging all device types while | riding. | |
| Defrost, Heat & Ventilation Sy | ystem | Defender, Defender MAX 201 (not compatible with HD5 Mo | 9 & prior torization) | 715004917 |
| | Best integrated system on the speed and in-dash adjustable. Adjustable/directional vents 10 vents specially positioned side windows defrosting/definition. | ole temperature. s. ed for better windshield and | Easy-service air filter. Once installed, you might the Lower Dashboard for Herein Storage Compartment Network | |
| | Defender, Defender MAX 2020 | 0 (except Defender PRO & HD5 ı | models) | 715005904 |
| | Defender, Defender MAX (202 | :1 & up) | | 715008093 |
| | speeds and adjustable temp Adjustable/directional vents concentrate heat at specific | ctional vents can be closed to at at specific areas. s specially positioned for windshield and s recommended. | | lower dashboard compartmen nt Net for Heating System is |
| Heated Steering Wheel | | Defender, Defender MAX | | 715003837 |
| | Ruggedly constructed steer withstand cold conditions v to your hands. Perfect for making hand mc available, e.g., hunting, man Replaces stock steering wh | ons while channeling heat directly d mobility and grip readily manual farming. Draws a maximum of 4 Heated Accessory Elec required on all models PRO models, which rec | | d steering and in-dash switch. ' and 3.2A at 13.5V. cal Harness (710005757) is sept XT cab 2020 & up and re Heated Accessories Wiring |
| Radiator Winter Front | | Defender, Defender MAX (201 | I9 and prior) | 715005108 |
| | Allows you to get higher head Defrost, Heat & Ventilation conditions. | ating temperature out of the System in extremely cold | | |
| Heated Grab Bar Cover | | Defender, Defender MAX | | 715003835 |
| | Made tough to hold up to th this heated cover will keep and securely gripped during Easy to install and remove. This kit includes the heated in-dash switch. | your passenger's hands warm g long cold outings. | Heated Accessory Electric required on all models exc models, which require Hea Harness (715006036). | cept XT cab 2020 and PRO |

| Heated Seat | | Defender, Defender MAX | | 715006112 |
|---|--|---|--|--|
| | 25W seat heater delivers ch High/low temperature setti desired degree of warmth. This kit includes one carbor and in-dash switch. Installs directly in the origin | ngs allow you to control the n fiber seat heater, foam sheet | Limited models. Heated Accessories Wirir | n front seat. Ing Harness (715006036) is In Defender XT Cab, PRO and |
| Heated Seat Harness for MA | AX Model | Defender MAX | | 715006004 |
| | Electric harness required to | hook up and operate rear heat | ed seats. | |
| Heated Visor Outlet | | Defender, Defender MAX | | 715001246 |
| | Strategically positioned on Optional visor outlet that de Quick and easy installation. Sold individually. Heated Visor not included. | | | |
| | | Defender, Defender MAX (Mod ventilation system), All Defend | | 715006036 |
| Heated Accessories Wiring Harness (Not illustrated) | | Defender, Defender MAX (Models without defrost, heat & ventilation system) | | 710005757 |
| | | hook up and operate heated ac 2 hand accessories (grab bar/s | | Tors |

WINCHES & HITCHES

Can-Am HD Winches

| Can-Am HD 4500 Winch | | Defender, Defender MAX | | 715006416 |
|------------------------|---|-----------------------------|---|--|
| | Ergonomic clutch handle. Rugged all-steel gears and budrability. Automatic 100% load-holding Sealed solenoid for all-weather Weather sealed corded remot EC compliant. | brake. er protection. | Pulling strength capability of 43' of ¹⁵⁄64" (13.1 m of 6.3 mm) Heavy-duty 4-way roller fairles Winch Electrical Harness (71 installation on a Defender 20 Electrical Harness (71500818 on a Defender Base and DPS | wire steel cable. ad. 5007078) is required for 21 and prior. Winch 52) is required for installation |
| Can-Am HD 4500-S Winch | | Defender, Defender MAX | | 715006417 |
| | Ergonomic clutch handle. Rugged all-steel gears and b durability. Automatic 100% load-holdin Sealed solenoid for all-weath Weather sealed corded remo switch. | g brake. ner protection. | Pulling strength capability o 50' of ¼" (15.2 m of 6.35 mm Corrosion-proof aluminum h Winch Electrical Harness (7 installation on a Defender 2 Electrical Harness (715008 installation on a Defender B | a) synthetic rope. hawse fairlead. 15007078) is required for 021 and prior. Winch 152) is required for |

| WARN VRX 45 Winch | | Defender, Defender MAX (except XT Cab 2018-2019, Lc DPS Cab & Hunting Edition 20 | one Star Edition, X mr, Limited, 020 & up) | 715006110 |
|---------------------------|---|--|--|---|
| | Extreme IP68-rated waterprovelements out. Durable all-metal constructivelements out. Black powder-coated finish of corrosion resistance. Robust new clutch design bwARN 4 WD hub lock know. Load-holding brake for great strain. | on. and stainless steel fasteners ased on 70+ years of -how. t control. | Dash-mounted rocker continuity of the lifetime warranty (m (electrical). Pulling strength capability of 50' of ¼" (15 m of 6.3 mm) v Roller fairlead. Winch Electrical Harness (7 installation on a Defender 2 Electrical Harness (715008 installation on a Defender 2 2) | hechanical), 3-year warranty of 4,500 lb (2,041 kg). vire steel cable. 715007078) is required for 1021 and prior. Winch 152) is required for |
| WARN VRX 45-S Winch | | Defender, Defender MAX (except XT Cab 2018-2019, Lc DPS Cab & Hunting Edition 20 | | 715006111 |
| NARM | Extreme IP68-rated waterpro- elements out. Durable all-metal constructi Black powder-coated finish for corrosion resistance. Robust new clutch design b WARN 4 WD hub lock know Load-holding brake for great Smooth and reliable all-meta train. | on. and stainless steel fasteners ased on 70+ years of -how. t control. | Dash-mounted rocker contribution Limited lifetime warranty (m (electrical). Pulling strength capability of 50' of ¼" (15 m of 6.3 mm) s Cast aluminum hawse fairle Winch Electrical Harness (7 installation on a Defender 2 Electrical Harness (715008 installation on a Defender 2 2 (1998) | nechanical), 3-year warranty of 4,500 lb (2,041 kg). ynthetic rope. ad. 715007078) is required for 1021 and prior. Winch 152) is required for |
| Cargo Bed Winch | | Defender, Defender MAX | | 715006355 |
| | Allows you to pull heavy load Perfect for hunting applicati Includes support base made tubing, winch and weather-studing, winch and weather-studing, winch and weather put of the studies of | ons, i.e., loading game. e of heavy-duty 2" (5 cm) steel sealed corded remote. | Electronic security module to prevent vehicle damage that could occur if loaded vehicle exceeds manufacture gross weight rating. Adapter Kit (715004709) required for installation with Gear Rail Adapter. Requires Powertilt bed for Defender 6x6 and PRO. Not EC compliant. | |
| Synthetic Winch Cable* | | With WARN winch | | 715007783 |
| | | | nch. nthetic cable to avoid damage a | nd premature wear of the |
| | | | | |
| Synthetic Winch Cable* | | With Can-Am HD winch | | 715006430 |
| | • 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches. | | | |
| | Hawse Fairlead (715006426) required when upgrading to a synthetic cable to avoid premature cable damage and wear. *Ask your dealer or visit canamoffroad.com for price details. | | | |
| Synthetic Cable Extension | | | | 715001120 |
| | • • • | ameter, easy to handle and wo le to provide additional 50' (15 e capacity. | - | |

| Replacement Wire Rope* | | With WARN winch | 715006699 | |
|--------------------------|--|---|-----------|--|
| | 55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit. 4,500 lb (2,041 kg) pulling strength. | | | |
| | *Ask your dealer or visit canam | offroad.com for price details. | | |
| Replacement Wire Rope* | | With Can-Am HD winch | 705014978 | |
| | • 43' of ¹⁵⁄₄" (13.1 m of 6.3 r • 4,500 lb (2,041 kg) pulling | • | | |
| \sim | *Ask your dealer or visit canam | offroad.com for price details. | | |
| WARN Hawse Fairlead* | | With WARN winch | 715007785 | |
| winty | Double-powder-coated cd Required to use the Synth To be used with synthetic | netic Winch Cable (715007783) on WARN winches. | | |
| Can-Am HD Hawse Fairlead | | With Can-Am HD winch | 715006426 | |
| | | our winch with a synthetic cable, this corrosion-proof alumi corner of a roller fairlead and from wearing prematurely due stic cables only. | | |
| Roller Fairlead | | With Can-Am HD winch | 710007082 | |
| | Suggested when changin Heavy-duty replacement | | | |
| Multimount Winch Harness | | Defender MAX, Defender 6x6 | 710005082 | |
| | Converts Removable Win | ch Mounting Kit into a practical multimount winch kit. | | |
| Nired Remote Control | | With Can-Am HD winch | 715006504 | |
| | This kit allows winch owners to add the hand-held remote to vehicles with a stock winch. Works in conjunction with the mini-rocker switch. Remote control and connection socket are included with Can-Am HD winch. EC compliant. | | | |
| Wireless Remote Control | | With WARN winch (Defender 2019 & prior) | 715002542 | |
| | mounting hardware. | asy to install, thanks to a wiring harness with an integrated Ir winch from anywhere within a 50' (15.2 m) radius, increas nerproof. | | |
| Drop Tow Bar | | Defender, Defender MAX | 715002521 | |
| ſ | Sturdy 2" (5 cm) ball-less Conveniently set at stand. Requires Higher Front Re | ard trailering height. | | |

| Removable Winch Mounting | Kit | Defender, Defender MAX (except Limited models) | 715001652 | | |
|--|---|--|------------------------------|--|--|
| Allows you to remove your winch when needed. Use in combination with the Multimount Winch Harness to quickly and conveniently relocate a front-mounted the rear of the vehicle. Not compatible for use with the Lower Front Receiver Hitch. Requires Higher Front Receiver Hitch (715003109). | | | | | |
| ower Front Receiver Hitch | | Defender, Defender MAX | 715002519 | | |
| | Expand and enhance f | 80 kg) towing capacity 2" (5 cm) receiver hitch. unctionality by pairing it with Higher Front Receiver Hitch and h from its standard mounting position). | Removable Winch Mounting Kit | | |
| ligher Front Receiver Hitch | | Defender, Defender MAX (except Limited models) | 715003109 | | |
| | | 80 kg) towing capacity 2" (5 cm) receiver hitch. inch from its standard mounting position. | | | |
| | | Defender, Defender MAX (2019 & prior) | 715003093 | | |
| Vinch Electrical Harness | | Defender, Defender MAX (2019 & 2021) | 715007078 | | |
| lot illustrated) | | Defender, Defender MAX 2022 | 715008152 | | |
| | Required to install a w | inch on a Defender without a factory-installed winch. | | | |
| ront and Rear Hitch Drawba | r | Defender, Defender MAX | 715008350 | | |
| Rubber Receiver Plug | Forged steel. | | 705204503 | | |
| SEATS | • Rubber cap for 2" (5 cr | n) Receiver Hitch. | | | |
| Central Headrest | | Defender. Defender MAX | 715005163 | | |
| | Front Headrests are av Headrests are required Not EC compliant. | ter-seating position on 3-seated models and for rear-center-sea railable separately for front passengers on MAX models. d for all passengers on some regulated trails. | | | |
| ront Headrests | | Defender MAX | 715005164 | | |
| | - Additional has due at fa | | | | |
| toto-or | Central Headrest is available | r all three front-seating positions on MAX models. ailable separately for rear-center-seating positions on MAX mo d for all passengers on some regulated trails. | dels. | | |

PERFORMANCE

| S3 Front High Clearance A-A | rm | Contact your authorized dealer or visit our online store at can-amoffroad.com | 715003784 · Black |
|-----------------------------|--|--|---|
| A CAR | • • | er rough terrain. ty and turning radius without reducing performance. e 360 LT Track System and Front A-Arm Protectors. | |
| S3 Rear High Clearance A-Ar | m | Contact your authorized dealer or visit our online store at can-amoffroad.com | ■ 715003785 · Black ■ 715005118 • Sunburst Yellow |
| - Server | | er rough terrain. ty and turning radius without reducing performance. e 360 LT Track System and Rear A-Arm Protectors. | |
| Brake Holding Mechanism | | Defender, Defender MAX | 715004733 |
| | Maintains constant pressur the transmission in P (park) | e on the brake pedal to keep the vehicle from moving on slop | ed terrain, without having to put |
| Heavy-Duty Spring Kit | | Defender (2019 & prior), Defender HD8 (2020 & up), Defender (select 2022 models) | 715005084 |
| | Perfect for reducing vehicle clearing. Complete kit of 4 springs. | gs will stiffen your suspension. e overall sag when shocks are under heavy demand: heavy loa der HD5, XT CAB, Mossy Oak Edition & X mr models and Defe | |
| 850 W Magneto Kit | | Defender, Defender MAX (2020 & up except HD5 & HD7) | 715007122 |
| | Increases the magneto outplace Includes rotor, stator and re | | |
| Emergency Kit | | Defender, Defender MAX | 715006102 |
| | powersport enthusiasts car | r compressor, tyre repair kit, first aid kit, ratchet tie-down, duc | |

| Smart- | Lok ⁻ | Tech | nnol | oav |
|--------|------------------|------|------|----------|
| omart | | | | 9 |

| Smart-Lok Differential | | Defender, Defender MAX (2019 & prior) | 705402936 | | | |
|---|---|---|--|--|--|--|
| Performance Half Shaft | controlled automatic mode: Choose your differential set for a fully locked 4 wheel dr Using multiple input source moment to procure maximu feeling of confidence. The Smart-Lok Kit comes st Requires Performance Half High-performance design in desert riding. | ttings according to your riding need: "2x4" for rear wheel trac rive, and "4x4 Smart Modes" that offer preset, intelligent calib es, "Smart Modes" will instantaneously engage locking with th um traction while retaining low-speed maneuverability, allowing | tion only, "4x4 Front Diff Lock" rations for your type of riding. he right load at the right ng for optimal placement and 705402353 705402575 | | | |
| Mud Smart Mode Module Not illustrated) | Differential Kit. • Designed to deliver superio • When high engine torque a | Models with Smart-Lok Differential o add the Mud, Rock or Trail Activ Smart Mode to vehicles equ or traction in the deepest mud holes. nd/or slippage is detected, Smart-Lok will fully lock the front e | | | | |
| | The system will stay locked until throttle release. Only one Smart Mode Module can be installed at a time. | | | | | |
| Rock Smart Mode Module | | Models with Smart-Lok Differential | 715005283 | | | |
| | Differential Kit. • Designed to help cross cha • When high engine torque is engaged until throttle relea • The progressive engageme | o add the Mud, Rock or Trail Activ Smart Mode to vehicles equillenging rocks. Idetected at low vehicle speed, Smart-Lok will progressively lese to prevent wheel slippage and provide optimal traction. In tallows for easier steering when maneuvering the vehicle. Use can be installed at a time. | | | | |
| Trail Activ Smart Mode Module | | Models with Smart-Lok Differential | 715005284 | | | |
| | Differential Kit. • Designed for aggressive rid • When high engine torque a front end and maintain it en | o add the Mud, Rock or Trail Activ Smart Mode to vehicles equivalent of the ultimate cornering precision. nd/or an increase in vehicle speed is detected, Smart-Lok wil gaged until throttle release or vehicle speed reduction. Int allows for lower smooth steering effort. | | | | |

| Air Intakes & Exhaust | | | |
|--|---|--|------------------------------|
| Snorkel Kit | | Defender, Defender MAX (except Defender HD5, HD7 and Defender PRO) | 715003727 |
| | the engine. • Not compatible with Heada Washer Kit. • Snorkel Extension Kit is avai | CVT air intakes so vehicle can be semi-submersed in water/mu che Racks, Gear Rail equipment, DragonFire Cargo Bed Roll Ba lable for roof level air intake and CVT exhaust. 004414) and Sealed Air Box (707801033) are required for insta models. | ar and Windshield Wiper & |
| Snorkel Extensions | | Defender, Defender MAX | 715004415 |
| | conditions. Not compatible with all rear | of engine and CVT air intake. vehicle and help keep your intakes clear from mud, snow, dus panels and windows, Rear Cargo Light and roof-mounted Rea equired, except for X mr models. | • |
| Adapter for Snorkel Kit | | Defender and Defender MAX 2017 & prior | 715004414 |
| | Required for the installation Includes rear firewall for Sn Standard on Defender 2018 | of Snorkel Kit (715003727) on Defender 2017 and prior mode orkel Kit and hardware. | |
| Sealed Air Box | | Defender, Defender MAX 2017 & prior | 707801033 |
| | Required when installing the Standard on Defender 2018 | e Snorkel Kit (715003727) on Defender and Defender MAX 20 | |
| Snorkel Pre-FILTER | | Defender, Defender MAX (except Defender PRO) | 715005597 |
| AB | Helps keep air filter cleaner. Filter blocks particles larger Necessary to maintain vehic | r engine in harsh riding conditions. | 715008651 for the CVT inlet. |
| Air Intake Pre-Filter | | Defender (except X mr models), Defender MAX | 715003483 |
| | Helps keep air filter cleaner. Filter blocks particles larger Easy, tool-less installation. Necessary to maintain vehice | than 0.007" (0.19 mm). cle warranty when tracks are installed. he and Backcountry Track Systems. | |
| Foam Air Filter by Twin AIR † | | Defender, Defender MAX | 715003630 |
| | The best choice for the hars Multiple staged oiled filterin Washable and reusable. | hest conditions. Ig foam for superior dust retaining capacity with high air flow. | |
| CVT Air Intake Relocation Kit | | Defender, Defender MAX (except X mr, HD5 & PRO models) Defender, Defender MAX 2020 & up (except HD5) | 715004183 715008651 |
| | • | protected in the cab area. ay from snow splashing from wheels or tracks. bed 2020 & up Defender models HD10 and higly recommend t | |

APACHE TRACK SYSTEMS

Winter Tracks

| Apache BackCountry LT Trac | k Kit | Defender, Defender MAX (except 6x6) | | 715005891 |
|---|---|--|--|--------------------------|
| the market with unmatched and traction on snow surface - Large contact patch, 37% b | | ie. igger than the Apache 360 LT. learance of 6.4" (16 cm) helps low. | Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. Apache Backcountry LT Mounting Kit, Track DPS N and Engine & CVT Pre-Filter are required. Fine-tune your track system using extra Idler Whee Sliders with Vespel Inserts and Rail Ice Scratcher. For winter use only. | |
| | | | | 715005888 |
| Apache Backcountry LT Mount Kit (Not illustrated) | | See table for fit, compatibility and requirements. | | 715005493 715006196 |
| | Required for installation of t LT Track System. DPS module and engine pre and sold separately. | | The CVT air intake relocatio track-equipped 2020 & up I highly recommended for oth separately. | Defender models HD10 and |
| Rail Ice Scratchers | | Apache Backcountry and Back | country LT Track Systems | 860201728 |
| | Rail mounted, small, light. | on in hard and icy conditions an cept to allow reversing without se. | | |
| Extra Wheel Kit | | Apache Backcountry LT Whee | l kit | 715006293 |
| Charles ?? | Additional wheel kit for Back Reduces drag and rolling rest | , | ns or when transporting heavier | loads. |

Extends slider life in hard snow conditions.

- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

Apache Backcountry LT Tracks Fitting Guide

| Model Year | / Model | Length | Track | Track Mount | Track DPS Module | Prefilter without Snorkel | Prefilter with Snorkel |
|--------------|---|--------|-----------|-------------|---------------------|---------------------------------|------------------------------|
| 2019 & Prior | Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P | 62" | | 715005888 | | | 745005507 |
| 2019 & Prior | Defender XT Cab 2018-2019, Lone Star Edition & X mr | 67" | - | 715006196 | - | | 715005597 |
| 2020 & Up | Defender Base, DPS (HD5, HD7, HD8 & HD9), XT (HD8 & HD9) | 62" | | 715005888 | - | 715003483 | |
| 2020 & Up | Defender DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XT | 64" | 715005891 | 715005493 | 715007338 | & 715004183 (except X mr) | |
| 2020 to 2022 | Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star | 67" | | 715006196 | - | | 715005597 & 715008651 |
| 2023 | Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star | 67" | | 715005493 | | | |

Year-Round Tracks Apache 360 LT Track System Defender, Defender MAX (except 6x6) 715005103 Image: State of the state of the

| Apache 360 LT Mounting Kit | | | | 715004831 |
|----------------------------|---|-----------------------------|-----------------------------------|--|
| (Not illustrated) | | See table for fit, compatib | ility and requirements. | 715005492 |
| | Required to install Apache 360 LT Track System. DPS module and engine pre-filter are required and sold separately. | | | on kit is MANDATORY for Defender models HD10 and ther models. This kit is sold |
| Track DPS Module | | | | 715007338 |
| | An innovative DPS module t track control and riding eas | | accuracy and optimized steering a | ssist, which make for perfect |
| | Required to install the Apac | he and Backcountry Track | Systems. | |

Apache 360 LT Tracks Fitting Guide

| Model Year | / Model | Length | Track | Track Mount | Track DPS Module | Prefilter without Snorkel | Prefilter with Snorkel |
|--------------|---|--------|-----------|-------------|---------------------|---------------------------------|-----------------------------|
| 2019 & Prior | Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P | 62" | | 715004831 | | | 745005507 |
| 2019 & Prior | Defender XT Cab 2018-2019, Lone Star Edition & X mr | 64" | - | 715004832 | - | | 715005597 |
| 2020 & Up | Defender Base, DPS (HD5, HD7, HD8 & HD9), XT (HD8 & HD9) | 62" | - | 715004831 | - | 715003483 | |
| 2020 & Up | Defender DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XT | 64" | 715005103 | 715005492 | 715007338 | & 715004183 (except X mr) | |
| 2020 to 2022 | Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star | 67" | - | 715004832 | - | | 715005597 & 715008651 |
| 2023 | Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star | 67" | | 715005492 | - | | |

PROMOUNT PLOWS

Can-Am ProMount Flex2 Plow kit

Can-Am ProMount Flex2 72" (183 cm) Blade Plow Kit

Defender, Defender MAX

715008170

715004485

715008172 · Black

715008171 · Yellow

Blade design provides best snow roll-off at any angle.

Compatible with Can-Am ProMount Blade accessories to

Clears 66" (168 cm) when plow is fully angled.

Blade height of 17" (43 cm).

further enhance plow versatility.



- These kits include: - Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting plate

Can-Am ProMount Flex2 Blades

| Can-Am ProMount Flex2 66" | (168 cm) Blade | Fits ProMount Push Frame | | 715006265 |
|---------------------------|--|---|---|---|
| | Plow blade made of UHMWI absorbing material prevents accidental impact occurs. Replacable wear blade. Large pin designed for easy snow buildup at pivot point. | damaging your plow when blade rotation to eliminate | Blade design provides best Clears 60" (152 cm) when pl Blade height of 17" (43 cm). Compatible with Can-Am Pr further enhance plow versa | low is fully angled. oMount Blade accessories to |

Fits ProMount Push Frame

Can-Am ProMount Flex2 72" (183 cm) Blade

- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- · Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- **Can-Am ProMount Steel Plow Kit**

Can-Am ProMount Steel 72" (183 cm) Blade Plow kit

Defender, Defender MAX

- I'sk
- These kits include:

- Can-Am ProMount Steel Blade - Push Frame with Quick-Attach System
 - Mounting plate

Can-Am ProMount Steel Blades

| Can-Am ProMount Steel 66 | " (168 cm) Blade | Fits ProMount Push Frame | | 715006337 · Black 715006338 · Yellow |
|--------------------------|---|-----------------------------|--|---|
| | Plow blade made from 12-gauge steel. Replaceable wear blade. | | Clears 60" (152 cm) when p Blade height of 17" (43 cm). | , , |
| (Jahl-Dim | Large pin designed for easy snow buildup at pivot point. | | Compatible with Can-Am Pr further enhance plow versa | roMount Blade accessories to tility. |
| E . C | Blade design provides best s | snow roll-off at any angle. | Not compatible with S3 Hig | h Clearance Front A-Arm. |

| Can-Am ProMount Steel 72" | (183 cm) Blade | Fits ProMount Push Frame | | 715004474 · Black 715006021 · Yellow |
|---------------------------|--|-----------------------------|---|--------------------------------------|
| BELT-ELLI | Plow blade made from 12-gauge steel. Replaceable wear blade. | | Clears 66" (168 cm) when pl Blade height of 17" (43 cm). | , , |
| | Large pin designed for easy blade rotation to eliminate snow buildup at pivot point. | | Compatible with Can-Am Pr further enhance plow versa | |
| | Blade design provides best s | snow roll-off at any angle. | Not compatible with S3 Higl | n Clearance Front A-Arm. |

ProMount Plow Kits - Reference Charts

| | 66" Black Steel | 66" Yellow Steel | 66" Flex2 | 72" Black Steel | 72" Yellow Steel | 72" Flex2 |
|----------------|-----------------|------------------|-----------|-----------------|------------------|-----------|
| Plow Kit | - | - | - | 715008172 | 715008171 | 715008170 |
| Blade | 715006337 | 715006338 | 715006265 | 715004474 | 715006021 | 715004485 |
| Push Frame | 715008116 | 715008116 | 715008116 | 715008116 | 715008116 | 715008116 |
| Mounting Plate | 715007745 | 715007745 | 715007745 | 715007745 | 715007745 | 715007745 |

Can-Am ProMount Angle Plows

| Can-Am ProMount 66" (168 State Blade | cm) Steel Oneway | Fits ProMount Push Frame | | 715007263 |
|---|--|----------------------------|---|-----------|
| | Make the job easier with the and make the task easier by out of the way. Wing end of plow measures down to 16" (41 cm). | r sending the snow further | One-way "winged" state plo higher. Rubber flap (715007299) de from the driver is offered as Can-Am branded. | 0 |

| Can-Am ProMount 72" (183 State Blade | cm) Steel Oneway | Fits ProMount Push Frame | | 715007264 |
|---|--|-----------------------------|--|-----------|
| | Make the job easier with the and make the task easier by out of the way. | | One-way "winged" state plor snow higher. Rubber flap (715007299) de | 0 |
| Constantine and | Wing end of plow measures 2 down to 16" (41 cm). | 26" (67 cm) high and tapers | from the driver is offered as • Can-Am branded. | |

Can-Am branded.

Can-Am ProMount Plow Accessories

| Can-Am ProMount Edge Markers | Defender, Defender MAX | 715004206 |
|--|---|---|
| blades with or wi | | |
| Can-Am ProMount 66" (168 cm) Plastic Wear | r Blade Defender, Defender MAX | 715004482 |
| Can-Am ProMount 72" (183 cm) Plastic Wear | Blade Defender, Defender MAX | 715004483 |
| | | |
| Can-Am ProMount Drift Cutters | Defender, Defender MAX | 715006258 |
| Sold in pairs. Compatible with or with blades with or with o | n the plow. x 13" (43.2 cm x 33 cm). Can-Am ProMount Steel and Flex2 thout Blade Extensions (except for <i>J</i> ount Steel 54" (137 cm) Blades). | |
| Can-Am ProMount Blade Extensions | Defender, Defender MAX | ■ 715004205 · Black ■ 715005319 · Yellow |
| Can-Am ProMou • Longer Wear Blac extra length alrea • Compatible with | ch side. Can-Am ProMount Blades (except for nt Steel 54" [137 cm] Blade). de can be installed to further extend the idy provided by the extensions. Can-Am ProMount Steel and Flex2 rathe Can Am ProMount Steel 54" | |

Blades (except for the Can-Am ProMount Steel 54" [137 cm] Blades).

| Back Drag Blade | | ProMount Plows (60" and mor | re) | 715007794 |
|---|---|---|--|---|
| | ¼ thick steel swivel scraper Lifts up when the vehicle is affect the scraping. Increased capacity to pull s More aggressive scraping i | moving forward so as not to | Lifts the scraper off the gro Adjustable in length for con 72" blades. Compatible with ProMount | |
| can-Am ProMount Push Fram vith Quick-Attach System | e | Defender, Defender MAX | | 715008116 |
| Market Market | traction. • Designed for maximum plo • Features a self aligning qui | es ultimate push strength and | Plow Limit Switch recomm lifespan. Can-Am ProMount Mounti installation. Blade swivels left or right, { Large pin designed for eas dirt and snow buildup at pi | 5 positions. y blade rotation to eliminate |
| an-Am ProMount Push Fram | e Extension | Defender, Defender MAX | | 715006257 |
| Can-Am ProMount Mounting | Plata | Defender, Defender MAX (202 | 11 9 aviar) | 715007743 |
| | · | r Fairlead. nt High Clearance A-Arm (7150 | 03784). | |
| Can-Am ProMount Mounting | Plate | Defender, Defender MAX (202 | 22 & up) | 715007745 |
| | Mounting plate precision-d Comes with the Plow Roller | Am ProMount Push Frame with esigned to stay on year round w r Fairlead. Int High Clearance A-Arm (7150 | vithout compromising ground o | clearance. |
| Plow Angling System* | | Defender, Defender MAX | | 715006022 |
| | Allows you to have full up/d Using one hand to control a Push Frame Extension (715) | into an easy-to-control unit fron lown and left/right plow control all plow motions will allow you to 5006257) is required for installat le Backcountry Track System. | at your fingertips by using the easily concentrate and mana | ge your plowing tasks. |
| ProMount Plow Limit Switch Not illustrated) | | Defender, Defender MAX | | 715006259 |
| | For controlling the cable ter Prevents winch, plow push Sensor relocated for optimal | | ow system. | |
| Plow Roller Fairlead | | Defender, Defender MAX | | 715001223 |
| | | | | |

Super-Duty Plow System

| Super-Duty 72" (183 cm) | Blade Plow Kits | Defender, Defender MAX | | 715003416 |
|-------------------------|---|--|---|-----------|
| contant | A comprehensive plow systen angling. Ultra-durable 72" (183 cm) b with integrated reinforcement tubes to tackle the most dereinforcement | blade made of 12-gauge steel int and heavy-duty push manding jobs. | This kit includes: - 72" (183 cm) Super-Duty P - Super-Duty Plow Push Fra - Super-Duty Plow Mounting | me. |
| | Requires a winch for raising Convenient disconnect syst | 0 | | |
| | installation or removal. Front mount provides minim | | | |

| Super-Duty Plow Hydraulic A | ngling Kit | Defender, Defender MAX (2019 & prior) Defender, Defender MAX (2020 & up) | 715002840 715006038 |
|-----------------------------|--|---|--|
| | | full up/down and left/right plow control at your fingertips. omes with everything you need to turn your Super-Duty Plo | ow into a quick, easy-to-control unit from |
| | Using one hand to or your plowing tasks. | control all plow motions with the supplied joystick will allow | you to easily concentrate and manage |
| | With this commerci | al grade kit, you will send snow exactly where you want reli | ably all winter long. |

Winch and plow sold separately.

| Super-Duty Plow Push Frai (Not illustrated) | ne extension | Super-Duty Plow | 715001221 | |
|--|---|--|---------------------------------------|--|
| | Comes with Plow Magnetic | Duty Plow with the Apache 360 LT Track System. Switch and Plow Pulley. Front Accessory Bar for installation. | · · · · · · · · · · · · · · · · · · · | |
| Plow Blade Extensions | | Super-Duty Plow | 715001217 | |
| | Side extensions for widenin Include rubber flaps for extension Sold in pairs. | g your plow blade by 6" (15 cm) on each side. ension parts. | | |
| Plow Edge Markers | | Super-Duty Plow | 715001216 | |
| | For a more accurate view of the width of your plow. Allows you to work closely around objects. | | | |
| Plow Drift Cutter (Not illustrated) | | Super-Duty Plow | 715001218 | |
| | Keeps snow securely in the Allows you to cut a cleaner Sold individually. | | | |
| Plow Rubber Flap | | Super-Duty Plow | 715001219 | |
| | Keeps snow away from the driver and helps snow to roll in front of the plow. | | | |
| Plow Pulley (Not illustrated) | | Super-Duty Plow | 715002042 | |
| | For use with the Super-Duty Helps winching efficiency. Requires Front XT Bumper. | y Plow. | | |
| Plow Magnetic Switch (Not illustrated) | | Super-Duty Plow | 715001995 | |
| | Magnetic switch that stops For use with Super-Duty Place | the winch to prevent cable, winch and frame damage. w. | | |

COVERS & ADD-ONS

| | | Defender, Defender 6x6, Defe | nder PRO | 715004453 |
|--|---|---|---|--|
| Frailering Cover | | Defender MAX | | 715004454 |
| 5 | polyester. Inner soft liner protects v from abrasion. | of UV-resistant solution-dyed vindshield and coloured panels re reinforced with a double | during storage and tran • Opening for fuel cap. • Quick and easy installa • Designed to perfectly f Can-Am accessories. | |
| Bolt-On [†] Retractable Ratche | eting Tie-Downs | | | 295101072 |
| | Perfect for transporting y securing loads. Mounts easily: Bolts on a frame). 1" x 6' (2.5 cm x 1.8 m) tie | ny flat surface (e.g., truck bed or -down strap with heavy-duty 00 lb (226 kg) working load | slackens, spools and s mechanism tightens th vehicle or load into pla • Rubber ratcheting hand | push button automatically tores away strap, while the ratche e strap snugly to secure your ce. dle provides firm grip, and the hoc ct whatever surface it hooks into. |
| Ratchet Tie-Downs | | | | 715008309 · Black/Gra |
| | Deluxe ratchet with rubbe Coated S hooks. Pack of 2. | ap with Sea-Doo, Ski-Doo and Car er handle. | | |
| leavy-Duty Ratchet Tie-Do | wn | | | 715008308 |
| 1,000 lb (454 kg) safe v 1.5" x 6' (38 mm x 1.8 r Deluxe ratchet with ru Black-coated clip hool 12" (300 mm) webbing Pack of two. | | strap with BRP brands. er handle. | | |
| TYRES & RI | MS | Defender X mr, Defender MA) | (V est | 705403201 · Front 705503387 · Rear |
| | Front: 30" x 9" x 14" Rear: 30" x 11" x 14" | | | |
| | | | | 705403080 · Front |
| (PS Trac Force | | Defender (Limited & Lone Sta | r models) | 705503354 · Rear |
| | Front: 30" x 9" x 14". Rear: 30" x 10" x 14". | All-Terrain Light Truck Style 8-ply rating offered in 30X9 Central tread for good grip terrain. | R14 | |

| (PS Trail Force Tyres | Defender MAX HD8, Defen Defender MAX XT HD8, De HD10 (front only) | der DPS HD8, Defender MAX DPS fender DPS CAB HD8, Defender L | 3 HD8, Defender XT HD8, TD HD10, Defender MAX LTD | 705402754 · Front 705503103 · Rear | | |
|-------------------------|--|---|---|--|--|--|
| | All-terrain radial tyre. 8-ply construction offered Versatile and suitable for | All-terrain radial tyre. 8-ply construction offered in 27X9R14. Versatile and suitable for many types of terrain. Aggressive tread pattern for better traction on dirt, mud and rocky terrains. Tread depth: 20 mm. | | | | |
| FP Cryptid | | Defender X mr | | 705402504 · Front 705502913 · Rear | | |
| | Front: 30" x 9" x 14". Rear: 30" x 11" x 14". | | paddle-like shoulder imum side bite for climbing in t compromising ride comfort | | | |
| laxxis Bighorn 2.0 Tyre | | | | | | |
| | Front: 27" x 9" x 14". Rear: 27" x 11" x 14". | Defender (XT, XT Cab) | | 705402168 · Front 705400961 · €€ 705502665 · Rear 705501295 · €€ | | |
| | Front: 27" x 9" x 12". Rear: 27" x 11" x 12". | Defender | | 705402560 · Front 705401386 · €€ 705502938 · Rear 705501818 · €€ | | |
| | Front: 28" x 9" x 14". Rear: 28" x 11" x 14". | Defender | | 705402080 · Front 705502603 · Rear | | |
| laxxis M923J/M924J | | Defender (Base & DPS mode | ls only) | 705402107 · Front 705502626 · Rear | | |
| | Front: 25" x 8" x 12". Rear: 25" x 10" x 12". | | | | | |
| ear Tyre Chains | | | | 715003839 · 27" x 9"x 14" 715000225 · 29" x 9"x 14" | | |
| | Improve your traction in a Sold in pairs. | mud and snow. | | | | |
| Rims | | | | | | |
| 4" Rim | | | | 705401594 · Front | | |
| ot illustrated) | Front: 14" x 6.5" offset = 41 mm. Rear: 14" x 8" offset = 51 mm. | Defender, Defender MAX Black with clear coat alum Choice of beadlock colour Needs 16 bolts (25000078 | | 705503191 · Rear | | |
| 4" Beadlock Rings | | Defender, Defender MAX | 705401586 · Manta Green 705401702 · Octane Blue | 705401837 · Can-Am Re 705401840 · Black | | |
| | Cast aluminum beadlock Must be installed on From | · | r (705503191). | | | |
| | Matching Nuts - 250100184 Matching Cap - 705400928 | | | | | |

| 12" Rim | | | | 705401678 · Black · Front | | |
|-----------------------------|---|--|---|---|--|--|
| Not illustrated) | | Defender, Defender MAX | | 705502244 · Black · Rear | | |
| | • Front: 12" x 6" | Black with clear coat aluminum rim. | | | | |
| | offset = 41 mm. • Rear: 12" x 7.5" | Choice of beadlock colour (not include) Needs 16 bolts (250000787) for installing | | | | |
| | offset = 51 mm. | | | | | |
| 10" Readlack Dinge | | | 705401816 705401815 705401814 | Orange Crush Yellow | | |
| 2" Beadlock Rings | | Defender, Defender MAX | 705401695 | Octane Blue | | |
| | Cast aluminum beadlock. Must be installed on From and Rear Rim (705502244) | | | | | |
| | Matching Nuts - 250100184 Matching Cap - 705400928 | | | | | |
| | | | 705401848 · 705401849 · | Black and machinged · Front Black · Front | | |
| Outlander X mr and Defender | Rim | Defender, Defender MAX (front wheels) | 705502397 · Black and machinged · Front 705502398 · Black · Rear | | | |
| Q.Z. | Cast aluminum rim with trendsetting explosive styling so you can ride—and look—like a trailblazer. Front: 14" x 6.5" offset = 10 mm. Rear: 14" x 8.5" offset = 23 mm. | | | | | |
| | Matching Nuts - 250100184 Black, 250100185 Chrome Matching Cap - 705401541 | | | | | |
| | | | 705402338 | Black · Front | | |
| Defender Cast-Aluminum 14" | Rim | Defender, Defender MAX | 705502778 | Black · Rear | | |
| | Front: 14" x 7" offset = 41 Rear: 14" x 8.5" offset = 51 | | | | | |
| | Matching Nuts - 250100184 Matching Cap - 705401541 | | | | | |
| one Star Cast-Aluminum 14" | Rim | | 705402334 · Fr | ont | | |
| Not illustrated) | | Defender, Defender MAX | 705502775 · Re | ear | | |
| | Front: 14" x 7" offset = 41 mm. Rear: 14" x 8.5" offset = 51 mm. | | | | | |
| | Matching Nuts - 250100184 Matching Cap - 705401541 | | | | | |
| | | | | | | |
| | | 705402120 · Black · Front | | | | |
| | | 705402120 · Black · Front 705402118 · Silver and machinged · Front | 7055026 | 37 · Black · Rear | | |
| | | 705402118 · Silver and machinged · | 7055026 | 34 · Silver and machinged · Rea | | |
| Defender Rim | • Front: 14" x 7" offset = 41 • Rear: 14" x 8.5" offset = 51 | 705402118 · Silver and machinged · Front 705402121 · Black and machinged · Front mm. | 7055026 | 37 · Black · Rear 34 · Silver and machinged · Rea 35 · Black and machinged · Rea | | |

CAN-AM MAVERICK X3

CAN-AM MAVERICK X3

MODEL PACKAGES

| Can-Am Maverick X3 X ds Turbo RR | 71 |
|--|----|
| Can-Am Maverick X3 X ds Turbo RR Competitive Chart | 72 |
| Can-Am Maverick X3 X rs Turbo RR | 73 |
| Can-Am Maverick X3 X rc Turbo RR 72" | 74 |
| Can-Am Maverick X3 MAX X rs Turbo RR | 75 |


76

COMPARATIVE CHART

Can-Am Maverick X3 Lineup

ACCESSORIES

| Roofs | 78 |
|-------------------------------------|-----|
| Soft Cab Enclosure | 79 |
| Windshields & Mirrors | 79 |
| Doors | 81 |
| HMWPE Skid Plates | 83 |
| Bumpers & Guards | 84 |
| Seat Accessories | 87 |
| LinQ: Easy On, Easy Off Cargo | 88 |
| Racks & Storage | 93 |
| Lights | 94 |
| Audio & Communication Systems | 98 |
| Electrical & Electronic Accessories | 99 |
| Winches & Hitches | 101 |
| Performance | 103 |
| Trailering | 107 |
| Apache Track Systems | 108 |
| ProMount Plows | 110 |
| Tyres & Rims | 113 |



WHAT'S NEW

Sport Roof & 4-Point Retractive Harness

For Maverick X3 X ds Turbo RR packages

New Premium Colouration

Mineral Gray & Desert Tan: Can-Am Maverick X3 X rc Turbo RR 72" package

2023 CAN-AM MAVERICK X3 X DS TURBO RR



PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax powerplant with intercooler
- Smart-Lok front differential
- FOX[†] 2.5 PODIUM RC2[†] piggyback shocks
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harness with shoulder pads
- Can-Am signature LED lights
- 14 in. aluminum beadlock wheels
- Maxxis Carnivore 30 in. tyres
- 64 in. wide with more than half a metre of suspension travel
- Full roof
 - HMWPE full skid plate

Triple Black / TURBO RR

| ENGINE | TURBO RR |
|----------------------|---|
| Туре | 200 hp, Rotax [®] ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler, and high-perfomance air filter |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P |
| Drive Train | Lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL |
| Power Steering | High torque Tri-Mode Dynamic Power Steering (DPS™) |
| | |

SUSPENSIONS

| Front Suspension | Double A-arm with sway bar/20 in. (50.8 cm) travel | |
|------------------|--|--|
| Front Shocks | FOX 2.5 PODIUM RC2 Piggyback with dual speed compression and rebound adjustments | |
| Rear Suspension | 4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel | |
| Rear Shocks | FOX 2.5 PODIUM RC2 Piggyback with dual speed compression, rebound adjustments and bottom-out control | |

TYRES & WHEELS

| Front Tyres | s Maxxis Carnivore [†] 30 x 10 x 14 in. | | |
|-------------|--|--|--|
| Rear Tyres | Maxxis Carnivore [†] 30 x 10 x 14 in. | | |
| Wheels | 14 in. cast-aluminum beadlock | | |

BRAKES

| Front | Dual 262 mm disc brakes with hydraulic twin-piston calipers |
|-------|--|
| Rear | Dual 248 mm disc brakes with hydraulic twin-piston calipers |

DIMENSIONS & CAPACITIES

| DIVIENSIONS & CAFACITIES | | | |
|--------------------------|--|--|--|
| Estimated Dry Weight | 1,554 lb (704.9 kg) | | |
| Chassis/Cage | Dual-phase 980 steel | | |
| LxWxH | 132 x 64 x 65.7 in. (335.3 x 162.5 x 166.9 cm) | | |
| Wheelbase | 102 in. (259.1 cm) | | |
| Ground Clearance | 14 in. (35.6 cm) | | |
| Rack Capacity | 200 lb (91 kg) with LinQ [®] Quick-Attach | | |
| Storage Capacity | Total: 2.5 gal (9.4 L) | | |
| Fuel Capacity | 10.5 gal (40 L) | | |
| Person Capacity | 2 | | |

FEATURES

| Gauge | 7.6 in. wide digital display with keypad | | |
|-------------------|---|--|--|
| Instrumentation | DC outlet (10-A) | | |
| Anti-theft System | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | | |
| Lighting | LED headlight, LED signature lights, LED tail lights | | |
| Winch | N/A | | |
| Magneto | eto 850 W | | |
| Protection | Integrated front bumper, quarter doors, full roof, 4-point harness with shoulder pads, HMWPE full skid plate, rear tow hook | | |
| | | | |

WARRANTY & EXTENDED SERVICE

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 100 hours / 12 months / 3000 km |

| | 0 | Can-Am Maverick X3 X DS Turbo RR | Polaris Pro XP Premium EPS | Yamaha YXZ1000R SS XT-R - 2023 |
|--------------------|---|---|--|---|
| Engine Size (cc) | | 900 cc | 925 cc | 998 cc |
| No of Cylinders | = | 3 | 2 | 3 |
| Horsepower | + | 200 hp | 181 hp | 103 hp |
| Turbo | = | Yes | Yes | No |
| Transmission | + | pDrive primary and Quick Response System X CVT | Automatic PVT (CVT) | Constant Mesh 5 speed, paddle shift, auto clutch, with reverse |
| Front Diff. Type | + | Lockable front differential with exclusive Smart-Lok | Isolated Xtreme performance true on demand AWD/2WD | On command 3 way locking differential 2WD/4WD/diff lock |
| Power Steering | + | Hi torque tri-mode Dynamic Power Steering | Electronic Power Steering | Electronic Power Steering |
| Seating Capacity | = | 2 | 2 | 2 |
| Front Suspension | = | Double A-arm with sway bar | High clearance dual a-arm with stabilizer bar | Independent double wishbone with anti-sway bar |
| Rear Suspension | = | 4-link torsional trailing arm X with sway bar | Trailing arm with stabilizer bar | Independent double wishbone with anti-sway bar |
| Wheel Size | = | 14" | 14" | 14" |
| Wheel Material | = | Aluminium | Aluminium | Aluminium |
| Tyre Height | = | 30" | 30" | 29" |
| Ground Clearance | | 35.6 cm | 36.8 cm | 33 cm |
| Overall Width | = | 335.3 cm | 320 cm | 312.1 cm |
| Overall Length | + | 162.5 cm | 162.6 cm | 162.6 cm |
| Vehicle Dry Weight | | 704.9 kg | 809 kg | 689.9 kg |
| Fuel Capacity | | 40 L | 45.4 L | 34 L |
| Anti Theft Device | + | RF Digitally Encoded Security system (D.E.S.S) | None | None |
| Warranty Period | | 2 years/15,000 km, whichever comes first | 1 year unlimited km | 3 years unlimited km |
| Display | + | 7.6" wide digital display with keypad | 7" glove touch display | Supersport-style dashboard |

2023 CAN-AM MAVERICK X3 X RS **TURBO RR** <u>with smart-shox</u>



PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax powerplant with intercooler
- 72.7 in. wide with over 55cm of suspension travel
- Smart-Lok front differential
- Smart-Shox Technology featuring DDA Valve
- FOX[†] 3.0 PODIUM[†] shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harness with shoulder pads
- Can-Am LED signature lights
- 14 in. aluminum beadlock wheels
- 32 in. Maxxis Carnivore[†] tyres
- Full roof
- HMWPE full skid plate

Intense Blue, Carbon Black, & Chalk Gray / TURBO RR

| ENGINE | TURBO RR |
|----------------------|--|
| Туре | 200 hp, Rotax [*] ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P |
| Drive Train | Lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL |
| Power Steering | High torque Tri-Mode Dynamic Power Steering (DPS™) |

SUSPENSIONS

| Front Suspension | Double A-arm with sway bar/22 in. (55.9 cm) travel/ Trophy truck inspired arms |
|------------------|--|
| Front Shocks | FOX 2.5 PODIUM Piggyback with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment) |
| Rear Suspension | 4-link Torsional Trailing-arm X (TTX) with sway bar/24 in. (61 cm) travel |
| Rear Shocks | FOX 3.0 PODIUM remote reservoir with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment) |

TYRES & WHEELS

| Front Tyres | Maxxis Carnivore [†] 32 x 10 x 14 in. |
|-------------|--|
| Rear Tyres | Maxxis Carnivore [†] 32 x 10 x 14 in. |
| Wheels | 14 in. cast-aluminum beadlock |

BRAKES

| DIUUCEO | |
|---------|--|
| Front | Dual 262 mm disc brakes with hydraulic twin-piston calipers |
| Rear | Dual 248 mm disc brakes with hydraulic twin-piston calipers |

DIMENSIONS & CAPACITIES

| DIMENSIONS & CAPACITIES | |
|-------------------------|--|
| Estimated Dry Weight | 1,699 lb (770.7 kg) |
| Chassis/Cage | Dual-phase 980 steel |
| LxWxH | 132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm) |
| Wheelbase | 102 in. (259.1 cm) |
| Ground Clearance | 16 in. (40.6 cm) |
| Rack Capacity | 200 lb (91 kg) with LinQ [®] Quick-Attach |
| Storage Capacity | Total: 2.5 gal (9.4 L) |
| Fuel Capacity | 10.5 gal (40 L) |
| Person Capacity | 2 |

FEATURES

| Gauge | 7.6 in. wide digital display with keypad |
|-------------------|---|
| Instrumentation | DC outlet (10-A) |
| Anti-theft System | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button |
| Lighting | LED headlight, LED signature lights, LED tail lights |
| Winch | N/A |
| Magneto | 850 W |
| Protection | Integrated front bumper, quarter doors, full roof, 4-point harness with shoulder pads, HMWPE full skid plate, rear tow hook |

WARRANTY & EXTENDED SERVICE

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 100 hours / 12 months / 3000 km |

2023 CAN-AM MAVERICK X3 X RC TURBO RR 72"



PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax powerplant with intercooler
- 72.8 in. wide with over 55cm of suspension travel
- Smart-Lok* front differential
- FOX[†] 3.0 PODIUM RC2[†] shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harness with shoulder pads
- Can-Am LED signature lights
- · 15 in. aluminum beadlock wheels
- 32 in. Maxxis Liberty[†] tyres
- · Front bumper, half-doors, aluminum roof, intrusion bar
- Front tow hook
- 4,500 lb (2,041 kg) winch with synthetic rope
- · HMWPE differential and under bumper skid plates
- HMWPE front and rear suspension arm
- UHMWPE rock sliders

Mineral Gray & Desert Tan / TURBO RR

| ENGINE | TURBO RR |
|----------------------|--|
| Туре | 200 hp, Rotax [®] ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P |
| Drive Train | Lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD ROCK/4WD TRAIL |
| Power Steering | High-torque Tri-Mode Dynamic Power Steering (DPS™) |

SUSPENSIONS

| Front Suspension | Trophy truck inspired arched double A-arm with sway bar/22 in. (55.9 cm) travel |
|------------------|--|
| Front Shocks | FOX 2.5 PODIUM RC2 Piggyback with bypass, dual speed compression, and rebound adjustments |
| Rear Suspension | 4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/24 in. (61 cm) travel |
| Rear Shocks | FOX 3.0 PODIUM RC2 remote reservoir with bypass, dual speed compression and rebound adjustments |

TYRES & WHEELS

| Front Tyres | Maxxis Liberty [†] 32 x 10 x 15 in. |
|-------------|--|
| Rear Tyres | Maxxis Liberty [†] 32 x 10 x 15 in. |
| Wheels | 15 in. cast-aluminum beadlock |

BRAKES

| Front | Dual 262 mm disc brakes with hydraulic twin-piston calipers |
|-------|--|
| Rear | Dual 248 mm disc brakes with hydraulic twin-piston calipers |

DIMENSIONS & CAPACITIES

| DIVIENDIGING & OAI P | | |
|----------------------|--|--|
| Estimated Dry Weight | 1,843 lb (836 kg) | |
| Chassis/Cage | Dual-phase 980 steel | |
| LxWxH | 134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm) | |
| Wheelbase | 102 in. (259.1 cm) | |
| Ground Clearance | 16 in. (40.6 cm) | |
| Rack Capacity | 200 lb (91 kg) with LinQ [®] Quick-Attach | |
| Storage Capacity | Total: 2.5 gal (9.4 L) | |
| Fuel Capacity | 10.5 gal (40 L) | |
| Person Capacity | 2 | |

FEATURES

| Gauge | 7.6 in. wide digital display with keypad | | |
|-------------------|--|--|--|
| Instrumentation | DC outlet (10-A) | | |
| Anti-theft System | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | | |
| Lighting | LED headlight, LED signature lights, LED tail lights | | |
| Winch | 4,500 lb (2,041 kg) winch with synthetic rope | | |
| Magneto | 850 W | | |
| Protection | Front bumper, Half doors, Aluminum roof, Intrusion bar, 4-point harness with shoulder pads, UHMWPE rock sliders, HMWPE skidplates: full heavy-duty with differential/under bumper/front and rear suspension arm | | |

WARRANTY & EXTENDED SERVICE

| Factory Warranty | 2 years / 15,000 km, whichever comes first | | |
|-------------------|--|--|--|
| Service Intervals | 100 hours / 12 months / 3000 km | | |

2023 CAN-AM MAVERICK X3 MAX X RS TURBO RR WITH SMART-SHOX



PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax powerplant with intercooler
- 72.7 in. wide with over 55cm of suspension travel
- Seating for 4 people
- Smart-Lok front differential
- Smart-Shox Technology featuring DDA Valve
- FOX[†] 3.0 PODIUM[†] shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harness with shoulder pads
- Can-Am LED signature lights
- 14 in. aluminum beadlock wheels
- 32 in. Maxxis Carnivore[†] tyres
- Full roof
- · HMWPE full skid plate

Intense Blue, Carbon Black, & Chalk Gray / TURBO RR

| ENGINE | TURBO RR |
|----------------------|--|
| Туре | 200 hp, Rotax [®] ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P |
| Drive Train | Lockable front differential with exclusive Smart-Lok technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL |
| Power Steering | High-torque Tri-Mode Dynamic Power Steering (DPS™) |

SUSPENSIONS

| Front Suspension Double A-arm with sway bar/22 in. (55.9 cm) trav Trophy truck inspired arms | | | |
|---|--|--|--|
| Front Shocks | cks FOX 2.5 PODIUM Piggyback with bypass and Smart-Shox Technology featuring DI Valve (Dynamic Damping Adjustment) | | |
| Rear Suspension | 4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel | | |
| Rear Shocks | FOX 3.0 PODIUM remote reservoir with bypass and Smart-Shox Technology featuring DDA Valve (Dynamic Damping Adjustment) | | |

TYRES & WHEELS Maxxie Carnivoret 32 x 10 x 14 in Front Tyres

| Front Tyres | Maxxis Carnivore ¹ 32 x 10 x 14 in. |
|-------------|--|
| Rear Tyres | Maxxis Carnivore [†] 32 x 10 x 14 in. |
| Wheels | 14 in. cast-aluminum beadlock |

BRAKES

| Brouceo | | |
|---------|--|--|
| Front | Dual 262 mm disc brakes with hydraulic twin-piston calipers | |
| Rear | Dual 248 mm disc brakes with hydraulic twin-piston calipers | |

DIMENSIONS & CADACITIES

| DIMENSIONS & CAPACITIES | | | | |
|-------------------------|--|--|--|--|
| Estimated Dry Weight | 1,942 lb (880.9 kg) | | | |
| Chassis/Cage | Dual-phase 980 steel | | | |
| LxWxH | 165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm) | | | |
| Wheelbase | 135 in. (342.9 cm) | | | |
| Ground Clearance | 16 in. (40.6 cm) | | | |
| Rack Capacity | 150 lb (68 kg) with LinQ [®] Quick-Attach | | | |
| Storage Capacity | Total: 3 gal (11.4 L) | | | |
| Fuel Capacity | 10.5 gal (40 L) | | | |
| Person Capacity | 4 | | | |

FEATURES

| Gauge | 7.6 in. wide digital display with keypad | | | |
|-------------------|---|--|--|--|
| Instrumentation | DC outlet (10-A) | | | |
| Anti-theft System | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | | | |
| Lighting | LED headlight, LED signature lights, LED tail lights | | | |
| Winch | N/A | | | |
| Magneto | 850 W | | | |
| Protection | Integrated front bumper, Quarter doors, Full roof, 4-point harness with shoulder pads, HMWPE full skid plate, Rear tow hook | | | |

WARRANTY & EXTENDED SERVICE

| Factory Warranty | 2 years / 15,000 km, whichever comes first | | |
|-------------------|--|--|--|
| Service Intervals | 100 hours / 12 months / 3000 km | | |

| MAVERICK X3 | | X ds TURBO RR | X rs TURBO RR | X rc TURBO RR 72" | MAX X rs TURBO RR | |
|---------------------|----------------------------|--|--|---|--|--|
| | | | | | | |
| С | OLOUR OPTIONS | Triple Black | Intense Blue, Carbon Black, & Chalk Gray | Mineral Gray & Desert Tan | Intense Blue, Carbon Black, & Chalk Gray | |
| | Туре | 200 hp, Rotax [®] ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter | | | | |
| | Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | | | | |
| B | Transmission | pD | Prive primary and Quick Response System | X (QRS-X) CVT with high airflow, L/H/N/F | <u></u> β/Ρ | |
| ENGINES | Drive Train | Lockable front differential with exclusiv traction system: 2WD/4WD with front d | e Smart-Lok* technology. True 4 modes iff. lock/4WD TRAIL ACTIV/4WD TRAIL. | Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD ROCK/4WD TRAIL. | Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL. | |
| | Driving Assistance | | High torque Tri-Mode Dyna | mic Power Steering (DPS™) | | |
| | Front Suspension | Double A-arm with sway bar/ 20 in. (50.8 cm) travel | Double A-arm with sway bar/22 in. (55.9 cm) travel/Trophy truck inspired arms | Trophy truck inspired arched double A-arm with sway bar/ 22 in. (55.9 cm) travel | Double A-arm with sway bar/22 in. (55.9 cm) travel/ Trophy truck inspired arms | |
| NOISN | Front Shocks | FOX [†] 2.5 PODIUM RC2 [†] Piggyback with dual speed compression and rebound adjustments | FOX [†] 2.5 PODIUM Piggyback with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment) | FOX [†] 2.5 PODIUM RC2 [†] Piggyback with bypass, dual speed compression and rebound adjustments | FOX [†] 2.5 PODIUM Piggyback with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment) | |
| SUSPENSIONS | Rear Suspension | 4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel | 4-link Torsional Trailing-arm X (TTX) with sway bar/24 in. (61 cm) travel | 4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/24 in. (61 cm) travel | 4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel | |
| | Rear Shocks | FOX [†] 2.5 PODIUM RC2 [†] Piggyback with dual speed compression, rebound adjustments and bottom-out control | FOX [†] 3.0 PODIUM remote reservoir with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment) | FOX [†] 3.0 PODIUM RC2 [†] remote reservoir with bypass, dual speed compression and rebound adjustments | FOX [†] 3.0 PODIUM remote reservoir with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment) | |
| TYRES/ WHEELS | Front/Rear Tyres Wheels | Maxxis Carnivore [†] 30 x 10/10 x 14 in. 14 in. cast-aluminum beadlock | Maxxis Carnivore [†] 32 x 10/10 x 14 in. 14 in. cast-aluminum beadlock | Maxxis Liberty [†] 32 x 10/10 x 15 in. 15 in. cast-aluminum beadlock | Maxxis Carnivore [†] 32 x 10/10 x 14 in. 14 in. cast-aluminum beadlock | |
| (ES | Front | | Dual 262 mm disc brakes with | hydraulic twin-piston calipers | | |
| BRAKES | Rear | | Dual 248 mm disc brakes with | hydraulic twin-piston calipers | | |
| | Estimated Dry Weight | 1,554 lb (704.9 kg) | 1,699 lb (770.7 kg) | 1,843 lb (836 kg) | 1,942 lb (880.9 kg) | |
| IES | Chassis/Cage | Dual-phase 980 steel | | | | |
| MENSIONS/CAPACITIES | L x W x H | 132 x 64 x 65.7 in. (335.3 x 162.5 x 166.9 cm) | 132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm) | 134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm) | 165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm) | |
| 2 | Wheelbase | | 102 in. (259.1 cm) | | 135 in. (342.9 cm) | |
| žö | Ground Clearance | 14 in. (35.6 cm) 16 in. (40.6 cm) | | | | |
| ISN | Rack Capacity | 200 lb (91 kg) with LinQ® quick-attach 150 lb (68 kg) with LinQ® quick-attach | | | | |
| | Storage Capacity | | Total: 2.5 gal (9.4 L) | | Total: 3 gal (11.4 L) | |
| □ | Fuel Capacity | | 10.5 ga | al (40 L) | | |
| | Person Capacity | | 2 | | 4 | |
| | Gauge | | 7.6 in. wide digital | display with keypad | | |
| 1 | Instrumentation | DC outlet (10-A) | | | | |
| 1 | Anti-theft System | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | | | | |
| l o | Lighting | LED headlight, LED signature lights, LED tail lights | | | | |
| FEATURES | Winch | N, | Α | 4,500 lb (2,041 kg) winch with synthetic rope | N/A | |
| FEA: | Magneto | | 850 | D W | | |
| | Protection | Integrated front bumper, quarter doors, full roof, 4-point harness with shoulder pads, HMWPE full skid plate, rear tow hook | | Front bumper, half doors, aluminum roof, intrusion bar, 4-point harness with shoulder pads, UHMWPE rock sliders, HMWPE skidplates: full heavy-duty with differential/under bumper/ front and rear suspension arm | Integrated front bumper, quarter doors, full roof, 4-point harness with shoulder pads, HMWPE full skid plate, rear tow hook | |

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry. **Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.



ROOFS

| | | Maverick X3 | | 715005521 |
|---|---|--|---|--|
| Sport Roof | | Maverick X3 MAX | | 715003750 |
| | Impact-resistant injected p Excellent protection from ti Provides excellent downhil Windshield compatible. | he elements. | Standard on X rs model. Easy, tool-less installation ¼ turn fasteners and Velcr | and removal with quick-releas o straps. |
| ProVent Roof Module Kit | | Maverick X3, Maverick X3 M | AX | 715005279 |
| | Provides fresh air in the cal Optimal performance with 4 vents provide infinite adju and passenger. Filter and pre-filter to limit of Easy cleaning of filter and p | full cab enclosure. Istment of air flow for driver dust intrusion. | out of cabin while maintain • Outer plug closes air intak heavy weather. • Sport Roof requires ProVer | e completely for winter or nt Module Adapter Kit. nounted LED bars, roof racks |
| | u Kit fau Cu aut Da af | Maverick X3 | | 715006199 |
| ProVent Roof Module Adapte Not illustrated) | er Kit for Sport Roof | Maverick X3 MAX | | 715006371 |
| | Adapter for fitting ProVent onto Maverick X3. | Roof Module Kit | Includes roof adapter and Requires ProVent Roof Mo | |
| Aluminum Roof | | Maverick X3 | | 715004224 · Black 715002900 · Silver |
| | Windshield compatible. Easy and tool-less installati | Maverick X3 | | 715002901 |
| Bimini [†] Roof with Sun Visor | | Maverick X3 MAX | | 715003749 |
| | Innovative soft top comes v | f UV-resistant solution-dyed po with a hard visor that allows for and removal with quick-release | • | ps. |
| Tinted Sun Visor | | Maverick X3, Maverick X3 M | AX | 715007098 |
| | Tinted polycarbonate cons Extra protection for driver a Not compatible with Alumi | | S. | |
| | | Maverick X3 produced after J | lanuary 1, 2017 | 715005508 · Hyper Silve 715005507 · Black 715004436 · Can-Am Red |
| onestar Racing Aluminum R | loof | Maverick X3 MAX | | 715005516 · Hyper Silve 715005515 · Black 715004341 · Can-Am Rec |
| | 0.083" (2.1 mm) thick alumi Durable and lightweight. Enhances the vehicle's raciauthentic sporty look comb Offers you protection from a personalized touch. Lower profile than other root | ng appearance thanks to an ined with unique graphics. the elements with | Compatible with Lonestar Not compatible with LinQ I Bar and Full Windshields. "Lonestar Racing for Can-A Includes middle intrusion I | Pivoting Rack, Light Support |

SOFT CAB ENCLOSURE

| Soft Cab Enclosure • Protection for rider and pase • For added cabin comfort, or with Cab Seal Kit. | | 0 | | 715003754 715003755 |
|--|--|-----------------|--|------------------------|
| | | | | ated |
| Cab Seal Kit | | Maverick X3 | | 715004433 |
| (Not illustrated) | | Maverick X3 MAX | | 715004434 |

· Prevents dirt, dust and wind infiltration in the cab area.


· Improves cabin comfort for driver and passenger.

- Recommended with Soft Cab Enclosures.

WINDSHIELDS & MIRRORS

Windshields

PowerFlip Windshield



· Compatible with Can-Am roofs.

| Windshield Wiper for PowerFli | | Maverick X3, Maverick X3 MAX | 715006310 |
|-------------------------------|---|------------------------------|-----------|
| | A | | |

- An ideal way to keep your windshield clear in rain or while riding through mud and water.
- Wiper from the top allows windshield pivoting. Includes single-speed wiper and washer-fluid dispenser.
- Wiper mechanism and washer-fluid dispenser perfectly concealed within the vehicle.
 - Must be installed with the PowerFlip Windshield (sold separately).

| Provent Windshield | Maverick X3, Maverick X3 N | MAX 715005277 |
|--------------------|---|--|
| | High-impact-resistant Quantum hardcoated polycarbonate full windshield. Controllable vents to manage air flow. Optimal performance with full cab enclosure. Channels air into the cabin, defogs windshield, fully closes to eliminate air flow. One upper vent and one lower vent with pre-filters. Formed polycarbonate construction for enhanced rigidity. Provides excellent optical clarity and better abrasion resistance. | Protects driver and passenger from the elements. Quick and easy tool-less installation or removal. Not compatible with wiper kits and Wet Sounds Stealt Ultra HD Can-Am Edition Sound Bar. Upper vent channels air into the cabin. Lower vents defog windshield. |

| Glass Windshield | | Maverick X3, Maverick X3 MAX | 715008859 |
|------------------------------|--|---|---|
| | Provides the best optical cla Must be used with Windshin severe riding conditions, su | e and protects rider and passenger from the elements. arity and abrasion resistance. eld Wiper & Washer Kit to maintain clear visibility during | |
| Glass Windshield with Wiper | & Washer Kit | Maverick X3, Maverick X3 MAX | 715008858 |
| | dispenser. • Seals firmly against the cag • An ideal way to keep your w | a curved and laminated glass windshield with a single-speed w e and protects rider and passenger from the elements. rindshield clear in rain, or while riding through mud and water. rear wind protection to maximize comfort for passenger. | |
| Full Windshield | | Maverick X3, Maverick X3 MAX | 715002907 |
| | Formed polycarbonate cons Formulated to be non-yellow Protects driver and passeng Quick and easy tool-less ins | | and optical clarity. |
| Full Windshield – Hardcoated | I | Maverick X3, Maverick X3 MAX | 715004417 |
| | Formed polycarbonate cons Provides excellent optical cl Protects driver and passeng Quick and easy tool-less ins Recommended to use with | - | |
| | | Maverick X3, Maverick X3 MAX Fit with Full Windshield Hardcoated (715004417) | 715004762 |
| Nindshield Wiper & Washer I | Kit | Maverick X3, Maverick X3 MAX Fit with Glass Windshield (715008859) | 715003282 |
| | Includes single-speed wipe | indshield clear in rain, or while riding through mud and water. r and washer fluid dispenser. her fluid dispenser perfectly concealed within the vehicle. | |
| Half Windshield | | Maverick X3, Maverick X3 MAX | ☐ 715002909 · Clear ■ 715004291 · Tinted |
| | Formed polycarbonate cons | o deflect air flow. | and optical clarity. |

2023

Mirrors

Rear Mirror & Camera Monitor

Maverick X3, Maverick X3 MAX · Fully waterproof rear view camera and monitor kit.

- Multiple camera feeds can be seen with the rear view camera, to see what you need.
- Unit replaces stock rear view mirror (screen is integrated in the unit's replacement rear view mirror).
- Camera uses infrared light for night vision capabilities.

| | | Maverick X3, Maverick X3 MAX | 715004236 • For stock quarter doors |
|---------------------|---|--|---|
| Side Mirrors | | | 715005315 • For aluminum doors |
| | Rugged cast aluminum mot Multi-position adjustable bat Convex optics for a wide viet Spring-loaded pivots let mir Door mounted. Compatible with Upper Soft Sold in pairs. | all-joint mounted mirrors. wing angle. rors fold back completely. | |
| Racing Side Mirrors | | Maverick X3, Maverick X3 MAX | 715002898 |
| | Dual adjustment provides o Multi-position adjustable ba Flat optics deliver improved Spring-loaded pivots let mir Not compatible with Lonest Sold in pairs. | all-joint mounted mirrors. I distance perception. | r Flip Audio Roof Kit (715007131). |
| Rally Side Mirrors | | Maverick X3, Maverick X3 MAX | 715005262 |
| | 4" (10 cm) convex surface p | aluminum for extreme durability. rovides a wider field of view and better visibility a ht on the cage A-pillar for optimized rider vision. all-joint-mounted mirrors. rors fold back completely. | around the unit. |

DOORS

| Aluminum Half Doors | | Maverick X3, Maverick X3 MA Maverick X3 MAX | Х | 715007971 · Front 715007972 · Rear |
|---------------------|---|--|---|---|
| | Lightweight half doors made aluminum. Smooth finish. Engineered for maximum rig Designed for a perfect fit and the vehicle's lines. Contoured with a thick seal f elements. | idity and durability. d seamless integration with | Easy installation using the s Includes the easy-to-operate Compatible with the Upper S Window Nets and Upper Do Not compatible with the Low Sold in pairs. | e Deluxe Door Handles. Soft Door Panels, the or Storage Bags. |



715004905

| | Maverick X3, Maverick X3 MAX | 715004758 · Front |
|---------------------|---|-------------------|
| Deluxe Door Handles | Maverick X3 MAX | 715004860 · Rear |
| | Convert the standard door straps into easy-to-access door handles. Jackuda isside and autoide bandles for each door | |

- Include inside and outside handles for each door.
- Greatly facilitate door opening.
- Standard on accessory Aluminum Half Doors.
- Sold in pairs.

| | | | 715002903 · Front |
|-------------------|--|---|-------------------|
| Lower Door Panels | | Maverick X3, Maverick X3 MAX | 715003751 · Rear |
| | Robust injection-molded pol | lypropylene construction designed to match vehicle. | |
| | Extend stock doors at bottom to protect and seal cab area. | | |
| Gar | • A great-looking add-on | | |

- A great-looking add-on.
- Easy and quick installation.
- Sold in pairs.

| | Maverick X3 | 715006693 · Front |
|-------------|-----------------|-------------------|
| | Maverick X3 MAX | 715004694 · Front |
| Window Nets | Maverick X3 MAX | 715006700 · Rear |
| | | |

- Window mesh screen for added protection from wind.
- Can be easily lowered in seconds. Sold in pairs.

 - Not compatible with Can-Am Audio Roof.

| | | Maverick X3 (except X mr models) | 715008091 · 2 doors |
|------------------------|--|--------------------------------------|---------------------|
| Upper Soft Door Panels | | Maverick X3 MAX (except X mr models) | 715008092 · 4 doors |
| | Weather-resistant panels reinforced with aluminum frame offer good protection from the elements. | | |

Extend stock quarter doors at the top.

- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- To be combined with the Lower Door Panels to obtain complete door kits for your vehicle.
- Not compatible with Racing Side Mirrors and Can-Am Audio Roof.

| Rear Wind Screen | | Maverick X3, Maverick X3 MAX (except X mr models) | 715006701 |
|------------------|---|---|-----------|
| | Full rear mesh screen reduction | es windshield backdraft for added cabin comfort. | |
| | Installs quickly and easily on roll cage. | | |


- Large white Can-Am logo on black mesh.

| Rear Polycarbonate Window | | Maverick X3, Maverick X3 MAX (except X mr models) | 715006387 |
|---------------------------|---|---|-----------|
| | High-impact-resistant polyc Blocks windshield backdraf Quick and easy tool-less ins Ready for MTX Audio System | t or dust and rain from entering for added cabin comfort. tallation. | |
| Soft Rear Window | | Mayarick X3 Mayarick X3 MAX (avcent X mr models) | 715006702 |

| Soft Rear Window | | Maverick X3, Maverick X3 MAX (except X mr models) | 715006702 |
|------------------|---|---|-----------|
| | Clear, flexible window made | from transparent vinyl. | |
| | Resists cold-cracking to -4°F (-20 °C). | | |

- · Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick tool-less installation.

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed ³/₈" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

Lighter than aluminum.

- Superior stress crack resistance.
- High-impact strength.

MAVERICK X3, MAVERICK X3 MAX

| HMWPE Skid Plates are standard on Maverick X3 X rc models. | Maverick X3 64" models | Maverick X3 Max 64" models | Maverick X3, Maverick X3 Max 72" models (except Base models) | Maverick X3 Base 72" models | Maverick X3 Max Base 72" models |
|---|---------------------------|-------------------------------|---|--------------------------------|------------------------------------|
| HMWPE Skid Plate Protection | on Kit | | | | |
| | 715003713 | 715003747 | 715003718 | 715006767 | 715006769 |
| Individual HMWPE Skid Plat | es | | | | |
| HMWPE Front A-Arm and Trailing Arm Protectors | 715002905 | 715002905 | 715003552 | 715003552 | 715003552 |
| 2 HMWPE Front Skid Plate | 715003933 | 715003933 | 715003933 | 715003933 | 715003933 |
| ③ HMWPE Central Skid Plate | _ | 715003731 | Standard on X rc models only | _ | 715003731 |
| HMWPE Underbelly Plate | 715004904 | 715004904 | Standard on X rc models only | 715004904 | 715004904 |

BUMPERS & GUARDS

Bumpers

Front Pre-Runner Bumper

| | Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate for extra durability. Inside and outside anti-corrosion coating with durable powder coat finish. Added heavy-duty protection in extreme driving conditions. Integrated winch mounting plate and mount points for lights. | | | | |
|----------------------------|---|---|---|--|--|
| Rear Pre-Runner Bumper | | Maverick X3, Maverick X3 MAX | 715002880 · Black 715003436 · Can-Am Red | | |
| | | atible. | | | |
| Dune Front Bumper | | Maverick X3, Maverick X3 MAX | 715002961 · Black 715003432 · Can-Am Red | | |
| | Made of 1.5" (3.8 cm) diameter aluminum tubing with a ¼" (3 mm) aluminum plate. Inside and outside anti-corrosion coating with durable powder coat finish. Provides added protection without sacrificing the agility and performance advantages of a lighter weight design Features a more pronounced attack angle and integrated mounting points for lights. Not winch compatible. | | | | |
| | | Maverick X3, Maverick X3 MAX 2021 & prior | 715002962 · Black 715003437 · Can-Am Red | | |
| Dune Rear Bumper | | Maverick X3, Maverick X3 MAX 2022 & up | 715009242 · Black | | |
| | Inside and outside anti-cord Provides added protection Protects vehicle bodywork Rear hitch compatible. | eter aluminum tubing with a 1/s" (3 mm) aluminum plate. rosion coating with durable powder coat finish. without sacrificing the agility and performance advanta and exhaust system. Cage Extension and Lonestar Racing Spare Tyre Holder. | | | |
| X rc/X mr Front Bumper | | Maverick X3, Maverick X3 MAX | 715004788 · Black | | |
| | Inside and outside anti-corr | rc and X mr models. | - | | |
| | | Maverick X3, Maverick X3 MAX (not compatible X mr and X rc models) | 715005510 • Hyper Silver 715005509 • Black | | |
| Lonestar Racing Front Bump | er | Maverick X3, Maverick X3 MAX | 715004161 · Can-Am Red | | |
| | added vehicle-front protect | eter steel tubing with durable powder coat finish and a 3 tion in extreme driving conditions. | ٤" (3 mm) thick aluminum plate for | | |

Maverick X3, Maverick X3 MAX

- Sleek styling enhances the vehicle's race-inspired look.
- Not winch compatible.
- Not compatible with 10" (25 cm) Baja Designs OnX6 LED Light Bar.
- Not compatible with stock Smart-Shox

.2

715002878 · Black

715003433 · Can-Am Red

| Lonestar Racing Rear Bumper | | Maverick X3, Maverick X3 MAX 2021 & prior | 715005512 · Hyper Silver 715005511 · Black 715004162 · Can-Am Red | | |
|------------------------------|---|--|--|--|--|
| | | | ing conditions. | | |
| S3 [†] Front Bumper | | Maverick X3, Maverick X3 MAX | 715004867 · Black | | |
| | Made of 1.5" (3.8 cm) diameter steel tubing with a 1/s" (3 mm) aluminum plate for extra durability. Inside and outside anti-corrosion coating with durable powder coat finish. Added heavy-duty protection in extreme driving conditions. Integrated winch support plate and mount points for lights. Hook support anchor allows you to keep the winch hook within easy reach when riding in deep mud. "S3 for Can-Am" branded. Winch not included. | | | | |
| S3 Rear Bumper | | Maverick X3, Maverick X3 MAX 2021 & prior | 715004869 · Black 715005232 · Can-Am Red | | |
| | Inside and outside anti-correr Added heavy-duty protection Permits installation of a wine "S3 for Can-Am" branded. Engineered to sustain heavy Compatible with Can-Am HI on the bumper. | (3.8 cm) diameter steel tubing. osion coating with durable powder coat finish. n in extreme driving conditions—protects vehicle bodywork a ch at a higher location to improve accessibility in muddy cond y winch loads without damaging the vehicle's frame. D and WARN VRX winches—Rear Winch Harness 715006007 nook to facilitate vehicle recovery. | litions. | | |
| Rock Sliders | | | | | |
| Rock Sliders | | Maverick X3 (except X rc) Maverick X3 MAX | 715002963 · Black 715003438 · Can-Am Red 715003730 · Black 715003888 · Can-Am Red | | |
| san-american | | osion coating with durable powder coat finish. undercarriage against large obstacles. | | | |
| X rc UHMWPE Rock Sliders | | Maverick X3 | 715004730 | | |
| | | and brackets for installation. undercarriage against large obstacles. cle body for better clearance from obstacles. | | | |
| | | Maverick X3 (except X rc models) | 715005514 · Hyper Silver 715008845 · Black 715008846 · Can-Am Red | | |
| Lonestar Racing Rock Sliders | | Maverick X3 MAX | 715005518 · Hyper Silver 715008847 · Black 715008848 · Can-Am Red | | |
| | enhance your vehicle with v • Made of 1.5" (3.8 cm) diame | l ar Racing's trademark standards for toughness, these stylishly | | | |

Intrusion Bars

Front Intrusion Bar

Maverick X3, Maverick X3 MAX Matches vehicle styling.

• Inside and outside anti-corrosion coating with durable powder coat finish steel intrusion bar.


715002889 · Black

715003918 · Black

715003943

715004164 · Can-Am Red

715003435 · Can-Am Red





• Not compatible with windshields and Lonestar Racing Aluminum Roof.

| Lonestar Racing Front Intrus | ion Bar | Maverick X3, Maverick X3 MAX | 715006342 · Hyper Silver 715003916 · Black 715004163 · Can-Am Red |
|------------------------------|--|------------------------------|---|
| | Made of 1.5" (3.8 cm) diame Enhances the racing look of Compatible with Lonestar R Not compatible with windsh | acing Aluminum Roof only. | |

Lonestar Racing Rear Intrusion Bar


Maverick X3 (except X mr models), Maverick X3 MAX

- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish. - Sleek styling enhances the vehicle's race-inspired look. • Required for the installation of the Lonestar Racing Spare Tyre Holder.

Other Accessories

| Fender Flares | | Maverick X3, Maverick X3 MAX | 715002973 |
|---------------|---|--|-----------|
| | Extended fender flares made Keep mud and debris out of | e from injection-molded polypropylene. vehicle. | |

• Not compatible with LinQ mounted accessories and Pre-Filter in the cargo bed.



• Include front and rear extensions and mounting hardware.

| Lonestar Racing Spare Tyre H | lolder | Maverick X3, Maverick X3 MAX 2021 & prior (except X mr models) | 715006344 · Hyper Silver 715003922 · Black 715004166 · Can-Am Red |
|------------------------------|--|---|---|
| | Adjustable height to fit Can- Requires Lonestar Racing Repuires Lonestar Racing Repuires | ter steel tubing with durable powder coat finish. Am tyres up to 30 in. ear Bumper and Lonestar Racing Rear Intrusion Bar for installa Quickshot Wheel Jack and Off-Road Screw Jack. | ation. |

Wheel not in luded.

• Not compatible with the S&B Particle Separator and LinQ accessories intended for the rear of the vehicle.

Lonestar Racing Number Plate Holder

- Maverick X3, Maverick X3 MAX • Includes a pair of sturdy aluminum number plates that mount on either side of the vehicle rear.
- Not compatible with LinQ Pivoting Rack.
- Numbered decals are available through SCS Unlimited.
- Styling enhances the vehicle's race-inspired look while adding a personal touch.
- Black background.

| Rear Cage Extension | | Maverick X3 (except X mr models), Maverick X3 MAX | 715008298 · Black 715008299 · Can-Am Red |
|---------------------|--|---|--|
| | Inside and outside anti-corru Allows holding a spare tyre i Custom tie-down strap for fa Rear Pre-Runner Bumper re Not compatible with LinQ Pi | urable 1.5" (3.8 cm) diameter steel tubing. Iside and outside anti-corrosion coating with durable powder coat finish. Ilows holding a spare tyre in place (wheel not included). Ustom tie-down strap for fast tyre installation or removal. ear Pre-Runner Bumper required for installation. ot compatible with LinQ Pivoting Rack, cargo boxes (except LinQ 20 gal (73 L) eluxe Modular Bag and Lonestar Racing roofs. | |
| S3 Rear Pull Plate | | Maverick X3, Maverick X3 MAX 2021 & prior | 715004870 · Black 715005233 · Can-Am Red |
| | Offers a solid place to hook Allows you to attach most st | onto in case towing is needed. traps and hooks. | |

ı.

• "S3 for Can-Am" branded.

SEAT ACCESSORIES

| | | | 715008033 · Driver | |
|-----------------------------|---|--|-----------------------|--|
| 4-Point Harness | | Maverick X3, Maverick X3 MAX | 715008034 · Passenger | |
| V | Exclusive controlled deceler Designed to offer maximum Easy one-click latch and reler Patent pending. Not EC compliant. | - | n case of accident. | |
| | | | 715005021 · Driver | |
| Retractable 4-Point Harness | | Maverick X3, Maverick X3 MAX | 715005022 · Passenger | |
| Retractor Protector | | 5 | | |
| (vot indistrated) | Protective pad required for t Protects the passengers from Sold individually. | the installation of the Retractable 4-Point Harness on front sea | | |
| Seat Belt Shoulder Pads | | Maverick X3, Maverick X3 MAX | 715002894 | |
| Ganan | Provide additional riding cor Fit with stock 3-point seat be Easy Velcro installation. Can-Am branded. Sold in pairs for driver and p | | ler. | |

LINQ: EASY ON, EASY OFF CARGO

MAVERICK'S LINQ ACCESSORIES

Mounting location and requirements

| No tools needed: Quickly install and remove accessories by hand Equip your Can-Am for specialized tasks in no time Sturdy mounting system that holds up to the roughest terrain | Standard Cargo Bed | LinQ Pivoting Rack 715008295/715008296 | Adventure Roof Rack 715003868/715006225 |
|---|---|--|--|
| LinQ Accessories with 16" Base | Lower loading capacity that | nches apart, center-to-center. n the LinQ with 36" base acce IV and SSV vehicles, Can-Am S i-Doo snowmobiles. | ssories. |
| LinQ 4.2 Gal Cooler 295100698 • Gray 219400964 • Black | | | LinQ Base Installation Kit 715008125 |
| LinQ Tool Kit 715006829 | | | No further requirements |
| LinQ Tool Box 715008111 | | | |
| LinQ SR 5.5 Gal (21 L) Bag 860202449 | LinQ Anchor Adapter Kit 715004960 | LinQ Anchor Adapter Kit 715004960 | LinQ Base Installation Kit 715008125 |
| LinQ 4.5 Gal (17 L) Sport Bag 860202447 | | | |
| LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L) | | | No further requirements |
| LinQ Roll-Top Bag 715008110 | | | LinQ Base Installation Kit 715008125 |
| LinQ Accessories with 36" Base | Mount on LinQ racks often Higher loading capacity that Usage is limited to Can-Am | used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles. | s. Issories. |
| LinQ 12 Gal (45 L) Cargo Box 715003879 | No compatibility | | |
| LinQ 23 Gal (86 L) Trunk Box 715004923 | No further requirements | | |
| LinQ 32 Gal (121 L) Trunk Box 715001748 | *Not compatible if the LinQ Pivoting Rack is installed. | | |
| LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018 | | | |
| LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Gray | No further requirements | No further requirements | No compatibility |
| LinQ Premium Storage Bag by OGIO [†] 715002923 • Black | No further requirements | | |
| LinQ Heavy Duty Basket 715001215 | No further requirements | | |
| LinQ Low Profile Basket 715004282 | No further requirements | | |
| LinQ Holders | | | |
| LinQ Gear Grips 715005340 | No further requirements | No further requirements | Side wall installation |
| LinQ Tool Holder 715007358 | No further requirements | No further requirements | LinQ Adapters 715003058 |

| LinQ Accessories wit | h 16" base | | | |
|-------------------------------|---|--|---|--|
| LinQ Modular Box | | Maverick X3, Maverick X3 MA | x | 715005494 · (10 L) 715007112 · (20 L) 715006830 · (30 L) |
| F | Modular LinQ cargo boxes v Allows stacking of other mo Always have the right box si Can be installed on any LinQ See table for installation loc | dular boxes to always have the ze to fit everything. S base with a 16" width. | right gear accessible. | |
| Thermal Insert for LinQ Modu | lar Box (10 L) | Maverick X3, Maverick X3 MAX | ĸ | 219401110 |
| | Insulated liner. Fits very well in the LinQ Mo Can contain five 473 ml can: | | | |
| LinQ Tool Box | | Maverick X3, Maverick X3 MAX | x | 715008111 |
| | Fight precision injected ADF 5 gal (19 L) maximum capace Weather-resistant, sealed ar Easy one-second on/off tool All the benefits of LinQ—sin See table for installation loce | nd lockable cover. I-less system. nple, fast and secure. | y and durability. | |
| LinQ Tool Kit | | Maverick X3, Maverick X3 MA | ĸ | 715006829 |
| | Includes: Cutter pliers Long-nose pliers Locking pliers Ratchet wrench ¾" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) | Long-socket 19 mm %" drive - 6pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive | Socket 8 mm %" drive Combined wrench 19 mm Combined wrench 18 mm Combined wrench 15 mm Combined wrench 13 mm Combined wrench 10 mm Combined wrench 8 mm Socket Torx T40 %" drive | Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive See table for installation location and requirements |
| LinQ 4.2 Gal (16 L) Cooler | | Maverick X3, Maverick X3 MA | x | ■ 219400964 · Black ■ 295100698 · Gray |
| | Premium-quality foam insula | r exceptional rigidity and durab ation for optimal ice retention. (Patent US 8777531 and US 88 I-less system. | | |
| LinQ 4.5 Gal (17 L) Sport Bag | | Maverick X3, Maverick X3 MA | ĸ | 860202447 |

| LinQ 4.5 Gal (17 L) Sport Bag | | Maverick X3, Maverick X3 MAX | 860202447 |
|-------------------------------|---|------------------------------|-----------|
| 1 | 17-liter (4.5 US gallon, 1,037 cu. in.) capacity. Rigid bottom, semi-rigid top. See table for installation location and requirements. | | |
| SR 5.5 Gal (21 L) LinQ Bag | | Maverick X3, Maverick X3 MAX | 860202449 |

| 5 Gal (21 L) LinQ Bag | | Maverick X3, Maverick X3 MAX | 860202449 |
|-----------------------|---|---------------------------------------|-----------|
| | All the benefits of LinQ—sim | ple, fast and secure. | |
| | Semi-rigid expandable bag. | | |
| 2 | 5.5 gal (21 L) capacity. | | |
| - Zr | Utilizes LinQ mounting system | m (Patent US 8777531 and US 8875830). | |

- Easy one-second on/off tool-less system.
- See table for installation location and requirements.

LinQ Roll-Top Bag

Maverick X3, Maverick X3 MAX

| | Fully waterproof roll-top dry bag will securely store and confine your equipment. |
|------|---|
| | LinQ mounted using heavy-duty rigid plastic base. |
| | High capacity storage solution (40 L). |
| Ling | Bottom foam liner for additional equipment protection. |
| | Integrated handle for easy transportation on/off the vehicle. |
| | See table for installation location and requirements. |

| LinQ 12 Gal (45 L) Cargo Box | | Maverick X3, Maverick X3 MAX | | 715003879 | |
|-------------------------------|--|--|-------------------|----------------------------------|--|
| | LinQ mounted for ea | asy-on, easy-off installation. | i. | | |
| the second second | | nd securely while riding. | | | |
| | See table for installa | tion location and requirements. | | | |
| inQ 23 Gal (86 L) Trunk Box | | Maverick X3 (except X mr models), Maverick | X3 MAX | 715004923 | |
| | LinQ mounted for ea | asy-on, easy-off installation. | n | | |
| | Holds cargo safely a | nd securely while riding. | | | |
| 49 | See table for installa | tion location and requirements. | | | |
| | | | | | |
| inQ 32 Gal (121 L) Trunk Box. | | Maverick X3 (except X mr models), Maverick | X3 MAX | 715001748 · (No rear tail light) | |
| | Equipped with the Li | inQ System, the rear trunk box plugs in and out in se | conds. | | |
| | • 32 gal (121 L) load ca | apacity with unobstructed space to maximize storage | e room and access | to the trunk's interior. | |
| | Made of injection-me | olded polyethylene, double walled in critical areas. | | | |
| | | protects your belongings from dust, moisture and the | elements. | | |
| | No rear tail light. | | | | |
| | Trunk Box Panels available in many colours to match your vehicle (sold separately). See table for installation location and requirements. | | | | |
| | | | | | |
| inQ 32 Gal (121 L) Trunk Box. | Panels | Fit with LinQ 32 Gal (121 L) Trunk Box EUROPEAN VERSION (EC compliant) | | | |
| | Colour panels to match the LinQ 32 gal (121 L) Trunk Box to your vehicle. | | | | |
| | No rear tail light | | | | |
| | | 715001397 · Black | 715006122 | 2 · Manta Green | |
| | | 715001398 · Yellow | | • Orange Crush | |
| | | 715002483 · White 715006121 · Can-Am Red | 715006124 | I · Viper Red | |
| | | /15006121 · Call-Alli Neu | | | |
| | | | | 715004778 · Black | |
| inQ 8 Gal (30 L) Cooler Box | | Maverick X3, Maverick X3 MAX | | 715004698 · Gray | |
| | | asy-on, easy-off installation. | | | |
| | | action provides exceptional rigidity and durability. | | | |
| | | m insulation for optimal ice retention. | | | |
| | | | | | |
| | Integrated, fully removed | ovable compartment protects food. | | | |
| | Integrated, fully removed | | | | |

- Convenient drain plug.
- See table for installation location and requirements.

10

| LinQ 11.5 Gal (43 L) Audio | Cargo Box | Maverick X3, Maverick X3 MAX | 715003018 | | |
|----------------------------|---|--|--|--|--|
| | The rear installation Mounts on/off easi Backlit control pane Water-resistant spe The Bluetooth¹ ena Automatic shut-off | uick solution for adding music and storage to your next r n does not use up any cab space and allows easy listenin ly to hold/carry cargo safely and securely. el perfect for night riding. makers. bled receiver and 6.5" (16.5 cm) speakers are smartly cor function protects your battery by turning the system off a ation location and requirements. | g at an average speed. ncealed and integrated in the cover. | | |
| _inQ Heavy-Duty Basket | | Maverick X3, Maverick X3 MAX | 715001215 | | |
| Carl All | | gth, low-alloy steel. y-on, easy-off installation. ation location and requirements. | | | |
| LinQ Premium Storage Bag | by OGIO | Maverick X3, Maverick X3 MAX | 715002923 · Black | | |
| | 17.2 gal (65 L) capa Buckle and elastic of 3-section lid for par Inside separators for | n and removal thanks to the LinQ system. In and removal thanks to the LinQ system. In the second second second second second second second second second Itial or full access to your bag. In optimal bag organization. In the second second Second second sec | • | | |
| LinQ Low Profile Basket | | Maverick X3, Maverick X3 MAX | 715004282 | | |
| LinQ Holders | Low profile, open basket increases cargo space. Perfect for easy access to tools, rope, winch and plow accessories. Multiple bungee cord and tie-down anchor points. Made of impact-resistant injected polypropylene. See table for installation location and requirements. | | | | |
| LinQ Tool Holder | | Maverick X3, Maverick X3 MAX | 715007358 | | |
| | Ultra-versatile tool Convenient swivel- Sold in pairs. | | /1300/336 | | |
| LinQ Gear Grips | | Maverick X3, Maverick X3 MAX | 715005340 | | |
| ¥¥ | Maverick X3, Maverick X3 MAX P15005340 Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter. Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more. Quick-release button opens grip quickly for easy access to gear. Heavy-duty base system built for the toughest adventures. Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ System. 360° orientation. Sold in pairs. | | | | |

| LinQ Anchor Adapter Kit | | Maverick X3, Maverick X3 MAX | 715004960 |
|-----------------------------------|---|--|-------------------------------------|
| \$\$\$ | Allows the installat Tool-less installation | tion of LinQ accessories with 16" base on LinQ racks. n and removal. | |
| LinQ Base Installation Kit | | Maverick X3, Maverick X3 MAX | 715008125 |
| 80 | | of compatible LinQ accessories. argo bases and hardware. | |
| Tube LinQ Adapter | | Maverick X3, Maverick X3 MAX | 715004292 |
| 57 | | Q Pivoting Rack assembly. tion of single LinQ mounted accessory. | |
| LinQ Lock | | Maverick X3, Maverick X3 MAX | 860201968 |
| | | urely lock most LinQ accessories. s lock from the elements. t | |
| | Pack of 1, includes Not compatible with | | lolder or LinQ Gear Grips. |
| LinQ Replacement Part | | 2 keys. | Holder or LinQ Gear Grips. |
| LinQ Replacement Part | Not compatible wit | 2 keys. th LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX rastener usable on any LinQ System accessory. | |
| LinQ Adapter | Not compatible with the second s | 2 keys. th LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX rastener usable on any LinQ System accessory. | |
| LinQ Adapter | Not compatible with the second s | 2 keys. th LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX fastener usable on any LinQ System accessory. on and removal. | 715001707 |
| LinQ Adapter (Not illustrated) | Not compatible with the installation of t | 2 keys. th LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX fastener usable on any LinQ System accessory. on and removal. Maverick X3 MAX | 715001707 |
| LinQ Replacement Part | Not compatible with Unique mounting f Tool-less installation Sold in pairs. Allows the installation Sold in pack of 4. | 2 keys. th LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool H Maverick X3, Maverick X3 MAX fastener usable on any LinQ System accessory. on and removal. Maverick X3 MAX tion of the LinQ Tool Holder on the Adventure Roof Rack. | 715001707 715003058 715001371 |

- Adjustable to accommodate most common UTV tyre sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tyre attachment on Adventure Roof Rack.

RACKS & STORAGE

Racks

LinQ Pivoting Rack

Maverick X3 (except X mr models), Maverick X3 MAX

715008295 · Black
 715008296 · Can-Am Red



- LinQ latched rack allows for extra LinQ mounted accessories or for carrying a spare tyre (tyre not included).
- Includes custom tie-down strap for fast spare tyre installation or removal (tyre not included).
- Gas-cylinder pivot action, locks in the raised position.
- Trunk Boxes over 20 gal (74 L) do not fit on the vehicle when the rack is installed.
- Not compatible with Rear Intrusion Bars, Rear Cage Extension and Lonestar Racing Aluminum Roofs.

| | | 1 |
|---------------------|-----------------|-----------|
| | Maverick X3 | 715006225 |
| Adventure Roof Rack | Maverick X3 MAX | 715003868 |

Ideal cargo solution for packing everything you need to live your Off-Road experience fully and completely.
Built with lightweight 1.25" (3.2 cm) diameter steel tubing.



- Integrated mounting points for lights can hold up to eight pod-type LED lights (six front and two back) or a 40" (102 cm) LED bar (front).
- Features anchor points for spare-tyre attachment.
- LinQ anchor on both sides.
- Spare Tyre Tie-Downs sold separately.
- Add the Cargo Box Net to secure and confine your cargo in the rack.
- Loads up to 75 lb (34 kg).

| Storage | |
|----------------------|--|
| Shoulder Storage Bag | Maverick X3 (except X mr models), Maverick X3 MAX (rear only) |

715004277

715004888

- Bag attaches in unused space between the seats to increase your vehicle's cargo capacity.
- Installs between the rear seats only on MAX models.

Front Shoulder Storage Bag

• Opens on each side so that both front and rear passengers can access the bag's content.

Maverick X3 MAX

Installs between the driver and passenger seats on MAX models.

| Makes smart us Semi-rigid cons Touchscreen-c Not compatible Upper Door Storage Bags | ant bag, holds your gear safely and securely while riding. ise of your overhead space to increase your vehicle's cargo castruction renders it flexible enough to fit odd-shaped loads. compatible clear front pocket allows for easy access to your set with the Bimini Roof. | |
|--|---|-----------|
| | Maverick X3, Maverick X3 MAX | 715004276 |
| | | |
| Bags attach on Each bag is des | ant, they'll hold your gear safely and securely while riding. stock quarter doors to increase your vehicle's cargo space. signed as a 1.3 gal (5 L) capacity pocket also equipped with i struction renders them flexible enough to fit odd-shaped load | 0 1 |

| Lower Door Faller Storage Days | | IVIAVENCK A3, IVIAVENCK A3 IVIA | ^ | 715004355 |
|--------------------------------|---|---------------------------------|--|------------------------------|
| | Weather-resistant, they'll ho securely while riding. | ld your gear safely and | Semi-rigid construction rene fit odd-shaped loads. | ders them flexible enough to |
| | Bags attach on Lower Door vehicle's cargo space. | Panels to increase your | Sold in pairs. Not compatible with alumin | um doors and Off-Road |
| | Each bag is designed as a 1. also equipped with inner ner | | Screw Jack. • Lower add-on doors require | d for installation. |
| | | | | |

Soft Storage Bag



Maverick X3, Maverick X3 MAX

11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rear in mind to maximize potential storage.
3 sections.

Weatherproof.

Storage 2.6 Gal (10 L) Bag Maverick X3, Maverick X3 MAX 269502121



Roll-top dry bag for fully protecting your cargo from the elements.

LIGHTS

| | 2 Choose your lights | | | | | | | | | |
|--|--|--|--|--|--|--|---|--|--|---|
| 1 Choose | B | BAJA DESIGNS⁺ LIGHTS | | | | CAN-AM LIGHTS | | | | |
| your mount point | 10" (25 cm) LED light bar | 40" (102 cm) Baja Design OnX6 Arc LED Light Bar | XL Sport LED lights (sold in pairs) | Squadron Sport LED Lights (sold in pairs) | XL80 LED lights (sold in pairs) | 10" double stacked LED bar | 15" double stacked LED bar | 39" double stacked LED bar | 4" round LED lights (sold in pairs) | 3.5" spot or flood LED lights (sold in pairs) |
| | (| Consult p. 95 inf | ormation on Baj | a Designs lights | | | Consult p. 96 fc | or information or | n Can-Am lights. | |
| Front Pre-Runner or Dune Bumpers | 710006819 + 715007049 (Power Cable) | 710006818 + 715007117 (Power Cable) | 710006821 + 715002884 (Power Cable) | 710006820 + 715002884 (Power Cable) | 710005041 + 715007049 (Power Cable) | 715002933 + 715003417 (Power Cable) | 715002934 (Not compatible with Pre-Runner Bumper) + 715003417 (Power Cable) | | 715003665 (715003666 | 6 (4" Round), 3.5" Flood) or 6 (3.5" Spot) + Power Cable) |
| Lonestar Racing Front Bumper | NA | 710006818 + 715007117 (Power Cable) | 710006821 + 715002884 (Power Cable) | 710006820 + 715002884 (Power Cable) | 710005041 + 715007049 (Power Cable) | | | | 715003665 (715003666 | i (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable) |
| Light Support Bar or Adventure Roof Rack | 710006819 + 715007049 (Power Cable) | 710006818 + 715007117 (Power Cable) | 710006821 + 715002884 (Power Cable) | 710006820 + 715002884 (Power Cable) | 710005041 + 715007049 (Power Cable) | 715002933 + 715003417 (Power Cable) | 715002934 + 715003417 (Power Cable) | 710004007 + 715005822 (Light Mounting Kit) | 715003665 (715003666 | i (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable) |
| Lonestar Racing 40" (102 cm) LED Light Bar Rack | NA | 710006818 + 715007117 (Power Cable) | NA | NA | NA | NA | NA | NA | NA | NA |
| Lonestar Racing Light Rack | NA | NA | 710006821 + 715002884 (Power Cable) | NA | 710005041 + 715007049 (Power Cable) | NA | NA | NA | NA | NA |
| 3 Order | | *N | | | | | ecting box | | ed. | |

*All lights are intended for off-road use only.

| | | 715003417 |
|--------------------|--|-----------|
| | | 715007049 |
| Lights Power Cable | | 715002884 |
| (Not illustrated) | Maverick X3, Maverick X3 MAX | 715007117 |
| Required | for installation of Baja Designs LED lights onto roof or bumper. | |

• 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights (715007049).

Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights (715002884).

• 40" (102 cm) Arc LED Light Bar ONX6 (715007117).

| 0" (102 cm) Baja Designs OnX6 Arc LED Light Bar | Maverick X3, | Maverick X3 MAX | 710006818 |
|---|-----------------------------------|--|-------------------|
| Concellation and | 29,000 lumens | 50 m 0 -50 0 100 200 300 400 500 6 | 000 700 800 900 m |
| 252 W light bar producing 29,000 lumens. Equipped with 24 Cree XM-L2 LEDs. Driving/Combo light pattern for smooth blend of light for both near field applications and distance. | - | or installation onto Light Support Bar equippe ght Power Cable and Light Support Bar. | ed roofs. |
| aja Designs 10" (25 cm) OnX6 LED Light Bar | Maverick X3, | Maverick X3 MAX | 710006819 |
| | 12,460 lumens | 50 m 25 0 -25 -50 0 100 200 300 400 | 500 600 m |
| 108 W light bar producing 12,460 lumens. Equipped with 6 Cree XM-L2 LEDs. Driving/combo light pattern for smooth blend of light for both near field applications and distance. | | ity (high/low) settings. aja Designs Light Power Cable. | |
| Baja Designs XL80 LED Lights | Maverick X3, | Maverick X3 MAX | 710005041 |
| | 9,500 lumens | 50 m 25 -25 -50 0 100 200 300 400 | 500 600 m |
| 80 W per spot producing 9,500 lumens. Equipped with 4 Cree XHP50 LEDs per spot. Dual intensity (high/low) settings. Driving/combo light pattern for smooth blend of light for both near field applications and distance. | Sold in pairs | a Designs Light Power Cable. s. s: 4.5" x 4.5" (11.4 cm x 11.4 cm). | |
| aja Designs Squadron Sport LED Lights | Maverick X3, | Maverick X3 MAX | 710006820 |
| | 3,150 lumens | 25 0 -25 0 100 200 300 400 | 500 600 m |
| 26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions. | Sold in pairs | a Designs Light Power Cable. s. s: 3" x 3" (7.6 cm x 7.6 cm). | |
| Baja Designs XL Sport LED Lights | Maverick X3, | Maverick X3 MAX | 710006821 |
| | 3,150 lumens | 50 m 25 0 -25 -50 0 100 200 300 400 | 500 600 m |
| 26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. High Speed Spot features a longer and narrower beam focus for illumination farther down. | Sold in pairs | a Designs Light Power Cable. | |

| - | Maverick X3, N | Aaverick X3 MA | Х | | | 7150 | 02933 | |
|--|--|--|--|-------------|-------------------|--------------------------------|------------------------|--------------|
| BEREER | 5,400 lumens | 20 m 0 -20 0 1 | 00 200 | 300 400 | 500 | 600 7 | 00 800 | |
| Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof. | | | | | the vehi | icle and a | around 6 | 5 ft. (20 m) |
| 5" (38 cm) Double Stacked LED Light Bar (90 W) | Maverick X3, N | Aaverick X3 MA | х | | | 7150 | 02934 | |
| RESERVER. | 8,400 lumens | 20 m 0 -20 0 1 | 00 200 | 300 400 | 500 | 600 7 | 00 800 | |
| Equipped with 18 5 W Cree LEDs. 8,400 lumens. Complements the Light Racks and most bumpers. | Rugged and Lights up to a wide on each EC compliant | , more than 1,90 h side. | 0 ft. (580 m) | in front of | the vehi | icle and a | around 6 | 5 ft. (20 m) |
| " (99 cm) Double Stacked LED Light Bar (270 W) | Maverick X3, N | Maverick X3 MA | х | | | 7150 | 04007 | |
| | 24,300 lumens | 20 m 0 -20 | 200 200 | 300 400 | 500 | 600 7 | 700 800 | |
| Equipped with 54 5 W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side. | | on the Adventu chart for insta | | | | | | |
| | | | | | | | | |
| | Maverick X3, N | Maverick X3 MA | x | | | 7150 | 02935 | |
| | Averick X3, N 1,800 lumens | Averick X3 MA | X | 100 | | | 02935 | |
| " (10 cm) Round LED Lights (2 x 25 W) | 1,800 lumens • Ca | 20 m 0 -20 | grill. | 100 | Sold in Not E | | 200 m | |
| (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and s | 1,800 lumens • Ca witch. • Re | 20 m 0 -20 0 | grill. wer cable. | 100 | | n pairs. C complia | 200 m | |
| (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and s | 1,800 lumens • Ca witch. • Re | 20 m 0 -20 0 an-Am branded equires light po | grill. wer cable. X | 100 | • Not E | n pairs. C complia | 200 m | |
| " (10 cm) Round LED Lights (2 x 25 W) " (10 cm) Round LED Lights (2 x 25 W) * (2 x 25 W) * Rugged and waterproof. * Includes basic wiring and s * Includes basic wiring and s * (9 cm) LED Driving Lights (2 x 14 W) * (9 cm) LED Driving Lights (2 x 14 W) * (9 cm) LED Driving 1,260 lumens each. * Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. | 1,800 lumens • Ca witch. • Re Maverick X3, N 1,260 lumens • Features two | 20 m 0-20 0 an-Am branded equires light po Maverick X3 MA 15 m 0 -15 0 1ft 0 1ft 0 1ft 0 1ft 0 1ft | grill. wer cable. X | 60 75 | • Not E | n pairs. C complia 7150 | 200 m ant. 03666 | ion, rotate |
| " (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and s 1,800 lumens. Includes basic wiring and s 5" (9 cm) LED Driving Lights (2 x 14 W) We with sproducing 1,260 lumens each. Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. | 1,800 lumens • Ca witch. • Re Maverick X3, N 1,260 lumens • Features two the next cha • Sold in pairs. • EC complian | 20 m 0-20 0 an-Am branded equires light po Maverick X3 MA 15 m 0 -15 0 1ft 0 1ft 0 1ft 0 1ft 0 1ft | grill. wer cable. X 30 45 pints. If one a remount the | 60 75 | • Not E | n pairs. C complia 71500 | 200 m ant. 03666 | ion, rotate |
| " (10 cm) Round LED Lights (2 x 25 W) " (10 cm) Round LED Lights (2 x 25 W) • Rugged and waterproof. • Includes basic wiring and s • Includes basic wiring and s • Includes basic wiring and s • S.5" (9 cm) LED Driving Lights (2 x 14 W) • WLED lights producing 1,260 lumens each. • Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. • Equipped with six high-power LEDs in a heavy-duty die-cast aluminum | 1,800 lumens • Ca witch. • Re Maverick X3, N 1,260 lumens • Features two the next cha • Sold in pairs. • EC complian | 20 m 0-20 0 an-Am branded equires light po Maverick X3 MA 15 m 0 -15 0 1ft 0 1 | grill. wer cable. X 5 30 45 bints. If one a remount the | 60 75 | • Not E | n pairs. C complia 71500 | 200 m ant. 03666 | ion, rotate |

| Can-Am LED Signature Light | S | Maverick X3, Maverick X3 MAX | 715003673 |
|------------------------------|---|--|-------------------------------|
| | Add style with a more aggre Use bright and energy effici Do not give additional lighti | ient LEDs. | |
| Dome Light | | Maverick X3, Maverick X3 MAX | 715002455 |
| C. | LED array integrates perfec Wiring included. Can be installed on cage, S | tly with vehicle. port Roof or All-Terrain Trunk Cover. | |
| onestar Racing 40" (102 cm |) LED Light Bar Rack | Maverick X3, Maverick X3 MAX | 715003920 |
| | Enhances the vehicle's race Compatible with Aluminum | 102 cm) Baja Designs OnX6 Arc LED Light Bar. 9-inspired look. Roof, Lonestar Racing Aluminum Roof and Sport Roof. 9 Side Mirrors and PowerFlip Windshield. | |
| onestar Racing Light Rack | | Maverick X3, Maverick X3 MAX | 715003948 |
| | Accommodates up to two p Not compatible with Racing | Designs XL80 LED Light and Baja Designs XL Sport LED Ligh airs of XL Lights. g Side Mirrors and PowerFlip Windshield. Racing Aluminum Roof, Aluminum Roof and Sport Roof. | |
| Chase Lights | | Maverick X3, Maverick X3 MAX | 715002887 |
| | Feature in-dash switches to light patterns (blue, red and Trail Mode: Serves as a tail Race Mode: Displays light p applications). | | rent high-visibility coloured |
| ight Support Bar | | Maverick X3, Maverick X3 MAX | 715003529 |
| | • | nd spotlights with or without any roof and windshield combin he installation of any large LED light bar. n on vehicle's roof. | ation. |
| Mounting Kit for 39" (99 cm) | LED Light Bar | Maverick X3, Maverick X3 MAX | 715005822 |
| | Required for installation of t Includes wiring and suppor Light Support Bar required | the 39" (99 cm) double stacked LED Light Bar. t bracket. | 1 |
| Light Power Cable | | Maverick X3, Maverick X3 MAX | 715003417 |
| | Required for installation of LED Light Bars and 4" (10 c For bumper and roof mount | 10" (25 cm), 15" (38 cm) and Double Stacked m) Round LED Lights. | |

AUDIO & COMMUNICATION SYSTEMS

Audio

| Can-Am Audio Roof | | Maverick X3 | | 715007130 |
|----------------------------|---|--|---|--|
| 8-92 | Full roof with sleek built-in a Fully sealed and waterproof. Easy to install: one wire con electronics. Four 8" speakers, one 400 R amplifier, and one Head Uni Fosgate Audio. | nects the roof to the vehicle's MS and 800 peak watt | Multi-coloured RGB LED ac each speaker. 2.7" colour display with Blue connectivity. Flip Kit-compatible. Not compatible with the Ad Flip Kit is installed. Not compatible with the Up | etooth and Pandora venture Roof Rack if the |
| Can-Am Audio Roof | | Maverick X3 MAX | | 715006709 |
| 0000 | Full roof with built-in audio. Fully sealed and waterproof. Easy to install, one wire con electric system. Six 8" Speakers, one 400 RN amplifier, one Head unit cali Audio. | nects the roof to the vehicle's IS and 800 Peak watt | Multi-coloured RGB LED ac speaker. 2.7" Colour Display with Bluetoo Not compatible with the Ad Kit is installed. Not compatible with the Up | th and Pandora connectivit venture Roof Rack if the Fli |
| Can-Am Audio Roof Flip Kit | | Maverick X3, Maverick X3 MA | x | 715007131 |
| | | 715007130 or 715006709 for Fl sing Side Mirrors (715002898). | ip option. | |
| MTX Central Speakers | | Maverick X3 MAX | | 715004748 |
| | Top mounted central speake two 6.5" (16.5 cm)/100W sp Designed to be Can-Am-tou riding conditions. | eakers. | Perfect add-on to the Compl 7-speaker system or as a sta the AUX input jack directly in Not compatible with Lonest | nd- alone system by pluggi nto your music device. |
| Complete MTX Audio system | | Maverick X3, Maverick X3 MAX | x | 715002873 |
| | Bluetooth 5' equipped 400 V system by MTX. Designed to be Can-Am-tou riding conditions. | | Includes front-dashboard and speakers and head unit with a subwoofer. Add the Electronic Device F Bluetooth device ready to p | n integrated 6.5" (16.5 cm) Holder to securely hold your |
| Can-Am Subwoofer | | Maverick X3, Maverick X3 MAX | x | 715004956 |
| C. | Powerful Rockford Fosgate speaker box. Easy plug-and-play connect Sturdy construction tough e environments and sealed age | ions to Audio Roof system. nough to withstand harsh | Requires 1 Amplifer kit (715 2 subwoofers. Fits two per vehicle: under o Wiring included. | · |
| Can-Am Amplifier kit | | Maverick X3, Maverick X3 MA | x | 715007227 |
| | | to feed up to two Underseat Su ions to Audio Roof system and s included. | | |
| Electronic Device Holder | | Maverick X3, Maverick X3 MA | x | 715002874 |
| | A great in-ride entertainmen Robust injected-polypropyle right fit and easy installation Adjustable unit safely holds smartphones measuring be 10" (25.4 cm) (with protectiv) | me construction allows for most tablets and tween 5.1" (13 cm) and | Combines seamlessly with and Rugged Radios Intercol Allows the installation of Ga Integrated storage (1 gal [3. the dash 12V outlet for devi | m System. Irmin Montana 680T GPS. 8 L] capacity) with access t |

| cable). | | | |
|--|--|--|--|
| is kit includes: | | | |
| er, includes belt clip, rechargir nels, 1-touch FM radio, backlit | | | |
| over, Velcro mount speakers, | | | |
| | | | |
| ic | | | |

Specifically designed to facilitate clear in-vehicle communication between driver and passenger(s).

With Rugged Radios Intercom System

- Expandable to 4 people.
 - Includes music port for enjoying your favorite tunes.
 - · Seamless integration with in-dash switch panel.
 - May be synched with the Rugged Radios Car-to-Car System (715003440). Accessory not available in Canada.
 - · Power Cable is required for installation on MAX models.

Rugged Radios Helmet Headset Kit for Rear Passengers

• Additional 12' (3.7 m) cables and Helmet Speaker/Mic Kits to upgrade



- your 2-person intercom system to a 4-person system.
- Power Cable is required for installation on MAX models.

ELECTRICAL & ELECTRONIC ACCESSORIES

Electrical

| Seat Heater | | Maverick X3, Maverick X3 M | IAX | 715006112 |
|--|--|---|---|--|
| | 25 W seat heater delivers ch High/low temperature settin This kit includes one carbor Installs directly in the origin Heated Accessories Wiring Heated Accessories Wiring | ngs allow you to control the d n fiber seat heater, foam shee al seat cushion. Harness (710005757) is requ | t and in-dash switch. ired for front seat installation. | |
| Heated Visor Outlet | | Maverick X3, Maverick X3 M | IAX | 715001246 |
| 7 | Strategically positioned on v Optional visor outlet that de Quick and easy installation. Sold individually. Heated Visor not included. | | у. | |
| Heated Accessories Wirin (Not illustrated) | ng Harness | Maverick X3, Maverick X3 M | IAX | 710005757 |
| | Electric harness required to Heated Accessories Wiring | | eated seats, heated steering whee ired for rear seat installation. | el and heated grab bar. |
| Auxiliary Battery Installat (Not illustrated) | ion Kit | Maverick X3, Maverick X3 M | IAX | 715006315 |
| | Allows you to add a second battery setup necessary to p components such as sound Equipped with an IP67-rated module that will prevent you components from draining you | power auxiliary electrical I systems or winches. d waterproof electronic ur auxiliary electrical | Kit includes an additional bancessary wiring and the bancessary wiring and the bancessary wiring and the bances are perfectly behind the passenger seat. Additional battery (4103012 (250000282) sold separately | attery holder. integrated, in stock location, 03), plus battery hardware |

715004380 · US ONLY

| JSB Power Outlet Kit | | Maverick X3, Maverick X3 MA | х | 219400510 | |
|---|---|--|--|---|--|
| Ó | Recharges your electronic d Dual port USB connectors. | levices while riding [‡] (smartpho | ne, MP3, heating gear, etc.). | | |
| | <i>‡The power outlet is not capable o</i> | of recharging all device types while | riding. | | |
| ghted Whip Flag | | Maverick X3, Maverick X3 MA | x | 715002886 | |
| | A must for riding the dunes. 5 W Cree LED. 5 coloured lenses to allow p Glow-through whip, quickly pole. Increases vehicle's visibility. | ersonalization. removable and replaceable | Meets most dune-area required by the cast aluminum base, acting the cast aluminum base, acting the cast aluming bracket. Includes mounting bracket. 4' (1.2 m) flag mounts on to the cast alumn be installed on both side. | cetal hand nut. s and wiring. p of the roll cage. | |
| attery Charger/Maintainer | | | | 715005061 | |
| | Keeps stored lead-acid batte Charges and maintains sma Microprocessor controlled r added precision, safety and Automatically detects 6 or 1 Reverse hook-up protection charger from damage. | Il batteries. multi-stage charging for battery life. 2 volt batteries. | Auto-voltage detection. Press the display button to Content: 3 amp battery cha DC adapter, 24" (61 cm) fus with weather cap, owner's Not EC compliant. | rger, clamp adapter, sed ring leads harness | |
| mp Starter | | | | 715005062 | |
| | 4 LED battery indicators for ea Compact design, will conveni glove box or any other storag | battery indicators for easy read on battery charge level. act design, will conveniently fit in your backpack, oox or any other storage compartment. 1A/5V USB ports for fast charging of all USB devices. | | rotection against reverse polari e, high temperature and reverse des). tarter, SA858 smart cable clam ng cable, travel bag, user manu | |
| uick Connect Battery Cable | | | | 715005408 | |
| | Quickly and easily connect a Included in the Battery Char Sold individually. | and charge different batteries w ger/Maintainer. | vith your charger. | · | |
| uick Connect Cable with Ba | ttery Indicator | | | 715006055 | |
| | | and charge different batteries w ides constant battery health inc | | | |
| gitally Encoded Security Sy reen Key | rstem (D.E.S.S.) | Maverick X3 (Turbo/TurboR/T | urbo RR motorization) | 710005232 | |
| 0 | Top-security anti-theft prote Encrypted chip technology r vehicle's electronic ignition One vehicle/one code. | restricts access to your | 3 programmable modes: Work mode: Limits vehicle but does not limit engine Normal mode: Limits vehi | | |

WINCHES & HITCHES

Can-Am HD Winches

Can-Am HD 4500 Winch

Maverick X3, Maverick X3 MAX

715006416

Ergonomic clutch handle.
Rugged all-steel gears and bushings for more torque

- and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.

.

- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.

- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15/64" (13.1 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.

EC compliant.

 Winch Electrical Harness (715003585) and winch compatible front bumper are required.

| Can-Am HD 4500-S Winch | | Maverick X3, Maverick X3 MAX | x | 715006417 |
|------------------------|--|------------------------------|--|---------------------------------------|
| Can-am | Ergonomic clutch handle. Rugged all-steel gears and b and durability. Automatic 100% load-holdin | 0 | Pulling strength capability o 50' of ¼" (15.2 m of 6.35 mm Corrosion-proof aluminum h Winch Electrical Harness (7 | n) synthetic rope. nawse fairlead. |

 Winch Electrical Harness (715003585) and winch compatible front bumper are required.

compatible front bumper are required.

WARN[†] VRX Winches

| WARN VRX 45 Winch | Maverick X3, Maverick X3 MA | X 715006110 |
|---------------------|---|--|
| | Extreme IP68-rated waterproof sealing keeps the elements out. Durable all-metal construction. Black powder-coated finish and stainless steel fasteners for corrosion resistance. Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how. Load-holding brake for great control. Smooth and reliable all-metal three-stage planetary gear train. | Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warranty (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15 m of 6.3 mm) wire steel cable. Roller fairlead. Winch Electrical Harness (715003585) and winch compatible front bumper are required. |
| WARN VRX 45-S Winch | Maverick X3, Maverick X3 MA | X 715006111 |
| | Extreme IP68-rated waterproof sealing keeps the elements out. Durable all-metal construction. Black powder-coated finish and stainless steel fasteners for corrosion resistance. Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how. | Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warranty (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of %" (15 m of 6.3 mm) synthetic rope. Cast aluminum hawse fairlead. Winch Electrical Harness (715003585) and winch |

- Load-holding brake for great control.
- Smooth and reliable all-metal three-stage planetary gear train.
- **Winch Accessories** Can-Am HD Hawse Fairlead Can-Am HD Winch 715006426 • A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide. · Must be used with synthetic cables only. WARN Hawse Fairlead WARN Winch 715007785 Double-powder-coated construction. • Required to use the Synthetic Winch Cable (715001118) on WARN winches. • To be used with synthetic winch cables only. Can-Am HD Winch 715006430 Synthetic Winch Cable WARN Winch 715007783 • 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches. Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear. • WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

| Wine Dana Danlassmant | | Can-Am HD Winch | 705014978 | | |
|-----------------------------|--|--|---|--|--|
| Vire Rope Replacement | | WARN Winch | 715006699 | | |
| -0 | | m) wire rope for Can-Am HD Winch. n) wire rope for WARN winch kit. trength. | | | |
| Synthetic Cable Extension | | | 715001120 | | |
| | | liameter, easy to handle and won't rattle in cargo box. ble to provide additional 50' (15.2 m) of distance. ne capacity. | | | |
| Winch Electrical Harness | | Maverick X3, Maverick X3 MAX | 715003585 | | |
| | Required for winch installat | tion. | | | |
| Rear Winch Harness | | | 715006007 | | |
| | Required for installation of a | a winch on the S3 Rear Winch Bumper. | | | |
| Nired Remote Control | | Can-Am HD Winch [‡] | 715006504 | | |
| PP | This kit allows winch owner OEM stock winch is sold se EC compliant. | rs to add the hand-held remote to vehicles with a stock winch. eparately. | | | |
| 21 | | ed to use remote control on a vehicle with a factory installed winch. nd connection socket are included. | | | |
| Nireless Remote Control | | WARN Winch | 715002542 | | |
| | mounting hardware. | | na and all necessary | | |
| (rc/X mr Rear Tow Hook | | Maverick X3, Maverick X3 MAX 2021 & prior | 715004450 | | |
| | | onto in case towing is needed. | | | |
| ST E | Allows you to attach most straps and hooks. Made of rugged ³/₁⁶ (5 mm) steel plate and ⁵/₂" (16 mm) steel hook tube. | | | | |
| | Standard on Maverick X rc a | and X mr models. | | | |
| Hitches | | | 1 | | |
| Rear Hitch | | Maverick X3, Maverick X3 MAX 2021 & prior | 715002883 · Black 715003938 · Can-Am Ret | | |
| | Rugged lightweight steel co E-coated finish. Fixed mounting point for tra This hitch offers 1,300 lb (5) Hitch ball not included. | ailer ball to provide vehicle with towing capabilities. | | | |
| Front and Rear Hitch Drawba | r | Maverick X3, Maverick X3 MAX | 715008350 | | |
| | Standard on 2" (5 cm) recei It offers 1,650 lb (750 kg) of Hitch ball not included. Forged steel. | | | | |

PERFORMANCE

Smart-Lok Technology

| Smart-Lok Differential | | Maverick X3 produced after January 1, 2017 Maverick X3 MAX | 705402936 |
|--|---|--|--|
| | controlled automatic modes Choose your differential set for a fully locked 4 wheel dr Using multiple input source to procure maximum tractic of confidence. The Smart-Lok Differential I Mud, Rock and Trail Activ m to fine-tune your riding envir | ttings according to your riding need: "2x4" for rear wheel tract ive, and "4x4 Smart Mode" that offers preset, intelligent calibr es, "Smart Mode" will instantaneously engage locking with the on while retaining low-speed maneuverability, allowing for opti Kit comes standard with the Trail Mode. nodes can be added by installing an additional Smart Mode Mo | ion only, "4x4 Front Diff Lock' ations for your type of riding. right load at the right momen mal placement and a feeling |
| | | Maverick X3, Maverick X3 MAX | 705401634 · 64" |
| Performance Half Shaft | | Maverick X3, Maverick X3 MAX | 705402048 · 72" |
| - Brank | • • • | deal for off-road use, with superior protection in any riding usa ts with the best suited geometry for your Can-Am vehicle. rt-Lok Differential Kit. | |
| Mud Smart Mode Module (Not illustrated) | | Maverick X3, Maverick X3 MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) | 715005282 |
| Rock Smart Mode Module | The system will stay locked Only one Smart Mode Mode | | 715005283 |
| | accessory or to change to t • The Rock Mode has been s • When high engine torque is engaged until throttle relea | In the second se | rential Kit sold as an nart-Lok. |
| Trail Activ Smart Mode Modu (Not illustrated) | le | Maverick X3, Maverick X3 MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) | 715005284 |
| | accessory or to change to t • The Trail Activ mode has be • When high engine torque at the front end and maintain | add the Trail Activ Smart Mode to vehicles with the Smart-Lok he Trail Activ Smart Mode on vehicles equipped with a standa een designed for aggressive riding, delivering the ultimate corr nd/or an increase in vehicle speed is detected, Smart-Lok will it engaged until throttle release or vehicle speed reduction. nt allows for smoother and lower steering effort. ule can be installed at a time. | rd Smart-Lok. nering precision. |
| Lonestar Racing Mud Flaps w | ith Brackets | Maverick X3, Maverick X3 MAX | 715004865 |
| | These bolt-on mud flaps ma Durable chromoly brackets. Protect trailing arms, rotors Sold in pairs. | - | |

Lonestar Racing Heavy-Duty Shift Plate & Knob

715004866

- The shift plate is made from durable stainless steel and bolts into place for a secure fit.
- The kit comes with a billet aluminum Lonestar Racing shift knob. Offers improved durability for the performance-oriented driver.
- **Lonestar Racing Outer Toe Link Boxed Gussets Roller Fairlead** 715004868 Maverick X3, Maverick X3 MAX 2021 & prior • Protects and strengthens the middle radius rod links from rough riding conditions.



Includes high-grade steel bolts.

| Lonestar Racing Quick Re | lease Clutch Cover Pins | Maverick X3, Maverick X3 MAX | 715005045 |
|--------------------------|---|--|-----------|
| | | off your clutch cover in seconds to access the belt tool-lessly uick release" pins with clips and tethers. rews. | |
| | This product affects the clut It is highly recommended to | ch cover sealing. use this product under dry riding conditions only. | |

| Lonestar Racing Heavy-Duty Rear Boxed Radius Rod Support Plate | Maverick X3, Maverick X3 MAX 2021 & prior | 715005046 |
|---|---|-----------|
| Double-layered radius rod s | upport plate made of high-grade steel. | |

• Reinforces your rod mounting location on the frame while adding a mean racing look to your vehicle.

Easy to install.

| X rc Brake Pedal | | Maverick X3, Maverick X3 MAX | 715004901 |
|------------------|--|--|-----------|
| | Brake pedal with larger foot | surface. | |
| | This improves ergonomics a | and control for the rider in rock climbing conditions. | |



| Yoshimura [†] Slip-on Exhaust | | Maverick X3, Maverick X3 M | AX | 715002882 |
|---|--|--|----------------------------------|-----------|
| Developed in collaboration Made from 304-grade stain aluminum tip. Better sounding, better look than stock muffler. | | vith Yoshimura. • USDF/USDA approved spar vss steel with brushed • Fuel injection system tuning • ROHVA and EPA compliant. | | |
| Performance Air Filter by Twi | n AIR† | Maverick X3, Maverick X3 M | AX | 715002895 |
| P | The best choice for the hars Multiple staged oiled filterin Washable and reusable. | | ning capacity with high airflow. | |
| Foam Replacement (Not illustrated) | | Maverick X3, Maverick X3 M/ | ΑX | 715000713 |
| | Replacement foam for Perfo | rmance Twin Air Filter. | | 1 |

| Shorker Fre-Inter | | Maverick X3, Maverick X3 MAX | | |
|--|--|---|--|---|
| | Pre-filter specifically for sno | orkels. | | |
| ARR | Adds extra protection to you | ur engine in harsh riding conditio | ons. | |
| A TO | Helps keep air filter cleaner. | | | |
| a financia and | Filter blocks particles larger | | | |
| | Necessary to maintain vehic | cle warranty when tracks are ins | talled. | |
| | | Maverick X3, Maverick X3 MAX | ((2019 and prior) | 715003733 |
| norkel Kit | | Maverick X3, Maverick X3 MAX | ((2020 & up) | 715007110 |
| | be semi-submersed in wate taking in water. • Not compatible with S&B Pa | CVT air intakes so vehicle can r or mud without the engine article Separator, LinQ cing Rear Intrusion Bar or any | | 30 (sold separately) is required s manufactured before January 3 X mr models. |
| adiator Relocator | | Maverick X3, Maverick X3 MAX | K | 715004937 |
| R | Relocates stock radiator to r Protects it from debris and r Prevents cooling performan Reduces hot air in the cabin Easy to clean. Includes support hardware | rocks. Ice loss in muddy conditions. I. | mounted accessories, Co | |
| ARNING: Any modifications or addition of ac w to adapt your driving behavior accordingly. BRP and they may increase the risk of injury | Do not tamper with unauthorized modification | ations or install equipment not specifica | ally certified by BRP for the vehicle. | These modifications have not been test |
| | | | | 715005065 · 64" models |
| | Arched Lower Suspension Links | | | |
| Arched Lower Suspension I | Links • Arched lower links to free u • Standard on X mr and 2022 | | (| 715005066 · 72" models |
| Arched Lower Suspension I | Arched lower links to free u | p more ground clearance. | <u>(</u> | 715005066 · 72" models |
| Arched Lower Suspension I | Arched lower links to free u | p more ground clearance. | | 715005066 · 72" models 715006279 |
| | Arched lower links to free u | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX put to 850 W. | | |
| 50 W Magneto Kit | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX put to 850 W. | ((2021 & up) | |
| 50 W Magneto Kit | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX | ((2021 & up) ((2017 models) | 715006279 |
| 50 W Magneto Kit | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only. | ((2021 & up) ((2017 models) | 715006279 |
| 50 W Magneto Kit | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re de Kit X3 Performance upgrade kit for Gain 18 HP for a total of 172 | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only. | ((2021 & up) ((2017 models) | 715006279 |
| 50 W Magneto Kit | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re de Kit X3 Performance upgrade kit for Gain 18 HP for a total of 172 Includes: intercooler with fa | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only. | ((2021 & up) ((2017 models) : eerformance belt. | 715006279 715004700 |
| 50 W Magneto Kit | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re de Kit X3 Performance upgrade kit for Gain 18 HP for a total of 172 Includes: intercooler with fa | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only P. HP. In, fuel pump catalyst and high p y an authorized BRP dealership t | ((2021 & up) ((2017 models) : eerformance belt. | 715006279 715004700 |
| 50 W Magneto Kit | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re Includes rotor, stator and re Derformance upgrade kit for Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only P. HP. In, fuel pump catalyst and high p y an authorized BRP dealership t | ((2021 & up) ((2017 models) : eerformance belt. | 715006279 715004700 |
| 50 W Magneto Kit | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re de Kit X3 Performance upgrade kit for Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only thP. In, fuel pump catalyst and high p y an authorized BRP dealership t p-799U. Maverick X3, Maverick X3 MAX | ((2021 & up) ((2017 models) : performance belt. to preserve the vehicle's war ((2018 and 2019) | 715006279 715004700 rranty. |
| 50 W Magneto Kit 50 W Magneto Kit Solution (172 HP Upgrad) Solution (172 HP Upgrad) T2 HP Intercooler Upgrad) | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re de Kit X3 Performance upgrade kit for Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only thP. In, fuel pump catalyst and high p y an authorized BRP dealership t p-799U. | ((2021 & up) ((2017 models) : performance belt. to preserve the vehicle's war ((2018 and 2019) | 715006279 715004700 |
| 50 W Magneto Kit 50 W Magneto Kit Solution 172 HP Upgrad Solution 172 HP Upgrad 72 HP Intercooler Upgrade | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re de Kit X3 Performance upgrade kit for Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only thP. In, fuel pump catalyst and high p y an authorized BRP dealership t 0-799U. Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX | ((2021 & up) ((2017 models) : performance belt. to preserve the vehicle's war ((2018 and 2019) | 715006279 715004700 rranty. |
| 50 W Magneto Kit 50 W Magneto Kit Solution 172 HP Upgrad Solution 172 HP Upgrad 72 HP Intercooler Upgrade | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E Kit Intercooler upgrade for the | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only thP. In, fuel pump catalyst and high p y an authorized BRP dealership t 0-799U. Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX | ((2021 & up) ((2017 models) : performance belt. to preserve the vehicle's war ((2018 and 2019) ((2020) | 715006279 715004700 rranty. 715007137 715007277 |
| 50 W Magneto Kit 50 W Magneto Kit With the second | Arched lower links to free up Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E Kit Intercooler upgrade for the | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only the pump catalyst and high p y an authorized BRP dealership t >-799U. <u>Maverick X3, Maverick X3 MAX</u> <u>Maverick X3, Maverick X3 MAX</u> Maverick X3 2018 & up. y an authorized BRP dealership t | ((2021 & up) ((2017 models) : performance belt. to preserve the vehicle's war ((2018 and 2019) ((2020) | 715006279 715004700 rranty. 715007137 715007277 |
| 50 W Magneto Kit 50 W Magneto Kit With the second | Arched lower links to free u Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re Includes rotor, stator and re Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E Intercooler upgrade for the Installation must be done by Requires the power upgrade | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only P. HP. In, fuel pump catalyst and high p y an authorized BRP dealership t >-799U. Maverick X3, Maverick X3 MAX Maverick X3 2018 & up. y an authorized BRP dealership t e installation kit (715007111). | (2021 & up) (2021 & up) (2017 models) (2017 models) (2018 and 2019) (2018 and 2019) (2020) (2020) | 715006279 715004700 rranty. 715007137 715007277 rranty. |
| | Arched lower links to free u Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re Includes rotor, stator and re Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E Installation must be done by Requires the power upgrade Kit | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only HP. In, fuel pump catalyst and high p y an authorized BRP dealership t D-799U. Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX | ((2021 & up) ((2017 models) berformance belt. to preserve the vehicle's war ((2018 and 2019) ((2020) to preserve the vehicle's war ((2018-2020) | 715006279 715004700 rranty. 715007137 715007277 |
| 50 W Magneto Kit 50 W Magneto Kit With the second | Arched lower links to free u Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re Includes rotor, stator and re Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E Installation must be done by Requires the power upgrade Kit Increases the power of the | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only the. In, fuel pump catalyst and high p y an authorized BRP dealership t p-799U. Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX Maverick X3 2018 & up. y an authorized BRP dealership t e installation kit (715007111). Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX | <pre>((2021 & up) ((2017 models))</pre> | 715006279 715004700 rranty. 715007137 715007277 rranty. |
| 50 W Magneto Kit 50 W Magneto Kit With the second | Arched lower links to free u Standard on X mr and 2022 Standard on X mr and 2022 Increases the magneto outp Includes rotor, stator and re Includes rotor, stator and re Gain 18 HP for a total of 172 Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E Installation must be done by Requires the power upgrade Kit Increases the power of the I Includes fuel pump, clutch of | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only the pump catalyst and high p y an authorized BRP dealership t p-799U. Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX | ((2021 & up) ((2017 models) : verformance belt. to preserve the vehicle's war ((2018 and 2019) ((2020) to preserve the vehicle's war ((2018-2020) 2 HP. ent. | 715006279 715004700 rranty. 715007137 715007277 rranty. 715007111 |
| 50 W Magneto Kit 50 W Magneto Kit With the second | Arched lower links to free u Standard on X mr and 2022 Increases the magneto outg Includes rotor, stator and re Includes rotor, stator and re Includes rotor, stator and re Includes: intercooler with fa Installation must be done by C.A.R.B. Executive Order #E Installation must be done by Requires the power upgrade Kit Increases the power of the I Includes fuel pump, clutch o Installation must be done by Requires the power of the I Includes fuel pump, clutch o Installation must be done by Requires the power of the I Includes fuel pump, clutch o | p more ground clearance. X rc models only. Maverick X3, Maverick X3 MAX out to 850 W. gulator. Maverick X3, Maverick X3 MAX r Maverick X3 2017 models only the. In, fuel pump catalyst and high p y an authorized BRP dealership t p-799U. Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX Maverick X3 2018 & up. y an authorized BRP dealership t e installation kit (715007111). Maverick X3, Maverick X3 MAX Maverick X3, Maverick X3 MAX | (2021 & up) (2021 & up) (2017 models) (2017 models) (2018 and 2019) (2018 and 2019) (2020) (2020) (2018-2020) (201 | 715006279 715004700 rranty. 715007137 715007277 rranty. 715007111 |

Maverick X3, Maverick X3 MAX (with Snorkel Kit)

715005599

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

Snorkel Pre-filter

Emergency Accessories

| Lonestar Racing Fire Ex | tinguisher Support | Maverick X3, Maverick X3 MA | X | 715003734 |
|-------------------------|--|---|---|--|
| Fire Extinguisher | | fety and security of having | Fits 1.85" (4.7 cm) tubing. Can be fixed everywhere or Comes with both billet mou plate and 2 clamps. Fire extinguisher sold sepai "Lonestar Racing for Can-A | nts, quick-pull pin, mounting rately. |
| L | Ideal for grease, oil and e Fits with Lonestar Racing | electrical fires. g Fire Extinguisher Support Kit. | | |



• Not EC compliant.

| Emergency Kit | | Maverick X3, Maverick X3 MAX | 715006102 | |
|---------------|---|---|------------------------|--|
| | Complete emergency kit pro powersport enthusiasts can | wides all essential equipment and supplies to get out of most u find themselves in. | unfavorable situations | |
| | Includes: jumper cables, air compressor, tyre repair kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap. | | | |



es, air compressor, tyre repair kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, Includes: jumper ca zip-ties, cloth rags

TRAILERING

| Trailering Cover | | Maverick X3 Maverick X3 MAX | 715005813 715005814 | |
|--|--|---|--|--|
| Not mustratedy | | | 713003014 | |
| | | de of UV-resistant solution-dyed polyester. | | |
| | | windshield and coloured panels from abrasion. | | |
| | Ũ | are reinforced with a double canvas layer. | the second states | |
| | | ering cover protects your vehicle during storage and | transportation. | |
| | 1 0 1 | nd cabin access on passenger side. | | |
| | Quick and easy installa | | | |
| | Designed to perfectly f | it your vehicle with or without Can-Am accessories. | | |
| Bolt-On [†] Retractable Ra | atcheting Tie-Downs | | 295101072 | |
| | Perfect for transporting | your powersport vehicle or securing loads. | · | |
| | | any flat surface (e.g., truck bed or frame). | | |
| | • | tie-down strap with heavy-duty stitching that delivers | s a 500 lb (226 kg) working load strength an | |
| | 1,500 lb (680 kg) break | | | |
| N.K | | push button automatically slackens, spools and stor | res away strap, while the ratchet mechanisn | |
| | tightens the strap snug | ly to secure your vehicle or load into place. | | |
| anta | Rubber ratcheting hand | lle provides firm grip, and the hook is vinyl coated to | protect whatever surface it hooks into. | |
| Dur - | Sold in pairs. | | | |
| Ratchet Tie-Downs | | | 715008309 · Black/Gra | |
| Charles and my or manage | 400 lb (181 kg) safe wo | rking load. | | |
| MALINE MALINE INCOME | | trap with Sea-Doo, Ski-Doo and Can-Am logos. | | |
| | Deluxe ratchet with rule | | | |
| and the second s | Coated S hooks. | | | |
| | Pack of 2. | | | |
| | | | | |
| Heavy-Duty Ratchet Tie | e-Down | | 715008308 | |
| | 1,000 lb (454 kg) safe w | orking load. | | |
| | | I.8 mm) strap with BRP brands. | | |
| | Deluxe ratchet with rubber handle. | | | |
| | Black-coated clip hook | | | |
| A TOTAL OF THE OWNER | 12" (300 mm) webbing | | | |
| | Pack of two. | | | |

- 12" (300 mm) webbing included.
- Pack of two.

APACHE TRACK SYSTEMS

Winter Tracks

Limited Warranty*

| Apache Backcountry LT Tracl | < System | Maverick X3, Maverick X3 MA | x | 715004734 |
|-----------------------------|---|--|---|---|
| | Tracks designed to deliver the on the market with unmatch traction on snow surface. Large contact patch, 37% bit Impressive added ground cl keep the vehicle over the sind. Lightweight snowmobile-instructure | ned flotation level and igger than the Apache 360 LT. learance of 7" (18 cm) helps now. | Aggressive track design wit maximum traction on snow. Apache Backcountry LT Mo and Engine and CVT Pre-Fil Fine-tune your track system Sliders with Vespel Inserts a For winter use only. Track installation will affect | unting Kit, Track DPS Module ter are required. using extra Idler Wheels, and Rail Ice Scratcher. |
| Apache Backcountry LT Mou | nting Kit | Maverick X3, Maverick X3 MA | x | 715004397 · 64" models 715004394 · 72" models |
| | • | he Apache Backcountry Track are required and sold separatel | , | |
| Year-Round Tracks | | | Li | mited Warranty |
| Apache 360 LT Track System | | Maverick X3, Maverick X3 MA | x | 715005103 |
| | Multifunctional tracks desig and to fit on most Can-Am o Extra contact patch adjustm over rough terrain. Contact patch is 7% to 9% b Average ground clearance c | off-road vehicles. Thent for better performance Digger than the Apache 360's. | 1" (2.5 cm) lugs in the front a Apache 360 LT Mounting Ki Engine and CVT Pre-Filter K EC compliant. | t, Track DPS Module and |

Apache 360 LT Mounting Kit (Not illustrated)

|--|

715004392 · 64" models 715004393 · 72" models

Required for installation of the Apache 360 LT Track System.
Track DPS Module and Pre-Filter not included.

Т

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry LT

| Model Yea | ar / Model | Track | Track Mount | Track DPS Module | Prefilter without Snorkel | Prefilter with Snorkel |
|-----------|--|-----------|-------------|---|------------------------------|---------------------------|
| 2017 & Up | Maverick X3, Maverick X3 MAX (64" Models) | | 715004397 | 715007338 Maverick X3, Maverick X3 Max 2022 & prior (except Turbo RR | | |
| 2017 & Up | Maverick X3, Maverick X3 MAX (72" Models) | 715004734 | 715004394 | engine) OR 715006266 Maverick X3, Maverick X3 Max 2023, and 2022 & prior with Turbo RR Engines | 715005600 (except X mr) | 715005599 |

Apache 360 LT Track Prefilter Prefilter Model Year / Model Track **Track Mount DPS Module** without Snorkel with Snorkel 715007338 Maverick X3, Maverick X3 MAX (64" Models) 2017 & Up 715004392 (except Turbo RR engine) 715005103 OR 715005600 715005599 715006266 Maverick X3, Maverick X3 MAX (Turbo RR engine only) 2017 & Up 715004393 (72" Models)

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

| Rail Ice Scratchers | | Apache Backcountry LT Track System | 860201728 |
|------------------------------|---|--|-----------------------------|
| | Rail mounted, small, | coil concept to allow reversing without damage. | |
| Apache Backcountry LT Whe | el Kit | Apache Backcountry LT Track System | 715006293 |
| 1 % | Reduces drag and ro Extends slider life in Includes two wheels | for Backcountry LT rear tracks. Illing resistance in hard snow conditions or when transporting heaving hard snow conditions. A cross shaft and mounting hardware per kit to service one track cortar track can be installed. | |
| Sliders with Vespel† Inserts | | Apache Backcountry LT Track Systems | 503194815 |
| · · · | Use DuPont Vespel in Longer life. Can be cut to desired 8 needed per vehicle Sold individually. | d length. | |
| Track DPS Module | | Maverick X3, Maverick X3 MAX (Turbo RR engine only) | 715006266 |
| Not illustrated) | | Maverick X3, Maverick X3 MAX (except Turbo RR engine) | 715007338 |
| | control and riding ea | ule that ensures speedometer accuracy and optimized steering assi ise. ne Apache Track Sytems. | st, making for perfect trac |
| Engine & CVT Air Intake Pre- | Filter | Maverick X3, Maverick X3 MAX (except X mr models) | 715005600 |
| | Helps keep air filter of Filter blocks particles Easy installation. Not compatible with Necessary to mainta | n to your engine in harsh riding conditions. cleaner. s larger than 0.007" (0.19 mm). S&B Particle Separator. in vehicle warranty when tracks are installed. ache Backcountry LT and Apache 360 LT Track Sytems. | |
| Snorkel Pre-Filter | | Maverick X3, Maverick X3 MAX (with Snorkel Kit) | 715005599 |
| ARE | Helps keep air filter op | n to your engine in harsh riding conditions. | |
| a loge for the | • | in vehicle warranty when tracks are installed. | |

PROMOUNT PLOWS

Can-Am ProMount Steel Plow Kits

Can-Am ProMount Steel 72" (183 cm) Plow Kit

Maverick X3, Maverick X3 MAX

Fits ProMount Push Frame

715008176 · Black 715008177 · Yellow

715004474 · Black

715006021 · Yellow



- These kits include:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

Can-Am ProMount Steel Blades

Can-Am ProMount Steel 72" (183 cm) Blade

- Plow blade made from 12-gauge steel.
- · Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- · Blade design provides best snow roll-off at any angle.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Not compatible with S3 High Clearance Front A-Arm.

Can-Am ProMount Angle Plows

Can-Am ProMount 72" (183 cm) Steel Oneway State Blade

Fits ProMount Push Frame

- · Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- One-way "winged" state plow designed to throw snow higher.
 - Rubber flap (715007299) designed to keep snow away

715007264

715008175

- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- from the driver is offered as accessory (sold separately).

· Can-Am branded.

Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount Flex2 72" (183 cm) Blade



These kits include:

accidental impact occurs.

snow buildup at pivot point.

Replaceable wear blade.

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System

· Plow blade made of UHMWPE, flexible and impact

absorbing material prevents damaging your plow when

· Large pin designed for easy blade rotation to eliminate

- Can-Am ProMount Mounting Plate

Can-Am ProMount Flex2 Blades

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

Maverick X3. Maverick X3 MAX

715004485

- Blade design provides best snow roll-off at any angle.
- · Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

CAN-AM MAVERICK X3 ACCESSORIES 110

| Can-Am ProMount Edge N | /larkers | Maverick X3, Maverick X3 MA | х | 715004206 |
|-------------------------|---|---|--|--|
| | | roMount Steel and Flex2 Blades Mount Steel 54" (137 cm) Blade | | sions |
| an-Am ProMount 72" (18 | 3 cm) Plastic Wear Blade | Maverick X3, Maverick X3 MA | x | 715004483 |
| | Ideal to prevent leaving ma Compatible with Can-Am P | rks on your driveway. roMount 72" (183 cm) Blades. | | |
| an-Am ProMount Drift Cu | uttore | Maverick X3, Maverick X3 MA | x | 715006258 |
| | Help keep snow in the plov Dimensions: 17" x 13" (43.2) | и. | ^ | |
| | Help keep snow in the plov Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Proceed for the Can-Am Proceed | v. 2 cm x 33 cm). roMount Steel and Flex2 blades Mount Steel 54" (137 cm) Blade | with or without Blade Extens s). | sions |
| | Help keep snow in the plov Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Program (except for the Can-Am Program) | v. 2 cm x 33 cm). roMount Steel and Flex2 blades Mount Steel 54" (137 cm) Blade | with or without Blade Extens s). | sions |
| | Help keep snow in the plov Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Provide the Can-Am Provided the Can-Am Pr | v. 2 cm x 33 cm). roMount Steel and Flex2 blades Mount Steel 54" (137 cm) Blade | s with or without Blade Extens s). X Can-Am ProMount Steel 54" | sions 715004205 · Black 715005319 · Yellow |
| an-Am ProMount Blade E | Help keep snow in the plov Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Provide the Can-Am Provided the Can-Am Pr | v. 2 cm x 33 cm). roMount Steel and Flex2 blades Mount Steel 54" (137 cm) Blade Maverick X3, Maverick X3 MA your Can-Am ProMount Blade. roMount Blades (except for the | with or without Blade Extens is). X Can-Am ProMount Steel 54" igth given by the extensions. | sions 715004205 · Black 715005319 · Yellow |
| an-Am ProMount Blade E | Help keep snow in the plov Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Product (except for the Can-Am Product) Extensions These conveniently extend Add 3" (8 cm) each side. Compatible with Can-Am Product (Add 3" (8 cm) each side) Longer Wear Blade can be Va thick steel swivel scraped | A 2 cm x 33 cm). roMount Steel and Flex2 blades Mount Steel 54" (137 cm) Blade Maverick X3, Maverick X3 MA your Can-Am ProMount Blade. roMount Blades (except for the installed to go over the extra ler ProMount Plows (60" and mor c. moving forward so as not to snow. | e with or without Blade Extens rs). X Can-Am ProMount Steel 54 rgth given by the extensions. | sions T15004205 · Black T15005319 · Yellow (137 cm) Blades). T15007794 round so that it scrapes evenI ompatibility es. nt blades (Flex and Steel). |

* Price subject to change

Can-Am ProMount Custom Solutions

| Can-Am ProMount Push Frame with Quick-Attach System | Maverick X3, Maverick X3 MAX | 715008116 |
|---|---|--|
| Mid-mour traction. Designed Features a | It carriage provides ultimate push strength and for maximum plow lift height. a self aligning quick-attach system, an easy foot edal and an ergonomic handle for plow angle Ilfespan. Can-Am ProMour installation. Blade swivels left Large pin designe | h recommended to extend winch cable nt Mounting Plate required for t or right, 5 positions. ed for easy blade rotation to eliminate ildup at pivot point. ead included. |

| Can-Am ProMount Push Frame Extension | Maverick X3, Maverick X3 MAX | 715006257 |
|--------------------------------------|------------------------------|-----------|
| | | |



• 12" (30 cm) push frame extension required when plow is installed with Apache Track systems.



| Can-Am ProMount Mounting Plate | Maverick X3, Maverick X3 MAX | 715008197 |
|--------------------------------|--|-----------|
| | red to install the Can-Am ProMount Push Frame with Quick-Atta ting plate precision designed to stay on year round without com | - |

- Comes with the Plow Roller Fairlead.
- Not compatible with S3 High Clearance Front A-Arm.

| Can-Am ProMount Plow Angli | ng System | Maverick X3, Maverick X3 MAX | 715006022 |
|----------------------------|-----------|--|--------------------|
| | | nto an easy-to-control unit from the driver's seat. own and left/right plow control at your fingertips by using the s | supplied joystick. |

- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- Not compatible with Apache Backcountry LT Track System.
- Winch and plow sold separately.

| ProMount Plow Limit Switch | Maverick X3, Maverick X3 MAX | 715006259 | | |
|----------------------------|---|--|--|--|
| Prevents | For controlling the cable tension when over-raising your plow system. Prevents winch, plow push frame and vehicle damage. Sensor relocated for optimal lift height. | | | |
| Plow Roller Fairlead | Maverick X3, Maverick X3 MAX | 715001223 • Cylindrical Roller Fairleac | | |
| Larger c | ameter lower roller reduces wear on wire rope for plow application. | | | |



Can be used with all ProMount plows.

ProMount Plow Kits – Reference Charts

| | 72" Black Steel | 72" Yellow Steel | 72" Flex2 |
|----------------|-----------------|------------------|-----------|
| Plow Kit | 715008176 | 715008177 | 715008175 |
| Blade | 715004474 | 715006021 | 715004485 |
| Push Frame | 715008116 | 715008116 | 715008116 |
| Mounting Plate | 715008197 | 715008197 | 715008197 |

TYRES & RIMS

Tyres

| lyres | | | 1 |
|----------------------------|--|---|---|
| | | | 705402080 · Front |
| | | | 705502603 · Rear |
| Maxxis† Bighorn 2.0 Tyre | | | 705402168 · Front · CC 705502665 · Rear · CC |
| | | | 705502665 · Real · (CC |
| | Front · 28" x 9" x 14". Rear · 28" x 11" x 14". Compliant with European cl Front · 27" x 9" x 14". Rear · 27" x 11" x 14". | lass T regulations. | |
| | | | 705402143 · Front |
| Maxxis Liberty Tyre | | Maverick X3 X rc | 705402464 · Rear |
| | 8-ply radial construction. Front: 30" x 10" x 14". Rear: 32" x 10" x 15". | ce driving and to give you and your side-by-side freedo | |
| | | | 705402960 · 30" |
| Maxxis Carnivore Tyre | | Maverick X3 (except X mr, X rc & X rs models) | 705402961 · 32" |
| Maxxis Bighorn X ds Tyre | • Front & Rear · 30" or 32" x | IU X 14. | 705402081 · Front |
| Not illustrated) | | | 705502604 · Rear |
| | Front · 29" x 9" x 14". Rear · 29" x 11" x 14". | | |
| Maxxis Bighorn X rs Tyre | | | |
| Not illustrated) | | | 705402082 |
| | • Front & Rear · 30" x 10" x 1 | 4". | |
| Pimo | | | |
| Rims | | | |
| 14" Maverick X3 X mr Rim | | Maverick X3, Maverick X3 MAX | 705402256 |
| | Black with clear coat alum | inum rim. | 4 |
| | | | |
| | | | ■ 705402207 |
| 14" Maverick X3 Beadlock R | im | Maverick X3, Maverick X3 MAX | Black and machined 705402173 · Black |
| | | nachined face and clear coat. | |
| | Choice of beadlock colour | | |

| 14" Maverick X3 Rim | | Maverick X3, Maverick X3 MAX | 705401965 · Front 705502493 · Rear |
|-------------------------|---|---|--|
| | Black with clear co Front: 14" x 7" Offs Rear: 14" x 8" Offso | pat aluminum rim. et = 55 mm. | 705502493 · Redi |
| 14" Maverick X3 Beadloc | k Rim | Maverick X3, Maverick X3 MAX | 705402393 · Front 705502814 · Rear |
| | | k colour. 50000893) for installing the beadlock. et = 55 mm (For Xrs = Front and rear). | |
| 14" Maverick X3 Beadloc | k Ring | Maverick X3 & Maverick X3 MAX (X rs, X ds models only) | 705401709 · Black 705401913 · Gold 705402358 · Can-Am Red 705402472 · Manta Green |
| $\bigcirc \bigcirc$ | Cast aluminum be Must be installed of | adlock. on Front Rim (705402393) and Rear Rim (705502814). | |



CAN-AM Commander

MODEL PACKAGES

| Can-Am Commander DPS 700 | 117 |
|---------------------------------|-----|
| Can-Am Commander X-T 1000R | 118 |
| Can-Am Commander MAX X-TP 1000R | 119 |

120

COMPARATIVE CHART

Can-Am Commander Lineup

ACCESSORIES

| Roofs | 122 |
|-------------------------------------|-----|
| Soft Cab Enclosure | 123 |
| | |
| Windshields & Wind Protection | 123 |
| Doors | 126 |
| Mirrors | 127 |
| Commander Skid Plates | 128 |
| Maverick Trail & Sport Skid Plates | 129 |
| Bumpers & Guards | 130 |
| Seat Accessories | 135 |
| LinQ: Easy On, Easy Off Cargo | 136 |
| Cargo & Storage | 141 |
| Racks & Holders | 143 |
| Lights | 146 |
| Audio & Communication Systems | 150 |
| Electrical & Electronic Accessories | 151 |
| Winches & Hitches | 154 |
| Performance | 157 |
| Apache Track Systems | 159 |
| ProMount Plows | 161 |
| Trailering | 165 |
| Tyres & Rims | 165 |
| | |



WHAT'S NEW

New Premium Colouration Desert Tan: Commander MAX XT-P package

Image for visual purposes only. Package shown not available in region.

2023 CAN-AM COMMANDER DPS 700



Tundra Green / 700

| 700 |
|--|
| 52 hp/41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled |
| Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| pDrive primary CVT with engine braking and Electronic Drive Belt Protection L/H/N/R/P |
| Selectable Turf Mode/2WD/4WD with Visco-Lok† QE auto-locking front differential |
| Electronic Hill Descent Control SPORT/ECO™ modes |
| Dynamic Power Steering (DPS™) |
| |

SUSPENSIONS

| Front Suspension | Double A-arm with sway bar/12.5 in. (31.8 cm) travel |
|------------------|--|
| Front Shocks | Twin-tube gas-charged shocks |
| Rear Suspension | TTA with sway bar/13 in. (33 cm) travel |
| Rear Shocks | Twin-tube gas-charged shocks |

TYRES & WHEELS

| Front Tyres | XPS Trail Force 27 x 9 x 14 in. |
|-------------|----------------------------------|
| Rear Tyres | XPS Trail Force 27 x 11 x 14 in. |
| Wheels | 14 in. steel |

BRAKES

| BIUALEO | |
|---------|--|
| Front | Dual 220mm disc brakes with hydraulic twin-piston calipers |
| Rear | Dual 220mm disc brakes with hydraulic twin-piston calipers |

PACKAGE HIGHLIGHTS

- Premium half doors
- Puncture resistant 8 ply tyres
- D.E.S.S.[™] Key with speed limiting capabilities
- Full Skid Plate
- Rear Differential with Turf mode
- Sport Performance with Utility style tipping tray

| DIMENSIONS & CAPACITIES | |
|-------------------------|--|
| | |

| DIMENSIONS & CAPACITIES | |
|--|--|
| 1,530 lb (694 kg) | |
| Profiled cage, ROPS approved | |
| 128.5 x 62 x 70.5 in. (326.4 x 157.5 x 180.2 cm) | |
| 90.6 in. (230.1 cm) | |
| 12.5 in. (31.8 cm) | |
| 29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm) | |
| 600 lb (272.2 kg) | |
| 2,000 lb (907.2 kg) | |
| 1,030 lb (467.2 kg) | |
| Total: 7.3 gal (27.6 L) | |
| 10 gal (38 L) | |
| 2 | |
| | |

FEATURES

| Gauge | 4.5 in. wide digital display |
|-------------------|--|
| Instrumentation | DC outlet (10-A) |
| Anti-theft System | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button |
| Magneto | 650 W |
| Lighting | Front lighting output 110 W LED tail lights |
| Winch | N/A |
| Steering Wheel | Adjustable tilt steering |
| Protection | Premium half doors, Full skid plate, Mudguards |
| Hitch Type | 2 in. hitch receiver |
| | |

WARRANTY & EXTENDED SERVICE

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

2023 CAN-AM COMMANDER XT 1000R



PACKAGE HIGHLIGHTS

- 28 in. XPS Trail King tyres
- 64 lb. wide with high clearance Arched A-Arms
- 7.6 in. digital display with keypad
- Can-Am LED signature lights
- 14 in. cast-aluminium wheels
- XT front bumper
- 4,500 lb (2,014 kg) winch
- Full roof
- Premium half doors
- Puncture resistant 8 ply tyres
- D.E.S.S.TM Key with speed limiting capabilities
- Full Skid Plate
- Rear Differential with Turf mode
- Sport Performance with Utility style tipping tray

Oxford Blue / 1000R

| ENGINE | 1000R |
|----------------------|---|
| Туре | 100 hp, Rotax® 976 cc, V-twin, liquid-cooled |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| Transmission | Quick Response System (QRS) CVT with high-airflow ventilation, and Electronic Drive Belt Protection Extra-L/H/N/R/P |
| Drive Train | Selectable Turf Mode/2WD/4WD with Visco-Lok [†] QE auto-locking front differential |
| Driving Assistance | Electronic Hill Descent Control SPORT/ECO™ modes |
| Power Steering | Dynamic Power Steering (DPS™) |

SUSPENSIONS

| Front Suspension | Arched double A-arm with sway bar/15 in. (38.1 cm) travel |
|------------------|---|
| Front Shocks | Twin-tube gas-charged shocks |
| Rear Suspension | Arched TTA with sway bar/15 in. (38.1 cm) travel |
| Rear Shocks | Twin-tube gas-charged shocks |

TYRES & WHEELS

| Front Tyres | XPS Trail King 28 x 9 x 14 in. | |
|-------------|---------------------------------|---|
| Rear Tyres | XPS Trail King 28 x 11 x 14 in. | |
| Wheels | 14 in. cast-aluminum | - |

BRAKES

| Front | Dual 220mm disc brakes with hydraulic twin-piston calipers |
|-------|--|
| Rear | Dual 220mm disc brakes with hydraulic twin-piston calipers |

DIMENSIONS & CAPACITIES

| Estimated Dry Weight | 1,675 lb (759.8 kg) | | |
|----------------------|---|--|--|
| Chassis/Cage | Profiled cage, ROPS approved | | |
| LxWxH | 130 x 64 x 74 in. (330.2 x 162.6 x 188 cm) | | |
| Wheelbase | 90.6 in. (230.1 cm) | | |
| Ground Clearance | 13 in. (33 cm) | | |
| Cargo Box Dimensions | 29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm) | | |
| Cargo Box Capacity | 600 lb (272.2 kg) | | |
| Towing Capacity | 2,000 lb (907.2 kg) | | |
| Payload Capacity | 1,030 lb (467.2 kg) | | |
| Storage Capacity | Total: 7.3 gal (27.6 L) | | |
| Fuel Capacity | 10 gal (38 L) | | |
| Person Capacity | 2 | | |
| | | | |

FEATURES

| Gauge | 7.6 in. wide digital display with keypad | | |
|-------------------|--|--|--|
| Instrumentation | DC outlet (10-A) | | |
| Anti-theft System | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | | |
| Magneto | 650 W | | |
| Lighting | Front lighting output 110 W LED signature lights LED tail lights | | |
| Winch | 4,500 lb (2,041 kg) winch with roller fairlead | | |
| Steering Wheel | Adjustable tilt steering | | |
| Protection | Premium half doors, Full skid plate, Mudguards, XT front bumper, Full roof | | |
| Hitch Type | 2 in. hitch receiver | | |
| | | | |

WARRANTY & EXTENDED SERVICE

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

2023 CAN-AM COMMANDER MAX XT-P 1000R



PACKAGE HIGHLIGHTS

- Smart-Lok front differential
- + FOX^{\dagger} 2.5 PODIUM QS3^{\dagger} piggyback shocks
- Special edition seats
- 7.6 in. digital display with keypad
- · LED headlight & Can-Am LED signature lights
- 64 in. wide with Arched A-arm
- 30 in. XPS Hammer Force tyres
- 15 in. cast-aluminum beadlock wheels
- XT front bumper
- 4,500 lb (2,014 kg) winch
- · Full roof & panoramic mirror
- Full Skid plate
- Seating for 4 people

Desert Tan & Carbon Black / 1000R

| ENGINE | 1000R | |
|----------------------|--|--|
| Туре | 100 hp, Rotax [®] 976 cc, V-twin, liquid-cooled | |
| Fuel Delivery System | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | |
| Transmission | Quick Response System (QRS) CVT with high-airflow ventilation and Electronic Drive Belt Protection Extra-L/H/N/R/P | |
| Drive Train | Selectable Turf Mode/2WD/4WD TRAIL/4WD TRAIL ACTIV with exclusive Smart-Lok technology. | |
| Driving Assistance | Electronic Hill Descent Control SPORT/ECO™ modes | |
| Power Steering | Dynamic Power Steering (DPS™) | |

SUSPENSIONS

| Front Suspension | Arched double A-arm with sway bar/14 in. (35.6 cm) travel | |
|------------------|---|--|
| Front Shocks | FOX 2.5 PODIUM Piggyback | |
| | with QS3 compression adjustment | |
| Rear Suspension | Arched TTA with sway bar/14 in. (35.6 cm) travel | |
| Rear Shocks | FOX 2.5 PODIUM Piggyback with QS3 compression adjustment | |

TYRES & WHEELS

| Front Tyres | XPS Hammer Force 30 x 10 x 14 in. | |
|-------------|-----------------------------------|--|
| Rear Tyres | XPS Hammer Force 30 x 10 x 14 in. | |
| Wheels | 15 in. cast-aluminum beadlock | |
| | | |

BRAKES

| Front | Dual 220mm disc brakes with hydraulic twin-piston calipers |
|-------|--|
| Rear | Dual 220mm disc brakes with hydraulic twin-piston calipers |

| DIMENSIONS & CAPACITIES | | | |
|-------------------------|--|--|--|
| Estimated Dry Weight | 2,000 lb (907.2 kg) | | |
| Chassis/Cage | Profiled cage, ROPS approved | | |
| LxWxH | 160.4 x 64 x 76.7 in. (407.4 x 162.6 x 194.8 cm) | | |
| Wheelbase | 120.6 in. (306.3 cm) | | |
| Ground Clearance | 13.5 in. (34.3 cm) | | |
| Cargo Box Dimensions | 29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm) | | |
| Cargo Box Capacity | 600 lb (272.2 kg) | | |
| Towing Capacity | 2,000 lb (907.2 kg) | | |
| Payload Capacity | 1,280 lb (580.6 kg) | | |
| Storage Capacity | Total: 8.5 gal (32.1 L) | | |
| Fuel Capacity | 10 gal (38 L) | | |
| Person Capacity | 4 | | |

FEATURES

| Gauge | 7.6 in. wide digital display with keypad | | |
|-------------------|--|--|--|
| Instrumentation | DC outlet (10-A) | | |
| Anti-theft System | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | | |
| Magneto | 650 W | | |
| Lighting | LED headlight LED signature LED tail lights | | |
| Winch | 4,500 lb (2,041 kg) winch with roller fairlead | | |
| Steering Wheel | Adjustable tilt steering | | |
| Protection | Premium half doors, Full skid plate, Mudguards, XT front bumper, Full roof | | |
| Hitch Type | 2 in. hitch receiver | | |
| | Special Edition seats | | |
| | | | |

WARRANTY & EXTENDED SERVICE

| Factory Warranty | 2 years / 15,000 km, whichever comes first |
|-------------------|--|
| Service Intervals | 200 hours / 12 months / 3000 km |

| | COMMANDER | DPS | ХТ | MAX XT-P |
|-----------------------|----------------------------|--|--|---|
| | | | | |
| C | DLOUR OPTIONS | Tundra Green | Oxford Blue | Desert Tan & Carbon Black |
| | | 700 | 1000R | 1000R |
| | Туре | 52 hp/41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled | 100 hp, Rotax® 976 co | c, V-twin, liquid-cooled |
| l si | Fuel Delivery System | Intellig | gent Throttle Control (iTC™) with Electronic Fuel Injectic | n (EFI) |
| ENGINES | Transmission | pDrive primary CVT with engine braking and Electronic Drive Belt Protection L/H/N/R/P | Quick Response System (QRS) and Electronic Drive Belt P | CVT with high-airflow ventilation rotection Extra-L/H/N/R/P |
| | Drive Train | Selectable Turf Mode/2WD/4WD with Vis | sco-Lok [†] QE auto-locking front differential | Selectable Turf Mode/2WD/4WD TRAIL/4WD TRAIL ACTIV with exclusive Smart-Lok* technology. |
| | Driving Assistance | | Electronic Hill Descent Control SPORT/ECO™ modes | |
| | Power Steering | | Dynamic Power Steering (DPS™) | |
| | | Double A-arm with sway bar/ | Arched double A-arm with sway bar/ | Arched double A-arm with sway bar/ |
| SNG | Front Suspension | 12.5 in. (31.8 cm) travel | 15 in. (38.1 cm) travel | 14 in. (35.6 cm) travel FOX [†] 2.5 PODIUM Piggyback with |
| SUSPENSIONS | Front Shocks | Twin-tube gas-o | charged shocks | QS3 [†] compression adjustment |
| SUSPE | Rear Suspension | TTA with sway bar/13 in. (33 cm) travel | Arched TTA with sway bar/15 in. (38.1 cm) travel | Arched TTA with sway bar/14 in. (35.6 cm) travel |
| | Rear Shocks | Twin-tube gas- | charged shocks | FOX ¹ 2.5 PODIUM Piggyback with QS3 [†] compression adjustment |
| TYRES/ WHEELS | Front/Rear Tyres Wheels | XPS Trail Force 27 x 9/11 x 14 in. 14 in. steel | XPS Trail King 28 x 9/11 x 14 in. 14 in. cast-aluminum | XPS Hammer Force 30 x 10/10 x 15 in. 15 in. cast-aluminum beadlock |
| BRAKES | Front & Rear | Di | ers | |
| | Estimated Dry Weight | 1,530 lb (694 kg) | 1,675 lb (759.8 kg) | 2,000 lb (907.2 kg) |
| | Chassis/Cage | | Profiled cage, ROPS approved | 1 |
| | LxWxH | 128.5 x 62 x 70.5 in. (326.4 x 157.5 x 180.2 cm) | 130 x 64 x 74 in. (330.2 x 162.6 x 188 cm) | 160.4 x 64 x 76.7 in. (407.4 x 162.6 x 194.8 cm) |
| Ë | Wheelbase | 90.6 in. (230.1 cm) | | 120.6 in. (306.3 cm) |
| PAC | Ground Clearance | 12.5 in. (31.8 cm) | 13 in. (33 cm) | 13.5 in. (34.3 cm) |
| CA | Cargo Box Dimension | 29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm) | | I |
| SNO | Cargo Box Capacity | | 600 lb (272.2 kg) | |
| DIMENSIONS/CAPACITIES | Towing Capacity | | 2,000 lb (907.2 kg) | |
| M | Payload Capacity | 1,030 lb (| 467.2 kg) | 1,280 lb (580.6 kg) |
| | Storage Capacity | Total: 7.3 g | gal (27.6 L) | Total: 8.5 gal (32.1 L) |
| | Fuel Capacity | | 10 gal (38 L) | 1 <u>-</u> · · |
| | Person Capacity | | | 4 |
| | Gauge | | | l display with keypad |
| | Instrumentation | | DC outlet (10-A) | |
| | Anti-theft System | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | | |
| | Magneto | 650 W | | |
| ES | Lighting | Front lighting output 110 W LED tail lights | Front lighting output 110 W LED signature lights LED tail lights | LED headlight LED signature lights LED tail lights |
| FEATURES | Winch | N/A | 4,500 lb (2,041 kg) wi | nch with roller fairlead |
| E E | Steering Wheel | | Adjustable tilt steering | |
| | Protection | Premium half doors Full skid plate Mudguards | Premium half doors Full skid plate Mudguards XT front bumper Full roof | Premium half doors Full skid plate Mudguards XT front bumper Full roof Special Edition seats |
| | Hitch Type | | 2 in. hitch receiver | |
| | | | | |

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH.
*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.

ACCESSORIES COMMANDER

Image for visual purposes only. Package shown not avaliable in region.

ROOFS

| | | Commander, Maverick Trail, Maverick Sport | 715007271 |
|--|---|---|--|
| Sport Roof | | Commander MAX, Maverick Sport MAX | 715007272 |
| | Excellent protection from th Allows installation of lights o Compatible with all windshi | on top of the roof. | |
| roVent Roof Module Kit | | Commander, Maverick Trail, Maverick Sport | 715005279 |
| | Filter and pre-filter to limit d Easy cleaning of filter and p Patent pending water mana Outer plug closes air intake Requires ProVent Roof Mod | ull cab enclosure. stment of air flow for driver and passenger. lust intrusion. | - |
| roVent Roof Module Adapter | Kit for Sport Roof | Commander, Maverick Trail, Maverick Sport | 715005213 |
| | Adapter for fitting ProVent R Includes roof adapter and h Requires ProVent Roof Mod | | Naverick Trail Sport Roof. |
| | | Commander, Maverick Trail, Maverick Sport [‡] | 715003661 |
| Bimini [†] Roof with Sun Visor | | Commander MAX, Maverick Sport MAX | 715004792 |
| | | UV-resistant solution-dyed polyester. visor that allows for storage of rolled-up soft top and n | nounting auxiliary lights. |
| | ‡Not compatible with Glass Wind | shield with wiper. | |
| | | Commander, Maverick Trail, Maverick Sport [‡] | 715005137 · Black 715003831 · Can-Am Rec |
| Lonestar Racing [†] Aluminum Roof | | Commander MAX, Maverick Sport MAX | 715004892 · Can-Am Rec |
| • 0.083" (2.1 mm) thick alumi • Compatible with Lonestar F | | vith integrated front visor for eye-popping performance num roof for durable and lightweight protection from t Racing Mounts for 39" (99 cm) Double Stacked LED Lig Indshields, Rigid Rear Window, Can-Am Intrusion Bars | he elements. ght Bar (715004877). |

SOFT CAB ENCLOSURE

| Soft Cab Enclosure | | Maverick Trail | 715003618 | | | |
|--------------------|--|---|------------------------|--|--|--|
| | Includes: | | | | | |
| | - Sport Roof | | | | | |
| Academ | - Full Windshield – Hardcoa | ted | | | | |
| | - Upper Soft Door Panels | | | | | |
| | - Soft Rear Panel | | | | | |
| | - Door Seal Kit | | | | | |
| | Requires Half Doors on 80 and 800 DPS models | 0 Base | | | | |
| | - Not compatible with Sport | t Half Doors | | | | |
| Soft Cab Enclosure | | Commander, Maverick Trail, Maverick Sport (except X mr models) | 715004724 | | | |
| | | | | | | |
| | | verick Trail equipped with the Sport Half Doors or on N | Maverick Sport models. | | | |
| | Includes: | | | | | |
| | - Sport Roof | | | | | |
| | - Full Windshield – Hardcoated | | | | | |
| - | - Upper Soft Door Panels - Soft Rear Panel | | | | | |
| - | - Son Rear Parler | | | | | |
| | | Commander MAX, Maverick Sport MAX | | | | |
| Soft Cab Enclosure | | (except X mr models) | 715004725 | | | |
| | Includes: | | | | | |
| | - Sport Roof | | | | | |
| | - Full Windshield – Hardcoated | | | | | |
| | - Upper Soft Door Panels | | | | | |

- Soft Rear Panel

WINDSHIELDS & WIND PROTECTION

| Windshields | | | | |
|-----------------------------|---|--|--|--------------------------|
| Glass Windshield | | Commander, Commander M Maverick Trail, Maverick Spo | | 715003653 |
| | Curved and laminated glass Provides excellent optical cla Seals firmly against the cage Must be used with a rear with Not EC compliant. | arity. e and protects rider and passe | | |
| Glass Windshield with Wiper | | Commander, Commander M Maverick Trail, Maverick Spo | | 715003652 |
| | Curved and laminated glass frame. Provides excellent optical class Seals firmly against the cage passenger from the element | arity. e and protects rider and | Single-speed wiper with wa Requires the Overhead Swit installation. Must be used with rear wind Not EC compliant. | ch Panel (715003669) for |

| Windshield Wiper and Wash | er Kit | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003654 |
|---------------------------|---|--|-----------|
| | | indshield clear in rain, or while riding through mud and water. r, washer fluid dispenser and windshield frame mount. | |
| B | Must be used with the Glass | | |
| | Requires Overhead Switch F | Panel (715003669) for installation. | |
| | Not EC compliant. | | |
| | Not compatible with ABS eq | uipped vehicles. | |

| Half Windshield | | Commander, Commander N Maverick Trail, Maverick Spo | IAX, ort, Maverick Sport MAX | ☐ 715003657 · Clear 715005280 · Tinted |
|------------------------------|---|---|--|---|
| | Formed polycarbonate cons Formulated to be non-yellov Protects driver and passeng Features reverse angle lip to Quick and easy tool-less ins | ving, non-crazing, non-crackin ler from the elements. o deflect air flow. | /. ng with excellent UV resistance a | nd optical clarity. |
| Full Windshield | | Commander, Commander M Maverick Trail, Maverick Spo | IAX, ort, Maverick Sport MAX | 715003655 |
| | High-impact-resistant durable Formed polycarbonate conservation Formulated to be non-yellow Seals firmly against the cage Must be used with rear wind Quick and easy tool-less inservation | truction for enhanced rigidity ving, non-crazing, non-cracking and protects rider and pass d protection. | <i>ı.</i> ng with excellent UV resistance a | nd optical clarity. |
| Full Windshield - Hardcoated | | Commander, Commander M Maverick Trail, Maverick Spo | IAX, ort, Maverick Sport MAX | 715003656 |
| | High-impact-resistant Quan Formed polycarbonate cons Provides excellent optical cl Seals firmly against the cage Must be used with rear wind Quick and easy tool-less ins | struction for enhanced rigidity arity and better abrasion resi e and protects rider and pass d protection. | <i>ı.</i> stance. | |
| ProVent Windshield | | Commander, Commander N Maverick Trail, Maverick Spo | IAX, ort, Maverick Sport MAX | 715005210 |
| | High-impact-resistant Quan polycarbonate full windshie Controllable vents to manage Channels air into the cabin, fully closes to eliminate air f One upper vent and one low Must be used with rear wind | ld. e air flow. defogs windshield, low. rer vent with pre-filters. | Provides excellent optical cl abrasion resistance. Protects driver and passeng Quick and easy tool-less ins Not compatible with wiper l 6 Ultra HD Can-Am Edition 1 Not compatible with the Defree | er from the elements. tallation or removal. tits and Wet Sounds Stealth |
| PowerFlip Windshield | | Commander, Commander N Maverick Trail, Maverick Spo | IAX, ort, Maverick Sport MAX | 715003658 |
| | opening at the touch of a bu • Windshield is made of hardo • Allows you to quickly adapt • Can be fully opened for opti | itton. coated polycarbonate with a r to changing conditions by ad mal visibility and ventilation, f n infinite number of openings | ders that allow the rider to adjust ubber seal contour and a tinted t justing the windshield as you go. ully closed for maximum protecti | op section. |

| Side Wind Deflectors | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715008632 |
|---------------------------|--|---|-----------------------|
| | Can be adjusted at three dif | educe fog. elds. | is installed: |
| Rear Polycarbonate Window | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models) | 715006113 |
| | Sport Roof is required for in | t or dust and rain from entering for added cabin comfort. | Racing Aluminum Roof. |
| Rear Wind Screen | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models) | 715003664 |
| Carrow ; | Full rear mesh screen reduct Installs quickly and easily or Large Can-Am branding. | ces windshield backdraft for added cabin comfort. n roll cage. | |
| Soft Rear Panel | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models) | 715005887 |
| | | her-resistant rear panel offers good protection from the elements stant solution-dyed polyester canvas for excellent resistance to nated polished vinyl material. | |

DOORS

| Trail Half Doors | | Maverick Trail | | 715004418 | |
|------------------------------------|--|--|------------------------------|---|--|
| | Steel frame for high level of A must-have for additional o Keep the vehicle narrow in t | cabin comfort. tight trail riding conditions. nplete your door kit (sold separately). | ıg. | | |
| | | | Can-Am Red | Left 705012419 705015607 | Right 705012420 705015613 |
| Door Trim | | Maverick Trail | Octane Blue | 705016447 | 705016449 |
| | Matching coloured panel for Required to complete the Transmission | r Trail Half Doors. rail Half Doors (sold separately). | | | |
| Sport Half Doors | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maveri | ick Sport MAX | 715006217 | |
| | A must-have for additional o Features rounded shape to Standard on all Commande Can be installed on Maverio | increase cabin space. | - | | |
| Door Trim | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | Can-Am Red Timeless Black | Left 705015464 705015608 705016448 | Right 705015465 705015615 705016450 |
| | Matching coloured panel fo Required to complete the S Sold in pairs. | | | | 100010450 |
| | | Commander, Maverick Trail†, Maverick | Sport | 715004718 | |
| Upper Soft Door Panels | | Commander MAX, Maverick Sport MA | • • | 715004718 | |
| | Seals firmly against the cag Converts half door into full of Zippered window made of latentiation of the comparison of the comparison of the compatible with Trail Half Difference of t | allation. | ded ventilation. | <u>.</u> | |
| Upper Soft Door Panels | ‡Includes Upper Soft Door Panel: | s for front and rear doors. | | | |
| (Not illustrated) | • | Averick Trail rail Half Doors or with the standard hal Half Doors or with the standard half doo allation. | | | |
| Door Seal Kit (Not illustrated) | | Maverick Trail | | 715004773 | |
| | Included in the Soft Cab En Not compatible with Sport I | | | · | |


| Door Knee Pads with Storage | Maverick Trail | 715003635 | | |
|--|--|-----------|--|--|
| Protect d Increase Require T Offer stor Sold in particular | Padded door cushion with integrated pocket for storage. Protect driver and passenger legs from direct contact with the doors while riding. Increase cabin comfort. Require Trail Half Door on 800 Base and 800 DPS models (715004418). Offer storage space for small items. Sold in pairs. Not compatible with Sport Half Doors. | | | |
| Door Storage with Padding | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004914 | | |
| Holds you | esistant door storage bags with integrated padding. gear safely and securely and also protects driver and passenger legs from direct is designed as a 0.5 gal (2 L) capacity pocket also equipped with inner nett | | | |

- Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
- Easy to install.
- Sold in pairs.
- Bags attach on stock doors of the Maverick Sport or on the Maverick Trail equiped with the Sport Half Doors (715006217).
- Not compatible with stock doors on the Maverick Trail or the Trail Half Doors.

| M | IRRORS |
|---|--------|
| | |

| Side Mirrors | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003639 |
|---------------------------|---|--|-----------------|
| FC | , | | |
| Panoramic Center Mirror | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003638 |
| | Wide-angle convex mirror. Offers enhanced visibility. Can be used with or without | It roof or windshield and with cab enclosure. | |
| Sport Panoramic Center Mi | rror | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004924 |
| | Convex mirror for wide rear Ball-joint design with tighte Can be used with or withou Not for road use. | ning knob for steady multi-angle adjustment. | |
| Rear View Mirror and Came | ra Monitor | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004905 |
| | • | be seen with the rear view camera, to see what you need. w mirror (screen is integrated in the unit's replacement rea | r view mirror). |

COMMANDER



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

 Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

Lighter than aluminum.


High impact strength.

Ultra-sturdy ¾" (10 mm) thickness.

COMMANDER, COMMANDER MAX

| Offer your Commander the full protection kit or get parts individually | DPS & XT 700 | XT 1000, XT-P & X mr |
|---|----------------------------------|----------------------------------|
| HMWPE Skid Plate Protection Kit | | |
| Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate. | 715006349 (except MAX) | 715006350 (except MAX) |
| - HMWPE Rear A-Arm Protectors. - HMWPE Underbelly Plates. - HMWPE Central Skid Plate. | 715006351 (MAX Only) | 715007303 (MAX Only) |
| Individual HMWPE Skid Plates | | |
| 1 HMWPE Front Skid Plate | 715008279 | 715008279 |
| HMWPE Front A-Arm Protectors | 715008276 | 715008277 |
| HMWPE Underbelly Plates Keeps the rollover clearance. | 715006273 | 715006273 |
| HMWPE Rear Skid Plate | 715007302 | 715007302 |
| HMWPE Rear A-Arm Protectors | 715004271 | 715006341 |
| HMWPE Central Skid Plate Provides center protection for MAX models. | 715004272 (MAX Only) | 715004272 (MAX Only) |

MAVERICK TRAIL & MAVERICK SPORT



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

Superior stress crack resistance.

- High impact strength.
- Ultra-sturdy ¾" (10 mm) thickness.
- Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).
- Lighter than aluminum.

| | MAVERI | CK SPOR | 6 MAVE | RICK SPO | ORT MAX | MAVERICK TRAIL |
|---|--------------------------------|--------------|--------------------------------|-------------------|---------------------------------|------------------------------------|
| Offer your Maverick the full protection kit or get parts individually | 2019 Base & DPS | 2019 X mr | 2020 & Up Base & DPS | 2020 & Up X mr | Any Year X rc | |
| HMWPE Skid Plate Protect | ction Kit | | | | | |
| Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate. | 715006348 (except MAX) | - 715006353 | 715006349 (except MAX) | - 715006350 | _ | 715006346 (2019 & prior) |
| - HMWPE Rear A-Arm Protectors. - HMWPE Underbelly Plates. - HMWPE Central Skid Plate. | 715006352 (MAX Only) | | 715006351 (MAX Only) | | | 715006347 (2020 & up) |
| Individual HMWPE Skid P | lates | | | | | |
| 1 HMWPE Front Skid Plate | 715008279 | 715008279 | 715008279 | 715008279 | (Standard on X rc models) | 715008279 |
| HMWPE Front A-Arm Protectors | 715008276 | 715008277 | 715008276 | 715008277 | (Standard on X rc models) | 715008278 |
| (3) HMWPE Underbelly Plates Keeps the rollover clearance. | 715006339 | 715006339 | 715006273 | 715006273 | 715006339 (2019) | 715006339 (2019 & prior) |
| | /15006339 | /15006339 | /15006273 | /15006273 | 715006273 (2020 & up) | 715006273 (2020 & up) |
| (4) HMWPE Rear Skid Plate | 715007302 | 715007302 | 715007302 | 715007302 | 715007302 | 715007302 |
| (5) HMWPE Rear A-Arm Protectors | 715004271 | 715006341 | 715004271 | 715006341 | (Standard on X rc models) | 715003699 |
| HMWPE Central Skid Plate Provides center protection for MAX models. | 715004272 (MAX Only) | _ | 715004272 (MAX Only) | _ | _ | _ |
| | | | | | | |

BUMPERS & GUARDS

Commander Bumpers

| X mr Front Bumper | | Commander, Commander MAX | 715007248 · Black |
|-------------------------|---|---|---------------------------|
| | Inside and outside anti-corr Provides additional front bo | ate for winch relocation at a higher position for easier access i | n muddy conditions or for |
| Front Bumper | | Commander, Commander MAX | 715007631 |
| | Includes integrated mount p | eter steel tubing with durable powder-coat finish. points for seamless light installation. Ind steel rope winches and hawse fairlead. | |
| Front Corner Protectors | | Commander, Commander MAX | 715006807 |
| | Heavy-duty 1.5" (3.8 cm) dia Inside and outside anti-corr Provide additional protectio Requires stock XT, XT-P or X Sold in pairs. Not EC compliant. | osion coating with durable powder-coat finish. n for vehicle's front corners. | |
| Rear Bumpers | | Commander, Commander MAX | 715006808 |
| | Protect vehicle bodywork ar | osion coating with durable powder-coat finish. | |

Maverick Trail & Maverick Sport Bumpers

| Front Trail Bumper | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003680 · Black 715003681 · Sunburst Yellow |
|-------------------------|--|--|--|
| | Front bumper made of heavy-duty 1.5" (3.8 cm) diameter steel tubing. Completes the stock bumper for more front coverage and essential vehicle protection for trail riders. Inside and outside anti-corrosion coating with durable powder coat finish. Includes integrated mount points for seamless light installation. | | or trail riders. |
| Rear Trail Bumper | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007109 · Black |
| | Protects vehicle bodywork a | y-duty 1.5" (3.8 cm) diameter steel tubing. and exhaust system. osion coating with durable powder coat finish. | |
| Front Corner Protectors | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004912 · Black |
| | Heavy-duty 1.5" (3.8 cm) diameter steel tubing. Inside and outside anti-corrosion coating with durable powder coat finish. Provide additional protection for vehicle's front corners. Require Front Trail Bumper (715003680 / 715003681) for installation. Sold in pairs. | | |

| Rancher Front Bumper | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004303 |
|-----------------------------|---|---|---|
| | Inside and outside anti-con Offers full front coverage a | de of 1.5" (3.8 cm) diameter steel tubing, perfect for farm, ran rrosion coating with durable powder coat finish. Ind superior headlight protection. tor to allow light installation. | ch and forestry applications. |
| Rancher Rear Bumper | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004304 |
| | Inside and outside anti-cor | de of 1.5" (3.8 cm) diameter steel tubing, perfect for farm, ran rrosion coating with durable powder coat finish. ith integrated tail light protectors. | ch and forestry applications. |
| Lonestar Racing Front Bum | ber | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005131 · Black 715004871 · Can-Am Red |
| | these stylishly crafted account | 5 6 | |
| Lonestar Racing Rear Bumper | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004873 · Can-Am Red |
| | accessories will also enha • Made of 1.5" (3.8 cm) diam • Billet End Cap with Lonest | tar Racing's trademark standards for toughness, these stylis nce your vehicle with visual impact. Ieter steel tubing with durable powder coat finish. ar Racing logo. e-rear bodywork and exhaust system protection in extreme dr | |
| Lonestar Racing Number Pl | ate | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004878 |
| | Includes a pair of sturdy al | number decal through SCS Unlimited. | and your vehicle a winner. |
| DragonFire Front Bumper | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005128 · Black 715004456 · Can-Am Red |
| | 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish and reinforced with a 0.09" (2.3 mm) thick steel pla Delivers additional protection for your vehicle. Sleek lines designed to match your vehicle's body and greatly enhance the overall look. Combines perfectly with the DragonFire Front Exo-Frame. Billet End Caps with DragonFire Logo. Not compatible with the Front Receiver Hitch. Includes brackets for auxiliary light mounting. | | |
| DragonFire Rear Bumper | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004457 · Can-Am Red |
| | Delivers additional protect | atch your vehicle's body and greatly enhance the overall look. | · · · |

| S3 [†] Front Bumper | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005121 · Black 715004880 Sunburst Yellow |
|------------------------------|--|---|---|
| | Inside and outside anti-corr Replaces stock bumper and Integrated mount points for | 3.8 cm) diameter steel tubing. osion coating with durable powder coat finish. I adds superior protection for mud-riding enthusiasts. lights. s you to keep the winch hook within easy reach when riding i | in deep mud. |

| 3 [†] Rear Bumper | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005122 · Black 715004881 • Sunburst Yellow |
|----------------------------|--|--|---|
| | Made of extra durable | 1.5" (3.8 cm) diameter steel. | |
| | Inside and outside ant | i-corrosion coating with durable powder coat finish. | |
| | Added heavy-duty prot | tection in extreme driving conditions—protects vehicle bodywor | rk and exhaust system. |
| | Permits installation of | a winch at a higher location to improve accessibility in mud-ridir | ng conditions. |
| | Engineered to sustain | heavy winch loads without damaging the vehicle's frame. | |
| | Compatible with Can-A is required to install a | Am HD and WARN VRX winches—Rear Winch Harness (715006 winch on the bumper. | 008) |
| | Includes a License Pla | ite Support Mount. | |
| | Not EC compliant. | | |

- "S3 for Can-Am" branded.
- Winch not included.

| Rear Winch Harness (Not illustrated) | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715006008 |
|---|--|-----------|
| | | |

| | Roc | k Sl | iders |
|--|-----|------|-------|
|--|-----|------|-------|

| Rock Sliders | | Commander, Maverick Trail, Maverick Sport (except X rc) Commander MAX, Maverick Sport MAX | _ 715003689 · Black 715004754 · Black |
|--------------|--|--|---|
| | Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing. | | |
| | Inside and outside anti-corrosion coating with durable powder coat finish. | | |
| | | | |

- Protect vehicle's rocker panels and undercarriage against large obstacles.
- Sold in pairs.

| Lonestar Racing Rock Slider | 3 | Commander, Maverick Trail, Maverick Sport (except X rc) Commander MAX, Maverick Sport MAX | 715005135 · Black 715004875 · Can-Am Red 715004893 · Can-Am Red |
|-----------------------------|--|--|---|
| | | tar Racing's trademark standards for toughness, essories will also enhance your vehicle with visual impact. | |
| | Made of 1.5" (3.8 cm) diam with 1/s" (3 mm) aluminum | neter steel tubing with durable powder coat finish filled plate. | |
| | Billet end-cap with Lonest | ar Racing logo. | |
| | Protect vehicle sides from large obstacles. | | |
| R. 25 | Sold in pairs. | | |

Sold in pairs.

| Intrusion Bars | | | |
|-------------------------------|--|--|---|
| Front Intrusion Bar | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003872 |
| | Inside and outside anti-corr Provides additional protection | perfectly with vehicle's styling. osion coating with durable powder coat finish. on by preventing large objects from entering the driver/passer icted lines of sight and blind spots for better visibility. hields and Soft Door Panels. | nger area. |
| DragonFire Spare Tyre Holder | | Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models) | 715005125 · Black |
| | Sleek lines designed to mat Easy-to-install roll cage mou Accommodates tyres up to Uses standard bolt pattern f | 28" in diameter (wheel not included). | ed in the cargo bed. |
| onestar Racing Front Intrusio | on Bar | Maverick Trail, Maverick Sport, Maverick Sport MAX (2020 and prior) | 715004872 · Can-Am Red |
| | enhance your vehicle with v • Made of 1.5" (3.8 cm) diame • Provides additional protecti • Compatible with Lonestar R | ter steel tubing with durable powder coat finish. on for driver and passenger. | crafted accessories will also |
| onestar Racing Rear Intrusio | n Bar | Maverick Trail, Maverick Sport | 715005134 · Black 715004874 · Can-Am Red |
| | enhance your vehicle with v • Made of 1.5" (3.8 cm) diame • Provides additional protection | eter steel tubing with durable powder coat finish. on for driver and passenger. ort Roof, rear panels and windows, All-Terrain Trunk Cover. odels or with the Snorkel Kit. | crafted accessories will also |
| Lonestar Racing Spare Tyre H | older | Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr) | 715005136 · Black 715004876 · Can-Am Red |
| h | | , ho believe a Plan B means thinking like a pro. | |

- Holds wheel securely no matter how rough the trail.
- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Easy, bolt-on installation on roll cage.
- Can accommodate tyres up to 27" (wheel not included).
- Not compatible with All-Terrain Trunk Cover, Fixed Tailgate, LinQ Cargo Rack and LinQ Rack Extension.
- Not compatible with Snorkel Kit.

| Fender Flares | | | |
|------------------------------|--|--|-----------------|
| Fender Flares | | Commander, Commander MAX | 715006814 |
| | | vehicle. | der MAX models. |
| 2" (51 mm) Fender Flares | | Maverick Trail | 715004958 |
| | Keep mud and debris out of Designed for quick and easy | r installation. sions, mounting hardware and Fender Flare Rear Extensions (| 715004404). |
| Fender Flare Rear Extensions | | Maverick Trail | 715004404 |
| | (715003625). • Made from injection-molded • Sold in pairs. | n debris and mud to remain visible. Can be installed with 2" (51 d polypropylene for best fit and finish. n) Fender Flares (715004958) and with the Fender Flare Exten | |
| 3" (76 mm) Fender Flares | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004959 |
| | Fender flares made from injection-molded polypropylene. Keep mud and debris out of vehicle. Designed for quick and easy installation. Include front and rear extensions and mounting hardware. Increase vehicle's overall width by 6" (15.3 cm) when installed on Maverick Trail models. Standard on Maverick Sport models. | | |
| Fender Flare Rear Extensions | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004462 |
| | Flare Extensions, which also when riding with track kits. • Made from injection-molded • Not compatible with 2" (51 r • Include front and rear extension | sions. used with 3" (76 mm) Fender Flares (715004959). | |

| Others | | | | |
|-----------------------|---|---|-----------------|--|
| License Plate Holder | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007006 | |
| | Supports your license plate on the Rear Trail Bumper. Plate lights can be relocated on bumper to light up license plate. Require Rear Trail Bumper (715007109) for installation. EC compliant. | | | |
| Tail Light Protectors | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003692 | |
| | Anti-corrosion coating with durable powder coat finish. Rugged style, aggressive look. Sold in pairs. Not EC compliant. | | | |
| Radiator Protector | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003700 | |
| | Perforated steel shield mou Not recommended for winter | nted over the radiator face, providing protection from stone er use. | s and branches. | |

SEAT ACCESSORIES

| 4-Point Harness | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715008035 · Driver 715008036 · Passenger |
|-------------------------|--|--|---|
| H | Designed to offer maximur Easy one-click latch and rel Not EC compliant. ROHVA compliant. | rator technology (patent pending) absorbs additional energ n riding comfort. | gy in case of accident. |
| 4-Point Harness Bar | | Commander MAX, Maverick Sport MAX | 715004847 |
| | 1.5" (3.8 cm) diameter, thick Designed for use with Can- Not EC compliant. | 5 | |
| Seat Belt Shoulder Pads | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715002894 |
| | | mfort by preventing seat belt from rubbing on neck and sho belts and 4 point harness. Dassenger. | bulder. |

LINQ: EASY ON, EASY OFF CARGO

COMMANDER'S LINQ ACCESSORIES

Mounting location and requirements • No tools needed: Quickly install and remove accessories by hand. Vehicle LinQ Cargo Rack Adventure Roof Rack Deluxe Headache Rack Rear Adventure Rack Passenger · Equip your Can-Am for specialized tasks in no time. Standard Seat Base Cargo Box 715006815 715004095 715006823 715006809 - Sturdy mounting system that holds up to the roughest terrain. · LinQ anchors mounted 16 inches apart, center-to-center. **LinQ Accessories** Lower loading capacity than the LinQ with 36" base accessories. Can be used on Can-Am ATV and SSV vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles. with 16" Base LinQ 4.2 Gal Cooler LinQ Base LinQ Base LinQ Base Installation Kit Installation Kit Installation Kit 295100698 • Gray 219400964 • Black 715008125 715008125 715008125 LinQ Tool Kit No further No further No further requirements requirements requirements 715006829 LinQ Tool Box 715008111 LinQ Base Installation Kit LinQ Base Installation Kit LinQ Base LinQ SR 5.5 Gal (21 L) Bag LinQ Base Installation Kit LinQ Base Installation Kit Passenger Seat LinQ Anchor Kit Installation Kit 860202449 715008125 715008125 715008125 715008125 715003951 715008125 LinQ 4.5 Gal (17 L) Sport Bag 860202447 LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) No further No further No further requirements requirements requirements 715006830 • (30 L) LinQ Base LinQ Base LinQ Base LinQ Roll-Top Bag Installation Kit Installation Kit Installation Kit 715008110 715008125 715008125 715008125 Mount on LinQ racks often used by Can-Am ORV vehicles. **LinQ Accessories** Higher loading capacity than the Ling with 16" base accessories. Usage is limited to Can-Am ORV vehicles. with 36" Base LinQ 12 Gal (45 L) Cargo Box 715003879 No further requirements LinQ 23 Gal (86 L) Trunk Box 715004923 **LinQ Audio Box** No compatibility 715003018 LinQ Cooler 715004778 • Black No compatibility No compatibility No compatibility No compatibility No compatibility

| | No further requirements | | | | |
|--------------|----------------------------|----------------------------|---|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| No further | No further | Side wall installation | Side wall installation | Side wall installation | Passenger Seat LinQ Anchor Kit |
| requirements | requirements | LinQ Adapters 715003058 | LinQ Adapters 715003058 | LinQ Adapters 715003058 | 715003951 |
| | No further | No further No further | No further requirements No further requirements No further requirements LinQ Adapters | No further requirements No further requirements No further requirements No further requirements | No further requirements No further requirements No further requirements No further requirements No further requirements |

MAVERICK'S LINQ ACCESSORIES

Mounting location and requirements

| | | wioantii | ig looution | i unu ioqu | | | |
|--|---|--|---|--|---|---|--|
| No tools needed: Quickly install and remove accessories by hand. Equip your Can-Am for specialized tasks in no time. Sturdy mounting system that holds up to the roughest terrain. | Vehicle Standard Cargo Box | LinQ Cargo Rack 715003702 | Adventure Roof Rack 715004095 | LinQ Pivoting Rack 715008297 | All-Terrain Trunk Cover 715003701 | Passenger Seat Base | |
| LinQ Accessories with 16" Base | Lower loading Can be used or | nounted 16 inches capacity than the I n Can-Am ATV and craft and Ski-Doos | _inQ with 36" base SSV vehicles, Car | e accessories. | Ryker vehicles, | | |
| LinQ 4.2 Gal Cooler 295100698 • Gray 219400964 • Black | LinQ Base Installation Kit 715008125 | No compatibility | LinQ Base Installation Kit 715008125 | LinQ Anchor Adapter Kit 715004960 | LinQ Base Installation Kit 715008125 | Passenger Seat LinQ Anchor Kit 715003951 | |
| LinQ Tool Kit 715006829 | No further requirements | No further requirements | No further requirements | No further requirements | No further requirements | No further requirements | |
| LinQ Tool Box 715008111 | | | | | | | |
| LinQ SR 5.5 Gal (21 L) Bag 860202449 | LinQ Base Installation Kit 715008125 | No compatibility | LinQ Base Installation Kit 715008125 | LinQ Anchor Adapter Kit 715004960 | LinQ Base Installation Kit 715008125 | Passenger Seat LinQ Anchor Kit 715003951 | |
| LinQ 4.5 Gal (17 L) Sport Bag 860202447 | | | | | | | |
| LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L) | No further requirements | No further requirements | No further requirements | No further requirements | No further requirements | No further requirements | |
| LinQ Roll-Top Bag 715008110 | LinQ Base Installation Kit 715008125 | No compatibility | LinQ Base Installation Kit 715008125 | LinQ Anchor Adapter Kit 715004960 | LinQ Base Installation Kit 715008125 | Passenger Seat LinQ Anchor Kit 715003951 | |
| LinQ Accessories with 36" Base | Higher loading | racks often used I capacity than the d to Can-Am ORV | LinQ with 16" base | | | | |
| LinQ 12 Gal (45 L) Cargo Box 715003879 | | No further | | | | | |
| LinQ 23 Gal (86 L) Trunk Box 715004923 | | | requirements | | | | |
| LinQ 32 Gal (121 L) Trunk Box 715001747 | | No compatibility | | No further requirements | No compatibility | No compatibility | |
| LinQ Audio Box 715003018 | | No further requirements | | | | | |
| LinQ Cooler 715004778 • Black 715004698 • Gray | No compatibility | No compatibility | No compatibility | | | | |
| LinQ OGIO Bag 715002923 • Black | _ | | | | | | |
| LinQ Heavy Duty Basket 715001215 | | No further requirements | | | | | |
| LinQ Low Profile Basket 715004282 | | | | | | | |
| LinQ Holders | | | | | | | |
| LinQ Gear Grips 715005340 | No further requirements | No compatibility | Side wall installation | No further | LinQ Base Installation Kit | Nofurther | |
| LinQ Tool Holder 715007358 | (when installed on side walls) | . To compatibility | LinQ Adapters 715003058 | requirements | 715008125 | requirements | |
| | | | | | - | | |


LinQ Accessories with 16" base

| | | Commander, Commander M. | | 715005494 · (10 L) 715007112 · (20 L) |
|-----------------------------|---|--|---|---|
| LinQ Modular Box | Allows stacking of other mo Always have the right box s Can be installed on any Lin See table for installation loop | Q base with a 16" width. | · · | 715006830 · (30 L) |
| Thermal Insert for LinQ Moc | lular Box (10 L) | Commander, Commander M. Maverick Trail, Maverick Spo | | 219401110 |
| | Insulated liner. Fits very well in the LinQ M Can contain five 473 ml car | | | |
| LinQ Tool Box | | Commander, Commander M. Maverick Trail, Maverick Spo | AX, rt, Maverick Sport MAX | 715008111 |
| | High precision injected HD 5 gal (19 L) maximum capar Weather-resistant, sealed a Easy one-second on/off too All the benefits of LinQ—sir See table for installation loop | nd lockable cover. bl-less system. mple, fast and secure. | ity and durability. | |
| LinQ Tool Kit | | Commander, Commander M. Maverick Trail, Maverick Spo | AX, rt, Maverick Sport MAX | 715006829 |
| | Includes: Cutter pliers Long-nose pliers Locking pliers Ratchet wrench 3^k" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) | Long-socket 19 mm %" drive - 6pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive | - Socket 8 mm %" drive - Combined wrench 19 mm - Combined wrench 18 mm - Combined wrench 15 mm - Combined wrench 13 mm - Combined wrench 10 mm - Combined wrench 8 mm - Socket Torx T40 %" drive | Socket Torx T30 % " drive Socket Torx T20 % " drive Breaker bar % " drive See table for installation location and requirements |
| LinQ 4.2 Gal (16 L) Cooler | | Commander, Commander M. Maverick Trail, Maverick Spo | | 219400964 · Black 295100698 · Gray |

• All the benefits of LinQ—simple, fast and secure.

- Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
 - Easy one-second on/off tool-less system.
 - See table for installation location and requirements.

| LinQ 4.5 Gal (17 L) Sport Bag | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 860202447 |
|-------------------------------|----------------------------------|---|-----------|
| | • 17-liter (4.5 US gallon, 1,037 | cu. in.) capacity. | |
| Rigid bottom, semi-rig | | | |
| | | | |



| SR 5.5 Gal (21 L) LinQ Bag | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 860202449 |
|-------------------------------|--|---|--------------------------|
| | All the benefits of LinQ—sir Semi-rigid expandable bag. 5.5 gal (21 L) capacity. Utilizes LinQ mounting syste Easy one-second on/off too See table for installation loc | em (Patent US 8777531 and US 8875830). I-less system. | |
| LinQ Roll-Top Bag | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715008110 |
| | LinQ mounted using heavy- High capacity storage soluti Bottom foam liner for additional structure | ion (40 L). onal equipment protection. ransportation on/off the vehicle. | |
| LinQ Accessories wit | h 36" base | | |
| LinQ Premium Storage Bag by | / OGIO | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715002923 · Black |
| | 17.2 gal (65 L) capacity sem | al bag organization. | r vehicle. |
| LinQ 12 Gal (45 L) Cargo Box | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003879 |
| | LinQ mounted for easy-on, e Holds cargo safely and secu See table for installation loc | urely while riding. | |
| LinQ 23 Gal (86 L) Trunk Box | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004923 |
| | LinQ mounted for easy-on, e Holds cargo safely and secu See table for installation loc | urely while riding. | |
| LinQ 11.5 Gal (43 L) Audio Ca | rgo Box | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003018 |
| | The rear installation does not a more than the second does not a more than the second | eiver and 6.5" (16.5 cm) speakers are smartly concealed and i protects your battery by turning the system off after 10 minut | integrated in the cover. |

| LinQ 8 Gal (30 L) Cooler Box | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | ■ 715004778 · Black ■ 715004698 · Gray |
|--|---|--|--|
| | | provides exceptional rigidity and durability. lation for optimal ice retention. compartment protects food. o the cover tightly closed. | |
| | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715001747 · Black (Rear tail light included) |
| Linq 32 Gal (121 L) Trunk Bo | x | European Version (EC compliant) | 715001748 · (No rear tail light) |
| | 32 gal (121 L) load capacity Made of injection-molded p The fully sealed lid protects | tem, the rear trunk box plugs in and out in seconds. with unobstructed space to maximize storage room and ac objecthylene, double walled in critical areas. your belongings from dust, moisture and the elements. in many colours to match your vehicle (sold separately). eation and requirements. | ccess to the trunk's interior. |
| LinQ 32 Gal (121 L) Trunk Bo | x Panels | Maverick Trail, Maverick Sport, Maverick Sport MAX | |
| | Colour panels to match the | LinQ 32 gal (121 L) to your vehicle (715001747 / 715001748 | 3). |
| 715001391 · Black 715001392 · Yellow 715001395 · Viper Red 715002481 · White 715002480 · Light Gray 715002984 · Octane Blue | 715002985 · Manta Green 715002986 · Can-Am Red 715006119 · Orange Crush 715006120 · Squadron Green 715007074 · Tundra Green | European Version (EC compliant) 715006121 · Ca No rear tail light 715006122 · Ma 715001397 · Black 715006123 · Or 715001398 · Yellow 715006124 · Vip 715002483 · White 715006124 · Vip | anta Green ange Crush |
| LinQ Heavy-Duty Basket | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715001215 |
| | Made of high-strength, low- LinQ mount for easy-on, eas See table for installation loc | sy-off installation. | |
| LinQ Low Profile Basket | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004282 |
| | Low profile, open basket inc Perfect for easy access to to Multiple bungee cord and ti Made of impact-resistant in See table for installation loc | bols, rope, winch and plow accessories. ie-down anchor points. jected polypropylene. | |
| LinQ Holders | | 1 | |
| LinQ Tool Holder | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007358 |
| | Ultra-versatile tool holder. Convenient swivel-latch allo Sold in pairs. See table for installation loc | ows tools to be stored in any orientation. | |
| LinQ Gear Grips | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005340 |
| YY | Heavy-duty design for carry Quick-release button opens Heavy-duty base system bu | rovide a custom fit for a variety of items from 1" to 4" (2.5 cn ing bows, fishing poles, rakes, farm tools and more. grip quickly for easy access to gear. If for the toughest adventures. Is a snap by combining the Gear Grips with the LinQ System d requirements. | |

| LinQ Adapter (Not illustrated) | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003058 |
|-----------------------------------|---|---|--------------------|
| | Sold in pack of 4. | | ļ. |
| LinQ Base Installation Kit | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715008125 |
| 80 | Unique mounting fastene Included: 2 Cargo LinQ b | er usable on any LinQ System accessory. pases and hardware. | |
| LinQ Lock | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 860201968 |
| | Simple way to securely lo | ock most LinQ accessories. | |
| | Lock cover protects lock Corrosion resistant. Pack of 1, includes 2 keys | r from the elements. s. Q 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and | |
| LinQ Replacement Part | Lock cover protects lock Corrosion resistant. Pack of 1, includes 2 keys Not compatible with LinC | from the elements. s. Q 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and Maverick Trail, Maverick Sport, Maverick Sport MAX er usable on any LinQ System accessory. | I LinQ Gear Grips. |
| | Lock cover protects lock Corrosion resistant. Pack of 1, includes 2 keys Not compatible with Linc Unique mounting fastene Tool-less installation and | from the elements. s. Q 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and Maverick Trail, Maverick Sport, Maverick Sport MAX er usable on any LinQ System accessory. | |
| LinQ Replacement Part | Lock cover protects lock Corrosion resistant. Pack of 1, includes 2 keys Not compatible with Linc Unique mounting fastene Tool-less installation and Sold in pairs. | from the elements. s. Q 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and Maverick Trail, Maverick Sport, Maverick Sport MAX er usable on any LinQ System accessory. I removal. Maverick Trail, Maverick Sport, Maverick Sport MAX LinQ accessories with 16" base on LinQ racks. removal. | 715001707 |

Passenger seat cushion can be reinstalled over the LinQ base kit when not in use.

CARGO & STORAGE

| Cargo | | | | |
|-------------------------------|---|---|--|-----------|
| LinQ Cargo Rack | | Commander, Commander MAX | (| 715006815 |
| ATTA | Strong, durable steel rack % Easy and tool-less installatio Allows the installation of Lin Allows multi-level storage or Helps keep cargo securely in Multiple bungee cord and tip | n with LinQ system. Q accessories. n cargo bed. n place. | Kit includes LinQ Base 36". 15" clearance under the rac Not compatible with 715006 | Ũ |
| Integrated Tailgate Extension | | Commander, Commander MAX | K | 715006810 |
| | Integrated design that lets th Steel construction for rugge Not EC compliant. | ne extension fold away inside th d durability. | e tailgate when not needed. | |

| Tonneau Cover | | Commander, Commander MAX | 715006816 |
|--------------------------------------|--|--|-----------------------|
| | Fitted to cover all of the iter Prevents splash from enteri Rolls up to the front. Easily removable for quick a Not compatible with access | ing the cargo box. | |
| II-Terrain Trunk Cover | | Maverick Trail, Maverick Sport (except X mr), Maverick Sport MAX | 715003701 |
| | Gas spring assisted openin Integrated mounting location Rotomolded construction p LinQ accessories can be in | on inside the trunk cover for Dome Light (715002455) (sold | |
| ixed Tailgate | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004357 |
| | Rigid rotomolded construct Encloses perfectly the rear Matches the vehicle's stylin | cargo opening and helps keep cargo securely in place. | |
| Storage torage 2.6 Gal (10 L) Bag | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 269502121 |
| Co | Roll-Top dry bag for fully pro | tecting your cargo from the elements. | |
| oft Storage Bag | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003759 |
| | 11.8 gal (45 L) capacity soft 3-section bag. Transport gear in a weather | rproof bag. | re potential storage. |
| Overhead Storage Bags | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005018 |
| | Include 2 overhead soft bag 2.4 gal (9 L) total capacity. Bimini Roof with sun visor of | d your gear safely and securely while riding. gs mounted on a tubular frame that sits between cage and or Sport Roof needed for installation. mplete Wet Sounds Audio System. | roof. |
| Shoulder Storage Bag | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005019 |
| BYAN | | d bag holds your gear safely and securely while riding. ace between the seats to increase your vehicle's cargo cap | acity. |

Removable Central Storage Bag

Commander MAX, Maverick Sport MAX

715004794

715003728

- Weather-resistant bag holds your gear safely and securely while riding.
- Both front and rear passengers can access the bag's content.
 - Designed as a 1.3 gal (5.2 L) capacity pocket, also equipped with inner netting compartments and side pockets.

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

- Can be removed in seconds and includes shoulder strap for transportation.
- Perfect to bring your gear on and off your vehicle.

Soft Cooler

- Soft cooler made of durable canvas.
- Removable shoulder strap and carry handles.
- Foam insulation and water-resistant interior liner.
- 2.2 gal (4.5 L) capacity.

RACKS & HOLDERS

| Adventure Roof Rack | | Commander MAX, Maverick S | Sport MAX | 715004095 |
|--------------------------|---|---|---|---|
| | Ideal cargo solution for packlive your off-road experience Built with heavy-duty 1.5" (3 diameter steel tubing. Loads of up to 75 lb (34 kg). LinQ support plates allow for with 16" base. | e fully and completely. .8 cm) and 1.25" (3.2 cm) | Integrated mounting points (99 cm) Double Stacked LEI Features anchor points for s Spare Tyre Tie-Downs sold s Add the Cargo Box Net to se in the rack. Can be installed without a re | D Bar (front). spare tyre attachment. separately. scure and confine your cargo |
| Rear Adventure Rack | | Commander, Commander MA | x | 715006809 |
| | Made of heavy-duty steel. Increases the cargo versatil Allows a Commander 2-up t Bimini Roof on top to protect | o fit a MAX Sport Roof or | Allows a Commander 2-up t MAX Adventure Roof Rack t Not compatible with other b | o increase cargo capacity. |
| | | Commander | | 715006818 |
| Adventure Rack Enclosure | | Commander MAX | | 715008246 |
| | Works with Rear Adventure Rear-panel zip-type window Covers all accessories moun Adventure Rack. Compatible only with Sport | rs with roll-down feature. nted inside of the Rear | Compatible with Track Kit an configuration. Track Kit and Pre-filter are n configuration. Not compatible with snorke | ot compatible with the SUV |
| Cargo Bed Rails | | Commander, Commander MA | x | 715006824 |
| Can-um | Add an integrated tie-down Added cargo box protection Inside and outside anti-correpowder-coat finish. | | Heavy-duty 1" (2.5 cm) diam Adds height to the bed side tie-down point. Sold in pairs. | |
| Deluxe Headache Rack | | Commander, Commander MA | X (except X mr models) | 715006823 |
| FA | Protects cab from cargo loa Compatible with cargo bed Not compatible with Snorke | rails. | | |

B

| LinQ Pivoting Rack | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715008297 | |
|--------------------------|--|---|--------------------------------|--|
| | Includes custom tie-down s Gas-cylinder pivot action, lo | ail (715003703), Lonestar Racing and DragonFire tyre carriend LinQ Cargo Rack. | ded). | |
| Front Rack | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004302 | |
| | Rugged looking front rack mounts on top of vehicle hood and provides additional protection and cargo capacity. Heavy-duty ¾" (1.9 cm) diameter steel-tube construction. 50 lb (22.7 kg) load capacity. Inside and outside anti-corrosion coating with durable powder coat finish. Flip-up configuration provides easy access to service area. Not compatible with DragonFire Front Exo-Frame. | | | |
| LinQ Rack Extension | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003771 | |
| | Helps to keep cargo securel | Made of strong and durable die-cast aluminum. Helps to keep cargo securely in place. Easy and tool-less installation thanks to the LinQ System. | | |
| LinQ Cargo Rack | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003702 | |
| am | Allows the installation of Lin | uminum and strong aluminum tubing frame. IQ Trunk Boxes on top and the addition of more LinQ access on thanks to the LinQ System. | sories in cargo box. | |
| Spare Tyre Carrier | | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004471 | |
| | Holds spare tyre in place. Designed for fast tyre removal. Can hold tyres up to 30" in diameter (tyre is not included). Rear bumper mounted, does not encumber the cargo area. Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing. Inside and outside anti-corrosion coating with durable powder coat finish. Requires Rear Trail Bumper (715007109) or Rear Rancher Bumper (715004304). | | | |
| Cargo Box Net | | Commander, Commander MAX, Maverick Sport MAX | 715001371 | |
| | Solid net designed to secure | e and ensure the compact confinement of your Adventure F | Roof Rack. | |
| LinQ Tool and Gun Holder | | Commander, Commander MAX | 715005466 | |
| | Include 5 locations to secur rubber grips and retention s mat with gunstock shaped r | ely hold tools and guns using traps at the top and a rubber • Can be attached on the in | nside of the cargo, behind the | |
| LinQ Gun Case | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004968 | |
| | Adapt to different weapon s LinQ-mounted for efficient a No mount required on Common | to store shotguns and rifles up to 52" (132 cm) even with op hapes and features with foam cushions that can be repositi and secure storage, locked in place with only a quarter turn. mander and Commander MAX. erick Trail, Maverick Sport and Maverick Sport MAX. | oned. | |

LinQ Gun Case Mounting Kit

Maverick Sport, Maverick Sport MAX, Maverick Trail

715006444



Required to install the Can-Am Gun Case on a Maverick Sport, Maverick Sport MAX and Maverick Trail.
Allows you to install up to two LinQ gun cases.

| Stronghold Gun Boot Impact [†] | by Kolpin [↑] | Maverick Trail, Maverick Sport | , Maverick Sport MAX | 705011442 |
|---|--|---|--|-------------------------------------|
| | Compact low-profile design styling securely holds up to shotguns with optics. Includes a removable, shock liner. | 52" (132 cm) long rifles and | Single-handed opening wit access along with an integ For use with the Kolpin Stro Mount System. | rated closure strap. |
| tronghold Auto-Latch Moun | t by Kolpin | Maverick Trail, Maverick Sport | , Maverick Sport MAX | 715003899 |
| - | Auto-latching design provid attachment to your vehicle. Bracket is made from rugge nylon and coated steel. | es quick and secure gun boot d high-impact, reinforced | For use with Stronghold Gu Requires Gear Rail (715003) | |
| aear Rail | | Maverick Trail, Maverick Sport | , Maverick Sport MAX | 715003703 |
| | Offers mounting points for t Can hold up to two gun boo | C-clamps attached on the roll c he Stronghold Auto-Latch Mou ts. n Boot 6.0 Impact by Kolpin (71 | nt or for the Universal Saw Pre | ss by Kolpin. |
| Iniversal Saw Press by Kolpir | ı | Maverick Trail, Maverick Sport | , Maverick Sport MAX | 715001423 |
| | Specially crafted for transpo and safely aboard your side Heavy-duty, black powder-c designed to attach any chai (51 cm) bar. Rubber pads provide cushic | oated metal bracket nsaw model with up to a 20" | Hinged design for quick real Holds saw in vertical positi direction. Requires Gear Rail (715003) Protective sheath included | on or 45° angle in either 3703). |
| pare Tyre Ratchet Tie-Down | S | Commander, Commander MA Maverick Trail, Maverick Sport | | 280000955 |
| T M T | 3-way ratcheting tie-down s Designed to securely hold s equipped with integrated sp Adjustable to accommodate sizes. | pare tyres on accessories pare tyre attachment points. | Ratchet and junction ring mains Required for spare tyre atta Rack and LinQ Pivoting Rack | |
| leavy-Duty Ratchet Tie-Dowr | ı | Commander, Commander MA Maverick Trail, Maverick Sport | | 715008308 |
| | 1,000 lb (454 kg) safe workir 1.5 in. x 6 in. (38 mm x 1.8 m Deluxe ratchet with rubber 1 Black-coated clip hooks. | m) strap with BRP brands. | • 12" (300 mm) webbing incl • Pack of two. | uded. |
| Bolt-On [†] Retractable Ratcheti | ng Tie-Downs | Commander, Commander MA Maverick Trail, Maverick Sport | X, , Maverick Sport MAX | 295101072 |
| | Perfect for transporting you or securing loads. Mounts easily: Bolts on any frame). 1" x 6' (2.5 cm x 1.8 m) tie-do | flat surface (e.g., truck bed or | mechanism tightens the st vehicle or load into place. | s away strap, while the ratche |
| nam | stitching that delivers a 500 strength and 1,500 lb (680 k | lb (226 kg) working load | | hatever surface it hooks into. |
| Ratchet Tie-Downs | | Commander, Commander MA Maverick Trail, Maverick Sport | X, , Maverick Sport MAX | 715008309 · Black/Gra |
| | 400 lb (181 kg) safe working 1" x 10' (2.5 cm x 3 m) strap Can-Am logos. Deluxe ratchet with rubber l | with Sea-Doo, Ski-Doo and | Coated S hooks.Pack of 2. | |

LIGHTS

| | | | | 2 Cho | ose you | r lights | | | | |
|--|--|--|--|--|---|---|---|--|--|--|
| 1 Choose | BA | JA DESIG | GNS: LIGH | TS | CAN-AM LIGHTS | | | | | |
| your mount point | 10" (25 cm) LED light bar | XL Sport LED lights (sold in pairs) | Squadron Sport LED lights (sold in pairs) | XL80 LED lights (sold in pairs) | 10" double stacked LED bar | 15" double stacked LED bar | 39" double stacked LED bar | 4" round LED lights (sold in pairs) | 3.5" spot or flood LED lights (sold in pairs | |
| point | Consul | t p. 147 informatio | on on Baja Design | s lights. | | Consult p. 148 | for information on | Can-Am lights. | | |
| XT & X mr Front Bumper (Stock on XT, XT-P and X mr) | 710006819 + 715007049 (Power Cable) | 710006821 + 715002884 (Power Cable) | 710006820 + 715002884 (Power Cable) | 710005041 + 715007049 (Power Cable) | 715002933 + 715003670 (Power Cable) | 715002934 + 715003670 (Power Cable) | NA | 715003665 71500366 | 5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + (Power Cable) | |
| Trail Bumper & Rancher Bumper | NA | 710006821 + 715002884 (Power Cable) | 710006820 + 715002884 (Power Cable) | 710005041 + 715007049 (Power Cable) | 715002933 + 715003670 (Power Cable) | NA | NA | 715003665 71500366 | 5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + (Power Cable) | |
| DragonFire Racing Front Bumper | NA | NA | NA | NA | 715002933 + 715003670 (Power Cable) | NA | NA | 715003665 71500366 | 5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + (Power Cable) | |
| Commander Front Bumper | 710006819 + 715007049 (Power Cable) | 710006821 + 715002884 (Power Cable) | 710006820 + 715002884 (Power Cable) | 710005041 + 715007049 (Power Cable) | NA | 715002934 + 715003670 (Power Cable) | NA | 715003665 71500366 | 5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + (Power Cable) | |
| Sport Roof & Bimini Roof | 710006819 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669 | 710006821 + 715002884 (Power Cable) *Optional Overhead Switch Panel 715003669 | 710006820 + 715002884 (Power Cable) *Optional Overhead Switch Panel 715003669 | 710005041 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669 | 715002933 + 715003670 (Power Cable) + 715003669 (Overhead Switch Panel) | 715002934 + 715003669 (Overhead Switch Panel) | 715004007 + 715005822 (Mounting Kit) *Optional Overhead Switch Panel 715003669 | 715003665 71500366 71500366 | 5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + 03669 Switch Panel) | |
| Top Roll Cage & DragonFire Aluminum Roof | NA | NA | NA | NA | NA | NA | 715004007 + 715005822 (Mounting Kit) | NA | NA | |
| Lonestar Racing Aluminum Roof | NA | NA | NA | NA | NA | NA | 715004007 + 715004877 (Light Mounts) and 715005822 (Mounting Kit) | NA | NA | |
| Sport Roof Back Position | NA | NA | NA | NA | NA | NA | NA | NA | 715003665 (715003666 + 715003669 + 715003669 | |
| 3 Order | | *Note: | | er all part n | | | box mounting kit is rec | quired. | | |

*All lights are intended for Off-Road use only.

| Baja Designs Light Power Cable (Not illustrated) | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715002884 | | | |
|---|---|-----------|--|--|--|
| Required for installation of Baja Designs XL Sport LED | | | | | |
| Baja Designs Light Power Cable (Not illustrated) | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007049 | | | |
| Required for installation of Baja Designs LED lights onto roof or bumper. 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights. | | | | | |

Commander, Commander MAX, Maverick Trail, Baja Designs 10" (25 cm) OnX6 LED Light Bar 710006819 Maverick Sport, Maverick Sport Max 50 m 25 12,460 0 lumens -25 -50 0 100 200 300 400 500 600 m • 108 W light bar producing 12,460 lumens. - Dual intensity (high/low) settings. • Equipped with 6 Cree XM-L2 LEDs. Requires Baja Designs Light Power Cable.

- Driving/combo light pattern for smooth blend of light for both near field applications and distance.

- See table for installation location and requirements.

| Baja Designs XL80 LED Lights | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 710 |
|------------------------------|---|
| | 9,500 lumens -25 -50 0 100 200 300 400 500 6 |

• 80 W per spot producing 9,500 lumens.


• Require Baja Designs Light Power Cable. Sold in pairs.

• Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.

dust and/or fog conditions.

- Driving/combo light pattern for smooth blend of light for both near
- field applications and distance.



• Equipped with 4 Cree XP-G2 LEDs per spot.

· Wide cornering light pattern designed specifically for cornering,

Sold in pairs.

• Dimensions: 3" x 3" (7.6 cm x 7.6 cm).

| Baja Designs XL Sport LED Lights | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 710006821 |
|---|---|
| | 3,150 lumens ^{50 m} ²⁵ ₀ ₋₂₅ ₋₅₀ 0 100 200 300 400 500 600 m |
| 26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. High Speed Spot features a longer and narrower beam focus for illumination farther down. | Require Baja Designs Light Power Cable. Sold in pairs. Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm). |
| 10" (25 cm) Double Stacked LED Light Bar (60 W) | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 715002933 |
| REFER | 5,400 lumens 20 m -20 -20 0 100 200 300 400 500 600 700 800 m |
| Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof. Can be installed in stock XT and XT-P bumpers. | Requires light power cable for installation. Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side. EC compliant. |

| 5" (38 cm) Double Stacked LED Light Bar (90 W) | Commander, Maverick Trai | | | laverick | Sport | MAX | | 715 | 002934 | | |
|---|---|---|---|---|---------------------------------------|--|-----------------------------|---------------------------------------|---------------------|--|-------|
| BREESERAR | 8,400 lumens | 20 m 0 -20 | D 100 | 200 | 300 | 400 | 500 | 600 | 700 8 | 300 m | |
| • Equipped with 18 5 W Cree LEDs. • 8,400 lumens. • Complements the Light Racks and most bumpers. • Rugged and waterproof. | Lights up to wide on eac EC compliant | ch side. | n 1900 ft | (580 m) | in froi | nt of th | e vehic | le and | around | 65 ft (20 m |) |
| 9" (99 cm) Double Stacked LED Light Bar (270 W) | Commander, Maverick Trai | Commano I, Maveric | ler MAX, k Sport, N | laverick | Sport | MAX | | 715 | 004007 | , | |
| | 24,300 lumens | 20 m 0 -20 | 0 100 | 200 | 300 | 400 | 500 | 600 | 700 8 | 300 m | |
| Equipped with 54 5 W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side. Compatible on the Adventure Roof Rack. | Maverick Tr 39" (99 cm) Double Star Commande (715005822 Light Bar (7 | LED Ligh cked LED r 2021 & 2) and/or l | ick Sport t Bar (715 Light Bar up: Requi Lonestar | , Maveri 5005822 (71500 res Ligh Racing I | ick Spo 2) and/ 4877) it Mou | ort MA or Lon for ins nting k | X: Requestar R tallatior | uires Li acing N n. 9" (99 c | ght Mou Nounts f | unting Kit f for 39" (99 Light Bar | cm |
| " (10 cm) Round LED Lights (2 x 25 W) | Commander, Maverick Trai | | | laverick | Sport | MAX | | 715 | 002935 | ; | |
| (Canada) | 1,800 lumens | 20 m 0 -20 | 0 | | | 100 | | | 200 m | | |
| 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. | Can-Am bra Requires lig Sold in pairs Not EC com | ht power 3. | | | | | | | | | |
| 5.5" (9 cm) LED Driving Lights (2 x 14 W) | Commander, Maverick Trai | | | laverick | Sport | MAX | | 715 | 003666 | i | |
| | 1,260 lumens | 15 m 0 -15 | 0 15 | 30 45 | 5 60 | 75 | 90 | 105 m | | | |
| 14 W LED lights producing 1,260 lumens each. Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. | Features tw the next cha Sold in pairs EC compliant | annel poir s. | | | | | point fa | ails due | e to a co | llision, rota | ite 1 |
| 8.5" (9 cm) LED Flood Lights (2 x 14 W) | Commander, Maverick Trai | | | laverick | Sport | MAX | | 715 | 003665 | | |
| | 1,260 lumens | 15 m 0 -15 | 0 15 | 30 45 | 60 | 75 | 90 | 105 m | | | |
| 14 W LED lights producing 1,260 lumens each. Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions. Equipped with six high-power LEDs in a heavy-duty die-cast | Features tw the next cha Sold in pairs EC complia | o attachn annel poir s. | nent point | ts. If one | e attac | hment | | | to a co | llision, rota | ate t |

• Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.

| Light Power Cable (Not illustrated) | | Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003670 |
|---|---|---|---------------------------------|
| | Power cable for installa | tion of compatible Can-Am light kits on Front Bumpers or roof. | |
| ED Headlights Assembly | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003667 |
| | • | pgrade kit draw a maximum of 40 W (2 x 20 W) of power while p tion and longer lasting than standard halogen bulbs. | providing brighter light output |
| ED Signature Lights | | Commander, Commander MAX | 715006896 |
| | The stylish LED set add | is a finishing touch, accentuating its aggressive stance. | |
| Can-Am LED Signature Ligh | ts | Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003673 |
| | Use bright and energy e Do not give additional li | | |
| Dome Light | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715002455 |
| | LED array integrates pe Wiring included. Can be installed on cag | rfectly with vehicle. e, Sport Roof or All-Terrain Trunk Cover. | |
| onestar Racing Mounts for Double Stacked LED Light E | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004877 |
| | Racing Aluminum Roof | wing for the installation of the 39" (99 cm) Double Stacked LED (sold separately). | Light Bar on the Lonestar |
| Nounting Kit for 39" (99 cm Not illustrated) | i) LED Light Bar | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005822 |
| | Required for installation Includes wiring and sup Light Support Bar requi | | |
| Roof Power Cable | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003094 |
| | Brings power from the b Required for installation | pattery. n of some electrical accessories. | |
| Rear Lights Power Cable | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004910 |
| | Use in conjunction with This set-up will illumina | s you to install rear cargo lights on your vehicle. the 3.5" (9 cm) LED Flood Lights (2 x 14 W) (sold separately). te your rear cargo area and surroundings. ad Switch Panel (715003669) required. | |

AUDIO & COMMUNICATION SYSTEMS

Audio

| Complete Wet Sounds† Aud | lio System | Commander, Commander MA Maverick Trail, Maverick Spor | | 715003672 |
|---------------------------|--|---|--|--|
| - | Orchestrated for outstandin playlists of champions. Built-in 200 W amplifier with low end bass response. Built-in Bluetooth' connectiv Aux input allows for use with | D-Bass Tech for improved | Turns itself off after 10 minubattery power. Designed to be Can-Am-touriding conditions. Includes 4.5" (11.4 cm) from rear-roll-cage mounted ster integrated backlit control participated backli | ugh in the most demanding t and 6.5" (16.5 cm) reo speakers and console |
| Wetsound Stealth XT 6 Can | -Am Edition Sound Bar | Commander, Commander MA Maverick Trail, Maverick Spor | AX, rt, Maverick Sport MAX | 715008282 |
| | Built-in Bluetooth connectiv Built-in Broadcast mode. Backlit control panel with In lights. Integrated LED Dome. IP67 rated RF wireless remo 3.5 Aux Input/Output. Built-in 300 W Class D Ampl | tegrated LED RGB cabin | 4 marine-rated 3" full range 2 marine-rated 1" tweeters. Operating voltage: 12 V. IP rated: IP67. Length: 21.31" Width: 4.04' Height: 3.85" Sound Bar Mounting Kit recomposition | |
| Sound Bar Mount Kit | | Commander, Commander MA Maverick Trail, Maverick Spor | | 715004745 |
| | Required mount kit for the V | Vet Sounds Stealth 6 Ultra HD | Can-Am Edition Sound Bar (715 | 008282). |
| Can-Am Subwoofer | | Commander, Commander MA Maverick Trail, Maverick Spor | AX, rt, Maverick Sport MAX | 715006359 |
| • | Easy plug-and-play connect | • | U U | noisture and dirt. |
| Electronic Device Holder | | Commander, Commander MA Maverick Sport, Maverick Spo | | 715005212 |
| | A great in-ride entertainmer Robust injected-polypropyle right fit and easy installation Adjustable unit safely holds smartphones measuring be (25.4 cm) (with protective ca Allows the installation of Ga | me construction allows for most tablets and tween 5.1" (13 cm) and 10" ase). | Perfectly complements the or Rugged Radios Intercom your device. Integrated storage (2.5 gal (to the dash 12V outlet for d Integrated mounting locatic Not compatible with Defros System (715003678). | System to play music with 9.5 L) capacity) with access evice charging. on for RAM mounts. |

| Rugged Radios Car-to-Car System | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003440 · US ONLY |
|---|---|---|
| Pus Ma Thi -5- re 1. -4 | r communicating with friends and family on group rides. alk button conveniently mounted on the steering wheel. onnected with the Rugged Radios Intercom System (with provided adapter ca icludes: '3 radio: UHF/VHF + FM frequency, programmable channels, 5 watts of powe ing cable, high capacity, all day lithium-ion battery, 1-3 mile range, NOAA wea FM radio, backlit screen/buttons. Speaker/Mic Kit: Clear Hear audio speakers, Full Flex mic boom, cloth mic co nount speakers, quick & easy install. s & Cables: single person harness, driver coil cord PTT, waterproof PTT, radio | , includes belt clip, ther channels, ver, |
| | te plug & play kit. | |
| Rugged Radios Intercom System | Commander, Commander MAX [†] , Maverick Trail, Maverick Sport, Maverick Sport MAX [†] | 715002891 · US ONLY |

- Includes music port for enjoying your favorite tunes.
- Seamless integration with in-dash switch panel.
- May be synched with the Rugged Radios Car-to-Car System.
- +Power Cable (715003094) is required for installation on MAX models.

Rugged Radios Helmet Headset Kit for Rear Passengers



 Additional 12' (3.7 m) cables and Helmet Speaker/Mic Kits to upgrade your 2-person intercom system to a 4-person system.

With Rugged Radios Intercom System

‡Power Cable (715003094) is required for installation on MAX models.

ELECTRICAL & ELECTRONIC ACCESSORIES

Electrical

| Defrost, Heat and Ventilatio | n System | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003678 |
|------------------------------|---|---|----------------------------------|
| | Adjustable/directional vents 5 vents specially positioned Automotive-style heater cor | for better windshield defrosting and passenger comfort. e and fan for best heating performance. es require Adapter Kit (715007241). | nperature. |
| Heated Steering Wheel | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004283 |
| | Perfect for making hand mo Replaces stock steering wh This kit includes the heated | steering and in-dash switch. Harness (710005757) is required. | ing heat directly to your hands. |
| Heated Grab Bar Cover | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004500 |
| | securely gripped during lon • Easy to install and remove. • This kit includes the heated | grab bar cover and in-dash switch. Harness (710005757) is required. | ssenger's hands warm and |

715004380 · US ONLY

| Seat Heater | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715006112 | | | |
|---------------------------------|--|---|---------------------------|--|--|--|
| | This kit includes one car Installs directly in the ori Heated Accessories Wiri | ettings allow you to control the desired degree of warmth. bon fiber seat heater, foam sheet and in-dash switch. | | | | |
| Heated Visor Outlet | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715001246 | | | |
| 7 8 | Strategically positioned of Optional visor outlet that Quick and easy installation Sold individually. Heated Visor not include | on. | | | | |
| Heated Accessories Wiring | g Harness | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 710005757 | | | |
| | Electric harness required | t to hook up and operate front heated seats, heated steering w | heel and heated grab bar. | | | |
| Heated Accessories Wiring | Harness | Commander MAX, Maverick Sport MAX | 715006004 | | | |
| | Flectric barness required | d to hook up and operate rear heated seats. | 713000004 | | | |
| Heater Adapter Kit for Sma | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007241 | | | |
| | Adapter kit to fit heating | Adapter kit to fit heating system on Smart-Lok equipped vehicles. | | | | |
| Electropic Access | riaa | | | | | |
| Electronic Accesso | nes | | | | | |
| RAM [†] GPS Mount | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003325 | | | |
| | Allows for GPS integratic Standard AMPS hole pat | | | | | |
| USB Power Outlet Kit | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 219400510 | | | |
| ab. | Recharges your electronic devices while riding¹ (smartphone, MP3, heating gear, etc.). Dual port USB connectors. | | | | | |
| (CBB) | ‡The power outlet is not capa | ble of recharging all device types while riding. | | | | |
| Overhead Switch Panel | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003669 | | | |
| | Required for Can-Am light Optional for Baja Designation | d Switch Panel gives additional switch spots for electrical acce tts installation on the roof and for other top-mounted electrical s lights. imini Roof with Sun Visor for installation. | | | | |
| Dual Mode Switch | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004736 | | | |
| 9 000 0 9 mm 8 mm 8 mm | Switches quickly and cor Eco mode increases fuel In-dash plug-and-play m Standard on DPS models | bunt. | | | | |

| 30 Ah Battery Holder | | Commander, Commander MA Maverick Trail, Maverick Sport | | 715004431 |
|-------------------------------|--|--|---|---|
| | Fixation plate designed to h 30 Ah Battery sold separate | old the 30 Ah Battery (5151761 ly. | 51). | |
| Battery Charger/Maintainer | | Commander, Commander MA Maverick Trail, Maverick Sport | X, t, Maverick Sport MAX | 715005061 |
| | Keeps stored lead-acid batt Charges and maintains sma Microprocessor controlled added precision, safety and Automatically detects 6 or 1 Reverse hook-up protection charger from damage. | Ill batteries. multi-stage charging for battery life. 2 volt batteries. | Auto-voltage detection. Press the display button to Content: 3 amp battery cha adapter, 24" (61 cm) fused weather cap, owner's man Not EC compliant. | arger, clamp adapter, DC ring leads harness with |
| ump Starter | | Commander, Commander MA Maverick Trail, Maverick Sport | X, t, Maverick Sport MAX | 715005062 |
| | IPX3 water-resistant and en 4 LED battery indicators for ea Compact design, will conven glove box or any other storag 2.4A + 1A/5V USB ports for the devices. | asy read on battery charge level. iently fit in your backpack, e compartment. | short circuit, low voltage, h reverse charging. • Built-in LED light (3 modes • Content: 300CA jump star | |
| Quick Connect Battery Cable | | Commander, Commander MA Maverick Trail, Maverick Sport | X, t, Maverick Sport MAX | 715005408 |
| | Quickly and easily connect a Included in the Battery Char Sold individually. | and charge different batteries v rger/Maintainer. | vith your charger. | |
| Quick Connect Cable with Ba | ttery Indicator | Commander, Commander MA Maverick Trail, Maverick Sport | | 715006055 |
| | | and charge different batteries v ides constant battery health inc | | |
| Digitally Encoded Security Sy | stem (D.E.S.S.) Keys | Commander, Commander MA Maverick Trail, Maverick Sport | | 715002458 |
| 20 20 20 | One vehicle/one code. A vibration/shock-resistant orgrammable modes: - Work mode: Limits vehicle | restricts access to your vehicle ball-and-socket design that ens speed to 40 kph (25 mph) but o cle speed to 70 kph (44 mph) ar | sures a reliable connection. does not limit engine torque. | |

- Performance mode: No restrictions.

WINCHES & HITCHES

Can-Am HD Winches

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX Can-Am HD 4500 Winch 715006416 · Ergonomic clutch handle. • Pulling strength capability of 4,500 lb (2,041 kg). • Rugged all-steel gears and bushings for more torque • 43' of 15/64" (13.1 m of 6.3 mm) wire steel cable. and durability. · Heavy-duty 4-way roller fairlead. • Automatic 100% load-holding brake. Winch Electrical Harness (715003777) is required for - Sealed solenoid for all-weather protection. installation. • Weather sealed corded remote and dash mounted Commander X mr front bumper requires 715008218 switch. winch electrical harness. • EC compliant. Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX Can-Am HD 4500-S Winch 715006417 Pulling strength capability of 4,500 lb (2,041kg). · Ergonomic clutch handle. · Rugged all-steel gears and bushings for more torque • 50' of ¼" (15.2 m of 6.35 mm) synthetic rope. and durability. · Corrosion-proof aluminum hawse fairlead. • Automatic 100% load-holding brake. • Winch Electrical Harness (715003777) is required for - Sealed solenoid for all-weather protection. installation.

- · Weather sealed corded remote and dash mounted switch.
- Commander X mr front bumper requires 715008218 winch electrical harness.

WARN[†] VRX Winches

| WARN VRX 45 Winch | | Commander, Commander MA Maverick Trail, Maverick Spor | | 715006110 |
|---------------------|--|--|---|---|
| | Extreme IP68-rated waterpr elements out. Durable all-metal constructi Black powder-coated finish for corrosion resistance. Robust new clutch design b WARN 4 WD hub lock know Load-holding brake for grea Smooth and reliable all-met gear train. | ion. and stainless steel fasteners ased on 70+ years of -how. t control. | Dash-mounted rocker contr Limited lifetime warranty (m 3-year warranty (electrical). Pulling strength capability o 50' of ¼" (15 m of 6.3 mm) w Roller fairlead. Winch Electrical Harness (7 installation. Commander X mr front bum winch electrical harness. | echanical), f 4,500 lb (2,041 kg). ire steel cable. 15003777) is required for |
| WARN VRX 45-S Winch | | Commander, Commander MA Maverick Trail, Maverick Spor | | 715006111 |
| | Extreme IP68-rated waterpr elements out. Durable all-metal constructi Black powder-coated finish for corrosion resistance. Robust new clutch design b WARN 4 WD hub lock know Load-holding brake for grea Smooth and reliable all-met gear train. | ion. and stainless steel fasteners ased on 70+ years of -how. t control. | Dash-mounted rocker contr Limited lifetime warranty (m (electrical). Pulling strength capability o 50' of ¼" (15 m of 6.3 mm) sy Cast aluminum hawse fairle Winch Electrical Harness (7 installation. Commander X mr front bum winch electrical harness. | echanical), 3-year warranty f 4,500 lb (2,041 kg). ynthetic rope. ad. 15003777) is required for |

| Can-Am HD Hawse Fairlead | | Can-Am HD Winch | 715006426 | |
|---------------------------|---|--|-------------------------------|--|
| | | - | | |
| VARN Hawse Fairlead | | WARN Winch | 705204567 | |
| | Double-powder-coated cor Required to use the Synthe To be used with synthetic v | tic Winch Cable (715001118) on WARN winches. | | |
| | | WARN Winch | 715001119 | |
| Roller Fairlead | | Can-Am HD Winch | 715007082 | |
| | Heavy-duty replacement fa | meau ior winches. | | |
| Vire Rope Replacement | | Can-Am HD Winch | 705014978 | |
| | • 47' of ¼" (14.3 m of 6.3 mm • 4,500 lb (2,041 kg) pulling s | · • | | |
| ynthetic Winch Cable | | Can-Am HD Winch | 715006430 | |
| 9 | | n) synthetic cable for Can-Am HD winches. d (715006426) is required when upgrading to a synthetic c | able to avoid premature cable | |
| ynthetic Winch Cable | | WARN winch | 715001118 | |
| 9 | 50' of ⁷/₈₂" (15.2 m of 5.5 mm) synthetic cable for WARN winch. WARN Hawse Fairlead (705204567) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable. | | | |
| Synthetic Cable Extension | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715001120 | |
| | | liameter, easy to handle and won't rattle in cargo box. ble to provide additional 50′ (15.2 m) of distance. ne capacity. | | |

| Winch Acc | naeenriae |
|-----------|-----------|
| | ,63301163 |

Wired Remote Control

Can-Am HD Winch

715006504 (2020 & up)

• This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.

• OEM stock winch and Wired Remote Control are sold separately.

• EC compliant.



| Wireless Remote Control | | WARN Winch | 715002542 | | |
|--------------------------|---|---|-----------|--|--|
| | The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware. Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options. All components are weatherproof. | | | | |
| X rc/X mr Front Tow Hook | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005229 | | |
| | Offers a solid place to hook onto in case towing is needed. Allows you to attach most straps and hooks. Made of rugged 1%" (3 mm) steel plate and 76" (11 mm) steel hook tube. Standard on Maverick X rc and X mr models. | | | | |
| Hitches | | | | | |
| Front Receiver Hitch | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715003642 | | |

Heavy-duty 1,500 lb (680 kg) towing capacity 2" (5 cm) receiver hitch.

Perfect for precision towing in small spaces.

| Front and Rear Hitch Drawbar | | Commander, Commander MAX | 715008350 |
|---|--|--------------------------|-----------|
| 1 A A A A A A A A A A A A A A A A A A A | Standard on 2" (5 cm) receive It offers 1,650 lb (750 kg) of Hitch ball not included. Forged steel. | | |

PERFORMANCE

Smart-Lok Technology

| Smart-Lok Differential | | Maverick Trail, Maverick Sport, Maverick Sport MAX (2021 & prior) | 705402936 | | |
|--|---|---|-------------------------|--|--|
| | Can-Am-exclusive Smart-Lok technology constitutes a true fully lockable on-the-fly front differential with electronically controlled automatic modes. | | | | |
| 2 | | tings according to your riding need: "2x4" for rear wheel tract ive, and "4x4 Smart Mode" that offers preset, intelligent calibr | | | |
| | moment to procure maximu and a feeling of confidence. | | | | |
| | | Kit comes standard with the Trail Mode. nodes can be added by installing an additional Smart Mode M ronment | odule (sold separately) | | |
| | | Shafts (2x) and Smart-Lok Installation Kit for installation. | | | |
| | | Maverick Trail | 705402423 | | |
| Performance Half Shaft | | Maverick Sport, Maverick Sport MAX | 705402281 | | |
| Mud Smort Mode Medule | | | | | |
| | | | | | |
| Nud Smart Mode Module Not illustrated) | | Models with Smart-Lok Differential | 715005282 | | |
| | This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Mud Smart Mode on vehicles equipped with a standard Smart-Lok. The Mud Mode has been specially designed to deliver superior traction in the deepest mud holes. When high engine torque and/or slippage is detected, Smart-Lok will fully lock the front end. The system will stay locked until throttle release. Only one Smart Mode Module can be installed at a time. | | | | |
| Rock Smart Mode Module | | Models with Smart-Lok Differential | 715005283 | | |
| | This module allows you to add the Rock Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Rock Smart Mode on vehicles equipped with a standard Smart-Lok. | | | | |
| | | pecially designed to help cross challenging rocks. detected at low vehicle speed, Smart-Lok will progressively lo | ock the front end | | |
| | and will stay engaged until throttle release to prevent wheel slippage and provide optimal traction. | | | | |
| | The progressive engagement allows for easier steering when maneuvering the vehicle. Only one Smart Mode Module can be installed at a time. | | | | |
| Frail Activ Smart Mode Mod | ule | Models with Smart-Lok Differential | 715005284 | | |
| | This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok. | | | | |
| | • | een designed for aggressive riding, delivering the ultimate cor | | | |
| | the front end and maintain i | nd/or an increase in vehicle speed is detected, Smart-Lok will t engaged until throttle release or vehicle speed reduction. | progressively engage | | |
| | The progressive engagement allows for smoother and lower steering effort. | | | | |
| | Only one Smart Mode Mode | | | | |

| Yoshimura [†] Slip-On Exhaust | | Maverick Sport, Maverick Sport MAX (models with 1000R engine) Maverick Trail, Maverick Sport (except models with 700 & 1000R engine) | 715004452 715003716 |
|--|--|---|------------------------|
| Toshimura Shp-On Exhaust | | | |
| | Developed in collaboration Made from 304-grade stainl Sporty sound from a lighter- | less steel. • EPA compliant. | rk arrester. |
| | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (models with 700 & 1000R engine) | 715002895 |
| Performance Air Filter by Twi | n AIR† | Maverick Trail, Maverick Sport (except models with 1000R engine) | 715003630 |
| | The best choice for the hars Multiple staged oiled filterir Washable and reusable. | shest conditions. ng foam for superior dust retaining capacity with high airflow. | |
| Engine and CVT Pre-Filter Kit | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715004290 |
| | Adds extra protection to you in harsh riding conditions. Filter blocks particles larger Water repellent screen. Necessary to maintain the w tracks are installed. | Not compatible with Snorker than 0.005" (0.1 mm). Not compatible with Adven | el Kit. |
| Snorkel Pre-Filter | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715005598 |
| | Helps keep air filter cleaner. Filter blocks particles larger | ur engine in harsh riding conditions. | |
| Snorkel Kit | | Commander, Commander MAX (except 700 engines), Maverick Trail (except 700 engines), Maverick Sport, Maverick Sport MAX | 715003705 |
| | the engine.Not compatible with S&B Pa and windows. | CVT air intakes so vehicle can be semi-submersed in water/ma article Separator, LinQ Pivoting Rack, Lonestar Racing Rear Int t and Commander X mr models. | - |
| Heavy-Duty Spring Kit | | Maverick Trail | 715004961 |
| | , , , , | gs will stiffen your suspension. overall sag when shocks are under heavy demand: or for snow clearing. | |
| Shock Covers Not illustrated) | | Maverick Sport, Maverick Sport MAX | 715002368 |
| | Soft covers for shocks with Eliminate dust and dirt intru Sold in pairs. | ventilation holes. sion into the shock cylinder, reducing risk of damage. | |

Emergency Accessories

| Emergency Kit | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715006102 |
|---------------|----------------------------|---|------------------------|
| | powersport enthusiasts can | r Compressor, Tyre Repair Kit, Ratchet Tie-Down, Duct Tape, | infavorable situations |

APACHE TRACK SYSTEMS

Winter Tracks

Limited Warranty*

| Apache Backcountry Track | System | See table for specific models | | 715005247 |
|--------------------------|--|---|---|--|
| | Designed to deliver the best deep-snow performance or Contact patch is 23% bigge Provides an impressive aver increase of 7" (18 cm), keep snow. | n the market. Ir than the Apache 360 LT. rage ground clearance | Aggressive track design wit maximum traction on snow. Apache Backcountry Moun and Engine and CVT Pre-Fil For winter use only. Track installation will affect | ting Kit, Track DPS Module ter are required. |
| pache Backcountry LT Tra | ck System | See table for specific models | | 715005891 |
| 3 8 | Tracks designed to deliver t on the market with unmatcl traction on snow surface. Large contact patch, 37% b Impressive added ground c keep the vehicle over the sr Lightweight snowmobile-in | hed flotation level and igger than the Apache 360 LT. learance of 7" (18 cm) helps now. | Aggressive track design wit maximum traction on snow. Apache Backcountry LT Mo and Engine and CVT Pre-Fil Fine-tune your track system Sliders with Vespel Inserts a For winter use only. Track installation will affect | unting Kit, Track DPS Modul ter are required. using extra Idler Wheels, and Rail Ice Scratcher. |
| Apache Backcountry Moun | ting Kit | See table for specific models | | 715004834 |
| Not illustrated) | | Maverick Trail | | 715004285 |
| Apache Backcountry LT Mo | Not compatible with HMWF DPS module and Pre-Filter | the Apache Backcountry Track PE Front and Rear A-Arm Protec not included. | • | 715005493 |
| Accessories | DPS module and Pre-Filter | the Apache Backcountry Track I are required and sold separatel PE Front and Rear A-Arm Protec | у. | · |
| Track DPS Module | | Commander, Commander MA Maverick Sport | X 2021 & up, Maverick Trail, | 715007338 |
| | Innovative DPS module that ensures speedometer accuracy and optimized steering assist which make for perfect track control and riding ease. Required to install the Apache and Backcountry Track Systems. | | | |
| Rail Ice Scratchers | | Apache Backcountry and Apac | he Backcountry LT track systems | 860201728 |
| | Provide additional lubricatio Rail mounted, small, light. Design expands on coil cor Easily stored when not in us Extend slider life. | ncept to allow reversing without | damage. | · |

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

| Year-Round Tracks | | Limited W | | |
|----------------------------|--|--|--|------------------|
| Apache 360 LT Track System | | Commander, Commander MA Maverick Trail, Maverick Spor | XX, t, Maverick Sport MAX | 715005103 |
| | Multifunctional tracks desig and to fit on most Can-Am o | | 1" (2.5 cm) lugs in the front a Apache 360 LT Mounting Ki | . , |
| | Extra contact patch adjustm over rough terrain. | nent for better performance | Engine and CVT Pre-Filter K • EC compliant. | it are required. |

- over rough terrain.
- Contact patch is 7% to 9% bigger than the Apache 360's.
- Average ground clearance of 16" (41 cm).

| Apache 360 LT Mounting Kit (Not illustrated) | | See table for specific models Maverick Trail | 715004755 715004833 | | |
|--|---|---|------------------------|--|--|
| | Required for installation of the Apache 360 LT Track System. DPS module and Pre-Filter not included. Not compatible with HMWPE Front and Rear A-Arm Protectors and Skid Plates. | | | | |
| Apache 360 LT Mounting Kit (Not illustrated) | | See table for specific models | 715005492 | | |

- Required for installation of the Apache 360 LT Track System.
 - DPS module and Pre-Filter not included.
 - Not compatible with HMWPE Front and Rear A-Arm Protectors and Skid Plates.

| Accessories | | | |
|--|---|--|--------------------|
| Idler Wheel Kit | | Apache Backcountry Track System, rear tracks only | 860201230 · 141 mm |
| 00 | Reduces drag and rolling re: Includes 2 wheels, brackets Add up to 2 kits per rear trac Can extend slider life in hard | and hardware. :k. | |
| Apache Backcountry LT Whe | el Kit | Apache Backcountry and Apache Backcountry LT Track Systems | 715006293 |
| 1 | Additional wheel kit for Backcountry LT rear tracks. Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads. Extends slider life in hard snow conditions. Includes two wheels, cross shaft and mounting hardware per kit to service one track corner. Up to two kits per rear track can be installed. | | |
| Sliders with Vespel [†] Inserts | | Apache Backcountry and Apache Backcountry LT Track Systems | 503194815 |
| • | Use DuPont Vespel inserts f Longer life. Can be cut to desired length 8 needed per vehicle. Sold individually. | | |

*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

•

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry and Backcountry LT

| Model Yea | r / Model | Track | Track Mount | Track DPS Module | Prefilter without Snorkel | Prefilter with Snorkel |
|-----------|--|--------------------------------------|--|---------------------|-----------------------------------|---------------------------|
| 2018 & Up | Maverick Trail | 715005247 | 715004285 | | | |
| 2021 & Up | Commander DPS & Commander XT 700 60" | 715005247 | 745004004 | - | | |
| 2019 & Up | Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models) 60" | - (Backcountry) (doesn't fit 64") | (Backcountry) 715004834 (doesn't fit 64") | | 715004290 (except X mr) | 715005598 |
| 2021 & Up | Commander, Commander MAX (except Commander DPS & Commander XT 700) 64" | 715005891 (Backcountry LT) | 715005493 | - | | |
| 2019 & Up | Maverick Sport X mr, X rc, X xc 64" | - (Doesn't fit 60") | | | | |

Apache 360 and Apache 360 LT

| Model Yea | r / Model | Track | Track Mount | Track DPS Module | Prefilter without Snorkel | Prefilter with Snorkel |
|-----------|--|-----------|-------------|---------------------|------------------------------|---------------------------|
| 2018 & Up | Maverick Trail | | 715004833 | | | |
| 2021 & Up | Commander DPS & Commander XT 700 60" | | | | | |
| 2019 & Up | Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models) 60" | 715005103 | 715004755 | 715007338 | 715004290 | 715005598 |
| 2021 & Up | Commander, Commander MAX (except Commander DPS & Commander XT 700) 64" | | 715005492 | | | |
| 2019 & Up | Maverick Sport X mr, X rc, X xc 64" | | | | | |

PROMOUNT PLOWS

PROMOUNT PLOW KITS

Reference Chart

| Nelelence C | ומונ | | | | | |
|----------------|-----------------|------------------|-----------------|------------------|-----------|-----------|
| | 66" Black Steel | 66" Yellow Steel | 72" Black Steel | 72" Yellow Steel | 66" Flex2 | 72" Flex2 |
| Plow Kit | 715007775 | 715008174 | 715007777 | 715008173 | 715007774 | 715007776 |
| Blade | 715006337 | 715006338 | 715004474 | 715006021 | 715006265 | 715004485 |
| Push Frame | 715007752 | 715007752 | 715007752 | 715007752 | 715007752 | 715007752 |
| Mounting Plate | 715007742 | 715007742 | 715007742 | 715007742 | 715007742 | 715007742 |

Can-Am ProMount Steel Plow Kits

Can-Am ProMount Steel 66" (168 cm) Plow Kit

Can-Am ProMount Steel 72" (183 cm) Plow Kit

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

e

715008174 · Yellow 715007777 · Black 715008173 · Yellow

715007775 · Black

715004474 · Black

715006021 · Yellow

These kits include:



- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

Can-Am ProMount Steel Blades

| Can-Am ProMount Steel 66" (168 cm) Blade | Fits ProMount Push Frame | | 715006337 · Black 715006338 · Yellow |
|--|-------------------------------|---|---|
| Plow blade made from 12-gr Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. Blade design provides best statements | v blade rotation to eliminate | Clears 60" (152 cm) when p Blade height of 17" (43 cm). Compatible with Can-Am Pr to further enhance plow ver Not compatible with S3 Hig | oMount Blade accessories satility. |

Can-Am ProMount Steel 72" (183 cm) Blade

| Fits ProMount Push | Fram |
|--------------------|------|
| | |

Plow blade made from 12-gauge steel.
Replaceable wear blade.
Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
Blade design provides best snow roll-off at any angle.
Not compatible with S3 High Clearance Front A-Arm.

Can-Am ProMount Angle Plows

| Can-Am ProMount 66" (168 cm) Steel Oneway State Blade Can-Am ProMount 72" (183 cm) Steel Oneway State Blade | | Fits ProMount Push Frame | | 715007263 |
|--|--|--------------------------|---|-----------|
| | | Fits ProMount Push Frame | | 715007264 |
| | Make the job easier with the and make the task easier by out of the way. Wing end of plow measures down to 16" (41 cm). | sending the snow further | One-way "winged" state plo higher. Rubber Flap (715007299) de from the driver is offered as Can-Am branded. | Ū |

Can-Am ProMount Flex2 Plow Kit

| Can-Am ProMount Flex2 66" (168 cm) Plow Kit | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007774 |
|---|---|-----------|
| Can-Am ProMount Flex2 72" (183 cm) Plow Kit | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007776 |

These kits include:



- Can-Am ProMount Flex2 Blade

- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

2023

Can-Am ProMount Flex2 Blades

| an-Am ProMount Flex2 | 66" (168 cm) Blade | Fits ProMount Push Frame | | 715006265 |
|-----------------------------------|--|--|--|--|
| | Plow blade made of UHMW absorbing material prevent accidental impact occurs. Replacable wear blade. Large pin designed for easy snow buildup at pivot point | s damaging your plow when y blade rotation to eliminate | Blade design provides best Clears 60" (152 cm) when p Blade height of 17" (43 cm) Compatible with Can-Am P further enhance plow versa | olow is fully angled. roMount Blade accessories |
| an-Am ProMount Flex2 | 2 72" (183 cm) Blade | Fits ProMount Push Frame | | 715004485 |
| | Plow blade made of UHMW absorbing material prevent accidental impact occurs. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point | s damaging your plow when y blade rotation to eliminate | Blade design provides best Clears 66" (168 cm) when p Blade height of 17" (43 cm) Compatible with Can-Am P further enhance plow versa | olow is fully angled. roMount Blade accessories |
| Can-Am ProMour | nt Plow Accessories | | | |
| an-Am ProMount Edge | Markers | Commander, Commander MA Maverick Trail, Maverick Spor | AX, rt, Maverick Sport MAX | 715004206 |
| an-Am ProMount 66" (| | roMount Steel and Flex2 blade Mount Steel 54" (137 cm) Blad | · | |
| - | 83 cm) Plastic Wear Blade | Maverick Trail, Maverick Spor Commander, Commander M/ Maverick Sport, Maverick Sport | AX, Maverick Trail, | 715004482 |
| | Ideal to prevent leaving man Compatible with Can-Am Pr | rks on your driveway. roMount 72" (183 cm) Blades. | | |
| an-Am ProMount Drift | Cutters | Commander, Commander MA Maverick Trail, Maverick Spor | AX, rt, Maverick Sport MAX | 715006258 |
| - 15%F) | | cm x 33 cm). | s with or without Blade Extensions). | ons |
| an-Am ProMount Blad | e Extensions | Commander, Commander MA Maverick Trail, Maverick Spor | AX, rt, Maverick Sport MAX | 715004205 · Black 715005319 · Yellow |
| | Add 3" (8 cm) each side. Compatible with Can-Am Press | your Can-Am ProMount Blade. roMount Blades (except for the installed to go over the extra le | e Can-Am ProMount Steel 54" (1 | 37 cm) Blades). |
| ack Drag Blade ot illustrated) | | ProMount Plows (60" and mo | ore) | 715007794 |
| | ¼-in. thick steel swivel scraphic scrap | moving forward so g. | Lifts the scraper off the gro Adjustable in length for cor and 72" blades. Compatible with ProMount | npatibility with 60", 66" |

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX,

Wear blade designed with a folded back bottom lip.

- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

| Can-Am ProMount Push Fran with Quick-Attach System | me | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007752 |
|---|--|--|---|
| | Mid-mount carriage pro Allows 16" (41 cm) of p | designed to withstand the roughest use. ovides ultimate push strength and traction. low lift on ATVs and 14" (36 cm) on Maverick Trail. quick-attach system, an easy foot release pedal and an ergono | mic handle for |
| Can-Am ProMount Push Fra | me Extension | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715006257 |
| | • 12" (30 cm) push frame | extension required when plow is installed with Apache Track s | ystems. |
| Plow Roller Fairlead | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715001223 • Cylindrical Roller Fairlea |
| | Larger diameter lower Can be used with all Pr | roller reduces wear on wire rope for plow application. oMount plows. | |
| Can-Am ProMount Plow Ang | ling System | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007801 |
| A STOR | Using one hand to cont Not compatible with Ap Can-Am ProMount Pus Push Frame Extension Winch and plow sold set | tem into an easy-to-control unit from the driver's seat. trol all plow motions will allow you to easily concentrate and ma bache Backcountry LT Track System. h Frame (715007752) is required. 715006257 is required for installation with the Front Rancher B eparately. | |
| ProMount Plow Limit Switch | | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715006259 |
| | - | e tension when over-raising your plow system. ush frame and vehicle damage. timal lift height. | |
| Can-Am ProMount Mounting | y Plate | Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX | 715007742 |
| | • | L Can-Am ProMount Push Frame with Quick-Attach System. on-designed to stay on year round without compromising grour cluded. | d clearance. |

TRAILERING

| Commander | 715006817 |
|--------------------------------|-----------|
| Commander MAX | 715007108 |
| Maverick Trail, Maverick Sport | 715003706 |
| Maverick Sport MAX | 715005281 |

Trailering Cover



- · Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield.
- All high-abrasion areas are reinforced with a double canvas layer.
- Opening for fuel cap.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories except
- with Adventure Roof Rack and track kits.

TYRES & RIMS

| (PS Trail Force Tyre | | Commander DPS | 705402754 · Front 705503103 · Rear |
|----------------------|---|---|---|
| | Versatile and suitable for r | in: Front 27X9R14 & Rear 27X11R14. nany types of terrain. or better traction on dirt, mud and rocky terrains. | |
| | | | 705402825 · Front |
| PS Trail King Tyre | Radial tyre. | Commander XT | 705503181 · Rear |
| | Aggressive tread pattern f An almost continuous cen Tread depth: 26 mm. Max PSI: 42. | or tougher terrains. ter tread offers a smoother trail ride. | |
| PS Hammer Force Tyre | | Commander XT-P | 705402918 · Front & Re |
| | | in 30X10R15. rn with unique contact patch. aximum traction when faced with technical terrains | |
| | Tread depth: 15 mm. Max PSI: 44. | | |
| | Tread depth: 15 mm. | | 705403201 ⋅ Front |
| PS Swamp Force Tyre | Tread depth: 15 mm. | Commander X mr | 1 |
| PS Swamp Force Tyre | Tread depth: 15 mm. Max PSI: 44. Hybrid radial tyre for mud 8 Ply Rating offered in: Fro | Commander X mr | 705403201 · Front 705503387 · Rear |
| PS Swamp Force Tyre | Tread depth: 15 mm. Max PSI: 44. Hybrid radial tyre for mud 8 Ply Rating offered in: Fro Unique tread pattern allow Tread depth: 36 mm | Commander X mr & trail. nt 30X9R14 & Rear 30X11R14. | 705403201 · Front 705503387 · Rear |
| PS Swamp Force Tyre | Tread depth: 15 mm. Max PSI: 44. Hybrid radial tyre for mud 8 Ply Rating offered in: Fro Unique tread pattern allow Tread depth: 36 mm | Commander X mr & trail. nt 30X9R14 & Rear 30X11R14. | il comfort. |

Tyres - Maverick Trail & Maverick Sport

| | | | 705402560 · Front |
|-----------------------------|---|---|--------------------------------------|
| laxxis Bighorn 2.0 Tyre | | Maverick Sport, Maverick Sport MAX | 705502938 · Rear |
| | Front · 27" x 9" x 12". Rear · 27" x 11" x 12". Compliant with European c | class T regulations. | |
| | | | 705402563 · Front |
| Maxxis Liberty Tyre | | Maverick Sport X rc | 705402143 · Rear |
| | Exceeds DOT test standard 8-ply radial construction. | ee driving and to give you and your side-by-side freedo ds. und for supreme traction and control. | om in a variety of terrains. |
| | | | 705402313 · Front |
| Carlisle ACT Tyre | | Maverick Trail | 705402314 · Rear |
| Rims | | Maverick Trail DPS, Maverick Sport | 705401417 · Front |
| 2" Maverick Trail DPS/Sp | ort Rim | Maverick Sport Maverick Trail DPS | 705501853 · Rear 705401417 · Rear |
| | • | | |
| | | Maverick Sport X rc/X mr | 705402338 · Front |
| | | Maverick Sport X rc | 705402338 · Rear |
| | | | |
| 14" Maverick Sport X rc/X | | Maverick Sport X mr | 705502778 · Rear |
| 14" Maverick Sport X rc/X | Maverick Sport X rc: Front | Maverick Sport X mr • 14" x 7" Offset = 41 mm/Rear • 14" x 7" Offset = 41 m t • 14" x 7" Offset = 41 mm/Rear • 14" x 8.5" Offset = 51 | m. |
| 14" Maverick Sport X rc/X i | Maverick Sport X rc: Front | · 14" x 7" Offset = 41 mm/Rear · 14" x 7" Offset = 41 m | m. |
| | Maverick Sport X rc: Front | 14" x 7" Offset = 41 mm/Rear · 14" x 7" Offset = 41 m · 14" x 7" Offset = 41 mm/Rear · 14" x 8.5" Offset = 51 Maverick Trail | m. mm. |



CAN-AM ATVs

MODEL PACKAGES

| Can-Am Outlander MAX 6x6 DPS 450 | 169 |
|--|-----|
| Can-Am Outlander MAX 6x6 DPS 450 Competitive Chart | 170 |
| Can-Am Outlander MAX 6x6 DPS 650 | 171 |
| Can-Am Outlander MAX 6x6 DPS 650 Competitive Chart | 172 |
| Can-Am Renegade 110 EFI | 173 |
| Can-Am Renegade 110 EFI Competitive Chart | 174 |

176

COMPARATIVE CHART

Can-Am ATV Lineup

ACCESSORIES

| ATV Accessory Compatibility Guide | 178 |
|-----------------------------------|-----|
| LinQ: Easy On, Easy Off Cargo | 179 |
| Racks & Holders | 184 |
| Cargo & Storage | 185 |
| Can-Am Windshields | 187 |
| Handlebars & Mirrors | 188 |
| Seats | 189 |
| HMWPE Skid Plates | 190 |
| Aluminum Skid Plates | 191 |
| HMWPE & Aluminum Skid Plates | 193 |
| Bumpers & Guards | 194 |
| Lights & Electrical | 197 |
| Winches | 201 |
| Hitches | 203 |
| Performance | 204 |
| Covers, Decals & Add-Ons | 207 |
| Apache Track Systems | 209 |
| ProMount Plows | 212 |
| Tyres & Rims | 217 |
| | |



WHAT'S NEW

New Renegade 110 EFI packages replace the DS70 & DS90/90X.

Renegade 110 EFI • For Ages 10 & up.

2023 CAN-AM OUTLANDER MAX 6X6 DPS 450



PACKAGE HIGHLIGHTS

- Unmatched uphill and downhill stability
- · Incredible traction and soft ground performance
- Selectable 4WD/6WD
- Tri-Mode Dynamic Power Steering (DPS™)
- Continuously Variable Transmission (CVT) with extra low L-gear
- Double Torsional Trailing arm Independent (TTI2) rear suspension
- Quick release sway bar
- · 12 in. cast-aluminum wheels
- + 26 in. Carlisle[†] ACT HD 6-Ply tyres
- Rear bed with cargo extenders
- RF Digitally Encoded Security System (D.E.S.S.™)
- Passenger seat
- Extended wheelbase
- Raised floorboards

Tundra Green / 450

| ENGINE | 450 | | |
|----------------------|--|--|--|
| Туре | 38 hp, Rotax [®] 427 cc single cylinder, liquid-cooled | | |
| Fuel Delivery System | Electronic Fuel Injection (EFI) | | |
| Transmission | CVT, P/R/N/H/extra-low L, standard engine braking | | |
| Drive Train | Selectable 4WD/6WD with Visco-Lok [†] QE auto-locking front differential | | |
| Power Steering | Tri-Mode Dynamic Power Steering (DPS™) | | |

SUSPENSIONS

| Front Suspension | Double A-arm 9 in. (22.9 cm) travel |
|------------------|---|
| Front Shocks | Oil |
| Rear Suspension | Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 8.8 in. (22 cm) travel |
| Rear Shocks | Oil |

TYRES & WHEELS

| Front Tyres | Carlisle ACT HD 26 x 8 x 12 in. | |
|-------------|----------------------------------|--|
| Rear Tyres | Carlisle ACT HD 26 x 10 x 12 in. | |
| Wheels | 12 in. cast-aluminum | |

BRAKES

| Front | Dual 214 mm disc brakes with hydraulic twin-piston calipers | V |
|-------|--|---|
| Rear | Single 214 mm disc brake with hydraulic twin-piston caliper | F |

DIMENSIONS & CAPACITIES

| Estimated Dry Weight | 1,000 lb (454 kg) |
|----------------------|---|
| LxWxH | 118 x 46 x 57 in. (300 x 117 x 145 cm) |
| Wheelbase | 90 in. (228.5 cm) |
| Ground Clearance | 10.5 in. (26.7 cm) |
| Seat Height | 33.8 in. (85.8 cm) |
| Rack Capacity | Front: 120 lb (54.4 kg)/Rear: 350 lb (159 kg) |
| Storage Capacity | 2.9 gal (10.9 L) |
| Towing Capacity | 1,650 lb (750 kg) |
| Fuel Capacity | 5.4 gal (20.5 L) |
| Person Capacity | 2 |
| | |

FEATURES

| Gauge 4.5 in. digital display | | |
|-------------------------------|--|--|
| Instrumentation | DC outlet, 15-A connector | |
| Ignition | RF Digitally Encoded Security System (D.E.S.S.™) | |
| Lighting | 70 W headlights | |
| Winch | Prewired for available winch | |
| Seat | Convertible Rack System (CRS) | |
| Handlebar | Standard | |
| Protection | Central Skid Plate | |
| | | |

WARRANTY & EXTENDED SERVICE

| Factory Warranty | 2 years / 15,000 km, whichever comes first | |
|-------------------|--|--|
| Service Intervals | 100 hours / 12 months / 3000 km | |

| | | Can-Am Outlander Max 6X6 DPS 450 | Polaris Ranger 500 | Honda Pioneer 520 |
|-----------------------------------|---|---|---|--|
| Engine Size (cc) | | 427 cc | 500 cc | 518 cc |
| No. of Cylinders | = | 1 | 1 | 1 |
| Horsepower | + | 38 hp | 32 hp | Not listed |
| Transmission | = | CVT with extra low L-range | Automatic PVT; shaft | 5 speed with reverse; manual and automatic modes |
| Traction Options | + | 4WD or 6WD selectable (ultimate traction) | On Demand True AWD/2WD/Versatrac turf mode | 2WD or 4WD |
| Power Steering | + | Tri-Mode Adjustable Dynamic Power Steering (DPS) | No | No |
| Front Suspension | = | Double A-arm | MacPherson Strut | Independent Double-Wishbone |
| Rear Suspension | | DoubleTorsional trailing arm Independent (TTI2) with quick release sweay bar | Dual A-arm IRS | Independent Double-Wishbone |
| Wheel Size | = | 12" | 12" | 12" |
| Wheel Material | + | Aluminium | Steel | Steel |
| Tyre Diameter | + | 26" | 25" | 24" |
| Tyre Ply Rating | = | 6 ply | 6 ply | 4 ply |
| Towing Capacity | + | 750 kg | 680 kg | 454 kg |
| Total Cargo Capacity | | 213 kg | 226.8 kg | 204 kg |
| Ground Clearance | + | 27 cm | 25 cm | 22 cm |
| Overall Length | + | 300 cm | 279 cm | 267 cm |
| Overall Width | + | 117 cm | 147 cm | 127 cm |
| In-Line Vineyard Ready Seating | + | Yes | No | No |
| Vehicle Dry Weight | = | 454 kg | 483 kg | 482 kg - Kerb |
| Fuel Capacity | | 20.5 L | 34 L | 15.4 L |
| Speed Limiting Device | + | Programmable speed limiting safety key | No | No |
| Anti Theft Device | + | DESS security key system | No | No |
| Warranty Period | | 2 years/15,000 km, whichever comes first | 1 year unlimited km | 3 years unlimited km |
| Seating Capacity | = | 2 | 2 | 2 |
| Display | = | 4.5" Digital Display | 2" LCD | Analog speedo with LCD insert |

2023 CAN-AM OUTLANDER MAX 6X6 DPS 650



PACKAGE HIGHLIGHTS

- · Unmatched uphill and downhill stability
- · Incredible traction and soft ground performance
- Towing and cargo carrying capability to rival most mid sized SSVs
- Selectable 4WD/6WD
- Tri-Mode Dynamic Power Steering (DPS™)
- · Continuously Variable Transmission (CVT) with extra low L-gear
- Visco-Lok[†] QE auto-locking front differential
- Double Torsional Trailing arm Independent (TTI2) rear suspension
- Quick release rear sway bar
- 14 in. cast-aluminum wheels
- 26 in. ITP Terracross[†] radial tyres
- Dump dual-level cargo box with modular accessories
- 2 person capability, with removable passenger seat

Tundra Green / 650

| ENGINE | 650 | |
|---|--|--|
| Туре | 62 hp, Rotax [®] 650 cc, V-twin, liquid-cooled | |
| Fuel Delivery System | Electronic Fuel Injection (EFI) | |
| Transmission | CVT, P/R/N/H/extra-low L, standard engine braking | |
| Drive Train | Selectable 4WD/6WD with Visco-Lok [†] QE auto-locking front differential | |
| Power Steering | Tri-Mode Dynamic Power Steering (DPS™) | |
| SUSPENSIONS | | |
| Front Suspension | Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel | |
| Front Shocks | Oil | |
| Rear Suspension Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel | | |
| Rear Shocks | Oil | |
| TYRES & WHEELS | | |
| Front Tyres | ITP Terracross 26 x 8 x 14 in. | |
| Rear Tyres | ITP Terracross 26 x 10 x 14 in. | |
| Wheels | 14 in. cast-aluminum | |
| BRAKES | | |
| Front | Dual 214 mm disc brakes with hydraulic twin-piston calipers | |

Dual 214 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS & CAPACITIES

| cm) |
|------------|
| |
| |
| |
| (g) |
| I tailgate |
| |
| |
| |
| |

FEATURES

| , | |
|-----------------|--|
| Gauge | 4.5 in. digital display |
| Instrumentation | DC outlet, 15-A connector |
| Ignition | RF Digitally Encoded Security System (D.E.S.S.™) |
| Lighting | LED headlights |
| Winch | Prewired for available winch |
| Seat | Convertible Rack System (CRS) |
| Handlebar | Standard |
| Protection | Central Skid Plate |
| | |

WARRANTY & EXTENDED SERVICE

| Factory Warranty | 2 years / 15,000 km, whichever comes first | |
|-------------------|--|--|
| Service Intervals | 100 hours / 12 months / 3000 km | |

Rear

| 200 | | Can-Am Outlander Max 6X6 DPS 650 | Polaris Ranger 570 HD EPS (ADC) | Honda Pioneer 700-2 |
|-----------------------------------|---|--|---|--|
| Engine Size (cc) | | 650 cc | 567 cc | 675 cc |
| No. of Cylinders | + | 2 | 1 | 1 |
| Horsepower | + | 62 hp | 44 hp | 36.1 hp |
| Transmission | = | CVT with extra low L-range | Automatic PVT; shaft | 3 speed with reverse; manual and automatic modes |
| Traction Options | + | 4WD or 6WD selectable (ultimate traction) | On Demand True AWD/2WD/Versatrac turf mode | 2WD, 4WD, 4WD Lock |
| Power Steering | + | Tri-Mode Adjustable Dynamic Power Steering (DPS) | Electronic Power Steering | Electric Power Steering |
| Front Suspension | + | Arched double A-arm with front sway bar | MacPherson Strut | Independent Double-wishbone |
| Rear Suspension | + | Double Torsional Trailing arm Independent (TTI2) with quick release sway bar | Dual A-arm IRS | Independent Double-wishbone |
| Wheel Size | + | 14" | 12" | 12" |
| Wheel Material | = | Aluminium | Aluminium | Steel |
| Tyre Diameter | + | 26" | 25" | 25" |
| Tyre Ply Rating | = | 6 ply | 6 ply | 4 ply |
| Towing Capacity | + | 750 kg | 680.4 kg | 680 kg |
| Total Cargo Capacity | | 363 kg | 453.6 kg | 408 kg |
| Ground Clearance | + | 27.9 cm | 25.4 cm | 27 cm |
| Overall Length | + | 317 cm | 279 cm | 291 cm |
| Overall Width | + | 123 cm | 147 cm | 152.5 cm |
| Vehicle Dry Weight | = | 499 kg | 499 kg | 583 kg - Kerb |
| Fuel Capacity | | 20.5 L | 34.1 L | 30 L |
| Speed Limiting Device | + | Programmable speed limiting safety key | Drivers seatbelt limiter 25kph | Drivers seatbelt limiter 25kph |
| Anti Theft Device | + | DESS security key system | No | No |
| Warranty Period | | 2 years/15,000 km, whichever comes first | 1 year unlimited km | 3 years unlimited km |
| In-Line Vineyard Ready Seating | + | Yes | No | No |
| Seating Capacity | + | 2 | 2 | 2 |
| Display | + | 4.5" Digital Display | 2" LCD | Analog speedo with LCD insert |

2023 CAN-AM RENEGADE 110 EFI



PACKAGE HIGHLIGHTS

- For ages 10 and up
- · Heavy duty design capable of 100+ kg riders
- 4-stroke engine with Electronic Fuel Injection (EFI)
- Fully automatic continuously variable transmission (CVT)
- Independent A-arm front suspension
- Electric start
 Built-in throttle limiter

| Catalyst Grav | / & Neo Yellow | / 110 FFL |
|---------------|----------------|-----------|
| | | |

| ENGINE | 110 EFI |
|----------------------|--|
| Туре | 112 cc 4-stroke single cylinder, air cooled |
| Fuel Delivery System | Electronic Fuel Injection (EFI) with built-in throttle limiter |
| Transmission | CVT, F/N/R |
| Drive Train | Chain driven/2WD Electric starting system |
| Power Steering | N/A |

SUSPENSIONS

| Front Suspension | Single A-arm 5 in. (12.7 cm) travel | |
|------------------|--|--|
| Front Shocks | Oil | |
| Rear Suspension | Swingarm 6 in. (15.2 cm) travel | |
| Rear Shocks | Oil | |

TYRES & WHEELS

| THEO & MILEEE | | |
|---------------|------------------|--|
| Front Tyres | 19 x 7 x 8 in. | |
| Rear Tyres | 18 x 9.5 x 8 in. | |
| Wheels | 8 in. steel | |
| | | |

BRAKES

| Front | Dual drum brakes | |
|-------|--------------------|--|
| Rear | Single drum brakes | |

DIMENSIONS & CAPACITIES

| Estimated Dry Weight | 295 lb (134 kg) | |
|----------------------|---|--|
| LxWxH | 60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm) | |
| Wheelbase | 41 in (105 cm) | |
| Ground Clearance | 8.3 in. (21.1 cm) under frame/ 4.5 in. (11.4 cm) under rear axle | |
| Seat Height | 28 in. (71 cm) | |
| Rack Capacity | N/A | |
| Storage Capacity | N/A | |
| Towing Capacity | N/A | |
| Fuel Capacity | 1.6 gal (6 L) | |
| Person Capacity | 1 | |

FEATURES

| Gauge | Neutral, reverse, fuel level, & check engine lights |
|-----------------|---|
| Instrumentation | N/A |
| Lighting | Halogen running headlights |
| Winch | N/A |
| Seat | Standard |
| Handlebar | Ergonomy & controls for ages 10 years and up |
| Protection | Front bumper |

WARRANTY & EXTENDED SERVICE


| Factory Warranty | 6 months limited |
|-------------------|-------------------------------|
| Service Intervals | 30 hours / 12 months / 500 km |

| 0000 | | Can-Am Renegade 110 EFI | Yamaha YFM90R - 2023 | |
|-------------------------|---|---|--------------------------------|--|
| Engine Size (cc) | + | 112 cc | 89.9 cc | |
| No. of Cylinders | = | 1 | 1 | |
| Transmission | = | CVT (no gears) | CVT (no gears) | |
| Front Suspension | | Single A-arm | Single A-arm | |
| Rear Suspension | = | Swingarm | Swingarm | |
| Wheel Size | | 8" | 8" | |
| Wheel Material | = | Steel | Steel | |
| Tyre Size | = | 19"/18" | 18" | |
| Ground Clearance | | 21.1 cm under frame / 11.4 cm under rear axle | 10 cm | |
| Overall Length | + | 154 cm | 148.5 cm | |
| Overall Width | + | 103 cm | 102 cm | |
| Fuel Capacity | | 6 L | 6.6 L | |
| Fuel Delivery System | = | Electronic Fuel Injection | Carburetor | |
| Seat Height | | 71 cm | 75 cm | |
| Starter | | Electric | Electric with backup kickstart | |
| Overall Weight | | Dry 134 kg | Wet 126.5 kg | |
| Ages | | 10 and up | 10 and up | |
| Maximum Rider Weight | + | 102 kg | 82 kg | |

| Suzuki Quadsport Z90 | Kawasaki KFX 90 | CFMoto Cforce 110 |
|-----------------------------|---------------------------|--------------------------------|
| 80 cc | 90 cc | 110 cc |
| 1 | 1 | 1 |
| CVT (no gears) | CVT (no gears) | CVT (no gears) |
| Single A-arm | Single A-arm | Independent double A-arm |
| Swingarm | Swingarm | Mono mid-placed shock absorber |
| 8" | 8" | 10" / 8" |
| Steel | Steel | Steel |
| 19" | 18" | 19" / 18" |
| 15 cm | 10 cm | 11 cm |
| 150.5 cm | 142.5 cm | 149 cm |
| 87.5 cm | 90.5 cm | 95 cm |
| 6 L | 5.3 L | 6.4 L |
| Carburetor | Carburetor | Electronic Fuel Injection |
| 65 cm | 65 cm | 69 cm |
| Electric with backup recoil | Electric with kick backup | Electric |
| Dry 127 kg | Dry 122 kg | Wet 125 kg |
| 12 and up | 12 and up | 6 to 12 |
| 90 kg | 85 kg | Not listed |

| | | OUTLANDER | RENEGADE 110 EFI | | |
|-----------------------|-------------------------------------|---|---|---|--|
| | | | 50 B | 0-0-0 | |
| со | LOUR OPTIONS | Tundra | a Green | Catalyst Gray & Neo Yellow | |
| | _ | 450 | 650 | 110 EFI | |
| | Туре | 38 hp, Rotax [®] 427 cc single cylinder, liquid-cooled | 62 hp, Rotax® 650 cc, V-twin, liquid-cooled | 112 cc 4-stroke single cylinder, air cooled | |
| ENGINES | Fuel Delivery System | Electronic Fue | Electronic Fuel Injection (EFI) | | |
| ENG | Transmission | CVT, P/R/N/H/extra-low I | CVT, F/N/R | | |
| | Drive Train | Selectable 4WD/6WD with Visco-L | Chain driven/2WD electric starting system | | |
| | Power Steering | Tri-Mode Dynamic Po | ower Steering (DPS™) | N/A | |
| s | Front Suspension | Double A-arm 9 in. (22.9 cm) travel | Arched double A-arm with front sway bar 9.2 in. (23.3 cm) trave | Single A-arm 5 in. (12.7 cm) travel | |
| NOISI | Front Shocks | | Oil | | |
| SUSPENSIONS | Rear Suspension | Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 8.8 in. (22 cm) travel | Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel | Swingarm 6 in. (15.2 cm) travel | |
| ร | Rear Shocks | | Oil | | |
| WHEELS | Front Tyres Rear Tyres Wheels | Carlisle [†] ACT HD 26 x 8 x 12 in. Carlisle [†] ACT HD 26 x 10 x 12 in. 12 in. cast-aluminum | ITP Terracross [†] 26 x 8 x 14 in. ITP Terracross [†] 26 x 10 x 14 in. 14 in. cast-aluminum | 19 x 7 x 8 in. 18 x 9.5 x 8 in. 8 in. steel | |
| | Front | Dual 214 mm disc brakes with | Dual drum brakes | | |
| BRAKES | Rear | Single 214 mm disc brake with hydraulic twin-piston caliper | Dual 214 mm disc brakes with hydraulic twin-piston calipers | Single drum brake | |
| | Estimated Dry Weight | 1,000 lb (454 kg) | 1,100 lb (499 kg) | 295 lb (134 kg) | |
| | LxWxH | 118 x 46 x 57 in. (300 x 117 x 145 cm) | 124.8 x 48.5 x 55.3 in. (317 x 123 x 140 cm) | 60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm) | |
| TIES | Wheelbase | 90 in. (228.5 cm) | | 41 in (105 cm) | |
| DIMENSIONS/CAPACITIES | Ground Clearance | 10.5 in. (26.7 cm) | 11 in. (27.9 cm) | 8.3 in. (21.1 cm) under frame/ 4.5 in. (11.4 cm) under rear axle | |
| NS/C | Seat Height | 33.8 in. (85.8 cm) | 34.5 in. (87.7 cm) | 28 in. (71 cm) | |
| INSIO | Rack Capacity | Front: 100 lb (45 kg)/Rear: 200 lb (90 kg) | Front: 100 lb (45 kg)/Rear: 700 lb (318 kg) | N/A | |
| DIME | Storage Capacity | 2.9 gal (10.9 L) | Dual-level cargo box with sidewalls and tailgate 18.5 gal (70 L) | N/A | |
| | Towing Capacity | 1,650 lb (750 kg) | | N/A | |
| | Fuel Capacity | 5.4 gal | 1.6 gal (6 L) | | |
| | Gauge | 4.5 in. dig | Neutral, reverse, fuel level & check engine lights | | |
| | Instrumentation | DC outlet, 15-A connector | | N/A | |
| | Ignition | Ignition - RF Digitally Encode | Кеу | | |
| FEATURES | Lighting | 70 W headlights | LED headlights | Halogen running headlights | |
| FEAT | Winch | Prewired for available winch | | N/A | |
| | Seat | Convertible Rack System (CRS) | | Standard | |
| | Handlebar | Standard | | Ergonomy & controls for 10 years old and up | |
| | Protection | Central S | Front bumper | | |

[†]Visco-Lok is a trademark of GKN Viscodrive GmbH.



ATV ACCESSORY COMPATIBILITY GUIDE

We've made things super simple.

- Check your model year
- Choose engine and model
- Learn your **PLATFORM CODE**

This **PLATFORM CODE** will let you know at a glance if the accessory is compatible with your vehicle.

| Model year | Model | Engine configuration | Platform code |
|------------|-----------------|----------------------|---------------|
| 2015 | Outlander L | 450, 500 | G2L |
| 2010 | Outlander | 500, 650, 800, 1000 | G2 |
| | Outlander L MAX | 450, 500 | G2L |
| | Outlander MAX | 500, 650, 800, 1000 | G2 |
| | 6x6 | 650, 1000 | G2 |
| | Renegade | 500, 800, 1000 | G2S |
| 2016 | Outlander L | 450, 570 | G2L |
| 2010 | Outlander | 570, 650, 850, 1000 | G2 |
| | Outlander L MAX | 450, 570 | G2L |
| | Outlander MAX | 570, 650, 850, 1000 | G2 |
| | 6x6 | 650, 1000 | G2 |
| | Renegade | 570, 850, 1000 | G2S |
| 2017 | Outlander | 450, 570 | G2L |
| 2018 | Outlander | 650, 850, 1000 | G2 |
| 2010 | Outlander MAX | 450, 570 | G2L |
| | Outlander MAX | 650, 850, 1000 | G2 |
| | 6x6 | 650, 1000 | G2 |
| | Renegade | 570, 850, 1000 | G2S |
| 2019 | Outlander | 450, 570 | G2L |
| 2020 | Outlander | 650, 850, 1000R | G2 |
| 2021 | Outlander MAX | 450, 570 | G2L |
| 2022 | Outlander MAX | 650, 850, 1000R | G2 |
| 2022 | 6x6 | 450 | G2L |
| 2020 | 6x6 | 650, 1000 | G2 |
| | Renegade | 570, 650, 850, 1000R | G2S |





LINQ: EASY ON, EASY OFF CARGO

LINQ ACCESSORIES

Compatibility/requirements

| No tools needed: Quickly install and remove accessories by hand. Equip your Can-Am for specialized tasks in no time. Sturdy mounting system that holds up to the roughest terrain. | OUTLANDER 450/570 | OUTLANDER | RENEGADE |
|--|---|---|---|
| LinQ Accessories with 16" Base | Lower loading capacity that | nches apart, center-to-center. n the LinQ with 36" base acce V and SSV vehicles, Can-Am S i-Doo snowmobiles. | ssories. |
| LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White | | | |
| LinQ Tool Box 715008111 | - | LinQ Anchor Adapter Kit 715004960 | LinQ Luggage Rack |
| LinQ SR 5.5 Gal (21 L) Bag 860202449 | | | 715001734 & LinQ Anchor Adapter Kit |
| LinQ 4.5 Gal (17 L) Sport Bag 860202447 | LinQ Adapter Plate 715007273 & | | 715004960 OR |
| LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L) | LinQ Base Installation Kit 715008125 | | LinQ Adapter Plate 715007274 & LinQ Base Installation Kit 715008125 |
| LinQ Tool Kit 715006829 | | | |
| LinQ Roll-Top Bag 715008110 | _ | | |
| LinQ Accessories with 36" Base | Mount on LinQ racks often Higher loading capacity that Usage is limited to Can-Am | used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles. | s. sssories. |
| LinQ 12 Gal (45 L) Cargo Box 715003879 | LinQ Base | | LinQ Luggage Rack 715001734 |
| LinQ 23 Gal (86 L) Trunk Box 715004923 | 715002350 | | |
| LinQ 32 Gal (121 L) Trunk Box 715001747 (2-up) 715001749 (MAX) | No compatibility | | |
| LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018 | LinQ Base 715002350 | No further requirements | |
| LinQ 8 Gal (30 L) Cooler Box 715004778 • Black / 715004698 • Gray | No compatibility | | |
| LinQ Premium Storage Bag by OGIO 715002923 • Black | | | |
| LinQ Heavy Duty Basket 715001215 | LinQ Base 715002350 | | |
| LinQ Low Profile Basket 715004282 | _ | | |
| LinQ Holders | | | |
| LinQ 4" Rack 715001711 • Silver / 715001665 • Black | Not compatible *Alternative 5" or 8" Rack | No further requirements | LinQ Luggage Rack 715001734 |
| LinQ 6" (15 cm) Rack Extension 715001712 • Silver / 715001671 • Black | Extensions (715001913 or 715001914) are available for G2L | | |
| LinQ Mounted Gear Grips 715005340 | LinQ Base | | |
| LinQ Tool Holder 715007358 | 715002350 | | |
| LinQ Gun Boot Rack 715002112 715002113 | Not compatible *Alternative Gun Boot Racks (715001918 or 715001919) are available for G2L | | No compatibility |

LinQ Accessories with 16" base

| | | | | 715005494 · (10 L) 715007112 · (20 L) |
|-----------------------------|--|--|--|---|
| LinQ Modular Box | | G2, G2L, G2S | | 715006830 · (30 L) |
| FP | right gear accessible. | | | |
| Thermal Insert For LinQ Mod | lular Box (10 L) | G2, G2L, G2S | | 219401110 |
| | Insulated liner. Fits very well in the LinQ Mo Can contain five 473 ml can | | | |
| LinQ Tool Kit | | G2, G2L, G2S | | 715006829 |
| | Includes: Cutter pliers Long-nose pliers Locking plier Ratchet wrench %" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) | Long-socket 19 mm %" drive - 6pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive Socket 8 mm %" drive | - Combined wrench 19 mm - Combined wrench 18 mm - Combined wrench 15 mm - Combined wrench 13 mm - Combined wrench 10 mm - Combined wrench 8 mm | Socket Torx T40 %" drive Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive See table for installation location and requirements. |
| LinQ 4.2 Gal (16 L) Cooler | | G2, G2L, G2S | | ■ 219400964 · Black 295100698 · Gray |
| | Rotomolded construction for exceptional rigidity and durability. | | Uses LinQ mounting system (Patent US 8777531 and US 8875830). Easy one-second on/off tool-less system. See table for installation location and requirements. | |
| LinQ Tool Box | | G2, G2L, G2S | | 715008111 |
| | High precision injected HDPE construction provides rigidity and durability. 5 gal (19 L) maximum capacity. Weather-resistant, sealed and lockable cover. Marinized for salt water purposes. See table for installation location and requirements. | | | |
| LinQ Roll-Top Bag | | G2, G2L, G2S | | 715008110 |
| une | Fully waterproof Roll-Top dr confine your equipment. LinQ mounted using heavy- High capacity storage soluti Bottom foam liner for additional strength and the strength and the | duty rigid plastic base. ion 10.6 gal (40 L). | Integrated handle for easy t vehicle. Marinized for salt water pur See table for installation loc | poses. |

| SR 5.5 | Gal (21 | L) LinQ | Bag |
|--------|---------|---------|-----|
|--------|---------|---------|-----|

G2, G2L, G2S

860202449

- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- See table for installation location and requirements.

| LinQ 4.5 Gal (17 L) Sport Bag | | G2, G2L, G2S | 860202447 |
|-------------------------------|--|--------------|-----------|
| - | 4.5 gal (17 L) capacity. | | |

- Rigid bottom, semi-rigid top.
- See table for installation location and requirements.

| - | | | | |
|---|---|---|---|---|
| | Ţ | | - | |
| | | | | I |
| | - | | | , |
| | | - | - | |

LinQ Accessories with 36" base

| LinQ 12 Gal (45 L) Cargo Box | | G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S | 715003879 |
|------------------------------|-----------------------------|--|-----------|
| | LinQ mounted for easy on, e | asy off installation. | |

- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

| LinQ 23 Gal (86 L) Trunk Box | | G2 (except 6x6 models), G2L, G2S | 715004923 |
|-------------------------------|---|-------------------------------------|---|
| | LinQ mounted for easy on, e Lockable and weather-resis Holds cargo safely and secu Comfort pads for passenge See table for installation loc | stant. urely while riding. r. | |
| LinQ 32 Gal (121 L) Trunk Box | | G2 (except MAX models & 6x6), G2S | 715001747 715001748 · No rear tail light |

- LinQ Retrofit Adapter Plate (715001334) is required for G1 models.
- Trunk Box Panels available in many colours to match your vehicle (sold separately).
- See table for installation location and requirements.

| LinQ 32 Gal (121 L) Tr | runk Box for Outlander Max | G2 (MAX models only except 6x6 models) European Version (EC compliant) | 715001749 715001750 · No rear tail light. |
|------------------------|--|--|--|
| | | ed on active rides as well as longer recreational rides fitted with a portion made of closed cell foam that w | |
| | Very easy to embark even w | hen driver is seated. | |
| | - Trunk Pox Popolo available i | a many colours to match your yobials (cold constate) | ad a |

• Trunk Box Panels available in many colours to match your vehicle (sold separately).

| LinQ 32 Gal (121 L) Trunk Bo | x Panels | G2 (except 6x6 models), G2S | |
|------------------------------|--|---|-----------------------------------|
| | Colour panels to match the | LinQ 32 gal (121 L) Trunk Box to your v | ehicle. |
| | | 715001391 · Black | 715002985 · Manta Green |
| | | 715001392 · Yellow | 715002986 · Can-Am Red |
| | | 715001395 · Viper Red | 715006119 · Orange Crush |
| | | 715002481 · White | 715006120 · Squadron Green |
| | | 715002480 · Light Gray | 715007074 • Tundra Green |
| | | 715002984 · Octane Blue | |

LinQ 32 Gal (121 L) Trunk Box Panels

EUROPEAN VERSION (EC compliant)

| (Not illustrated) | | EUROPEAN VERSION (EC com | npliant) | |
|---------------------------------|---|---|------------------------------------|--|
| | Colour panels to match the No rear tail light. | LinQ 32 gal (121 L) Trunk Box to | o your vehicle. | |
| | | 715001397 · Black 715001398 · Yellow 715006124 · Viper Red 715002483 · White | 71500612 | 22 · Manta Green 21 · Can-Am Red 23 · Orange Crush |
| inQ 11.5 Gal (43 L) Audio Ca | rgo Box | G2 (front only for 6x6 & MAX m | nodels 2013-2014), G2L, G2S | 715003018 |
| | Mounts on/off easily to hold and securely. The Bluetooth enabled rece speakers are smartly conce in the cover. Automatic shut-off function turning the system off after | iver and 6.5" (16.5 cm) aled and integrated protects your battery by | | ality on the market to sweeten -in full range high-efficiency |
| inQ 8 Gal (30 L) Cooler Box | | G2 (except 6x6 models), G2S | | 715004778 · Black 715004698 · Gray |
| | • | the cover tightly closed. | durability. | |
| inQ Premium Storage Bag by | OGIO | G2 (except 6x6 models), G2L, 0 | 328 | 715002923 · Black |
| | LinQ mounted for easy on, ε Holds cargo safely and secu See table for installation loc | urely while riding. | | |
| inQ Low Profile Basket | | G2, G2L (front only for MAX & | 6x6 models), G2S | 715004282 |
| | Low profile, open basket inc Perfect for easy access to to Multiple bungee cord and ti Made of impact-resistant in See table for installation loc | ools, rope, winch and plow acce e-down anchor points. jected polypropylene. | ssories. | |
| inQ Heavy-Duty Basket | | G2, G2L (front only for MAX & | 6x6 models), G2S | 715001215 |
| Content and Content and Content | Made of high-strength, low- LinQ mount for easy on, eas Can be placed on both front See table for installation loc | y off installation. and back racks of vehicle. | | |
| Large Cargo Box | | G2 , G2L (except 6x6) | | 715007001 |
| | Also has a mat for the floor a the rear vertical lip. | s. fixtures for tool holder, and ma and slot to enable the installatio ms through the LinQ system and | on of a divider and a slot for a d | ivider to close the recess on |

| LinQ Tool Holder | | G2, G2S, G2L | 715007358 |
|-------------------------|---|---|-------------------------------|
| ļļ | Ultra-versatile tool holder. Convenient swivel-latch allo Sold in pairs. | ws tools to be stored in any orientation. | |
| -inQ Gear Grips | | G2, G2S, G2L | 715005340 |
| ŶŶ | Heavy-duty design for carry Quick-release button opens Heavy-duty base system but | rovide a custom fit for a variety of items from 1" ing bows, fishing poles, rakes, farm tools and m grip quickly for easy access to gear. ilt for the toughest adventures. Is a snap by combining the Gear Grips with the | lore. |
| LinQ Mounting | | | |
| LinQ Anchor Adapter Kit | | G2, G2S | 715004960 |
| | Tool-less installation and rel | cessories with LinQ base of 16" on LinQ racks. moval. Rack (715001734) is required for installation. | |
| LinQ Base | | G2L | 715002350 |
| 68 | Made of polypropylene glas Allows you to install LinQ ac Sold in pack of 4. | | |
| LinQ Lock | | G2, G2S, G2L, | 860201968 |
| | Simple way to securely lock Lock cover protects lock fro Corrosion resistant. Pack of 1, includes 2 keys. Not compatible with LinQ 4. | | l Holder and LinQ Gear Grips. |
| LinQ Replacement Parts | | | 715001707 |
| | Unique mounting fastener u Tool-less installation and rea Sold in pairs. | isable on any LinQ System accessory. moval. | |

RACKS & HOLDERS

| LinQ Rack Extension – 4" (10 | cm) | G2, G2S | 715001711 · Silver 715001665 · Black |
|------------------------------|---|--|---|
| | Fits front or rear. Strong and durable. Helps keep cargo securely i Easy and tool-less installation Anti-corrosion coating with LinQ Luggage Rack (71500 | on thanks to the LinQ System. durable powder coat finish. | |
| LinQ Rack Extension - 6" (15 | cm) | G2, G2S | ■ 715001712 · Silver ■ 715001671 · Black |
| | Fits front or rear. Strong and durable. Helps keep cargo securely i Easy and tool-less installation Anti-corrosion coating with LinQ Luggage Rack (71500 | on thanks to the LinQ System. durable powder coat finish. | |
| Rack Extension – 5" (13 cm) | | G2L | 715001913 |
| | Fits front or rear. Made of carbon steel. Provides tie-down points to Easy installation on tubular Anti-corrosion coating with | rack. | |
| Rack Extension – 8" (20 cm) | | G2L | 715001914 |
| | Fits front or rear. Made of carbon steel. Provides tie-down points to Easy installation on tubular Anti-corrosion coating with | rack. | |
| LinQ Luggage Rack | | G2S (except X mr models) | 715001734 |
| | Bolt-on rack. Enables use of LinQ mounter | ed accessories on the G2S. | |
| LinQ Base Plate | | G2L | 715007273 |
| 67 | Enables use of 16" wide Lin Requires LinQ base kit (715 | Q base accessories on G2L to extend cargo options and jourr 008125). | ney opportunities. |
| LinQ Base Plate | | G2S | 715007274 |
| | Enables use of 16" wide Lin Requires LinQ Base Kit (715 | Q base accessories on G2S to extend cargo options and jourr 5008125). | ney opportunities. |

| | | G2L (except MAX models) | | 715001918 |
|-------------------------------------|--|---|---|---|
| Gun Boot Rack | | G2L (MAX models only) | | 715001919 |
| the | Made of steel. Designed for the tubular rac | ж. | For use with Gun Boot 6.0 Ir Can be mounted to either si | |
| Gun Boot 6.0 Impact [†] By | Kolpin† | G2, G2L | | 715001419 |
| | Extra room for pistol-grip-ty small bipods. Easily fits firearms up to 51" Provides ample room for 2 3 Hatchback design allows ea Ergonomically designed har points for sling. | (130 cm) in total length. ٤" (60 mm) scopes. sy access. | Snap-close cover with locki Designed to accommodate rifles and shotguns. Includes removable, shock a Impact liner for superior inte Requires appropriate mount | left and right hand bolt-action bsorbing foam and nylon protection. |
| LinQ Gun Boot Rack | | G2 (except MAX, 6x6 & X mr 1 | 000) | 715002112 |
| (Not illustrated) | | G2 (MAX & X mr 1000 models | only) | 715002113 |
| | This lightweight Gun Boot R side of your Outlander using | ack can be mounted on either the tool-less LinQ System. | For use with Gun Boot 6.0 Ir | mpact by Kolpin. |
| | | | | 715002354 · Single |
| Multi-Fit Holder | | G2, G2L | | 715001945 · Double |
| | Open U-shaped bracket for and hunting weapons (rifle, but easily accessible. Easy installation on tubular or bumpers. | bow) that are safely secured, | For G2, the LinQ Rack Exter Sold in pairs. | nsion (715001711) is required. |
| LinQ Gear Grips | | G2L | | 715001421 |
| YP | Durable, flexible grips cushion custom fit for a variety of items in diameter. Heavy-duty design for carrying tools and more. Quick-release button opens gri | from 1" to 4" (2.5 cm to 10 cm) | Heavy-duty base system bu adventures. Easy installation on tubular brackets or bumpers. Sold in pairs. | · |

CARGO & STORAGE

| Log Bars | G2 (6x6 models only) | 715001987 |
|----------|--|----------------------------|
| | g bars allow you to convert the cargo bed into a perfect transport spa ne driver's safety is guaranteed by the protective front screen. | ce for 4' (120 cm) timber. |
| Hard Top | G2 (6x6 models only) | 715002394 |



Locking secures your belongings.

• The cover raises assisted by gas cylinders.

| Cargo Box Pool | | G2L (6x6 models only) | 715005256 | | | | |
|----------------------------|--|---|-----------------------|--|--|--|--|
| | Made of durable formed H | d into a large capacity cargo box for increased loading possibilities. ed HDPE and shaped to maximize cargo space. cle´s water-resistant rear compartment. it and easy installation. | | | | | |
| Tailgate Extension/Divider | | G2 (6x6 models only) | 715002017 | | | | |
| | Thanks to the longer cargo | on provides a 10" (25 cm) extension to the cargo space. b bed, even large loads pose no problem. k locks, the extension also acts as a solid space divider for the | e cargo bed. | | | | |
| Tarpaulin | | G2 (6x6 models only) | 715002416 | | | | |
| | Fitted to cover all of the ite Prevents splash from enter Easily removable for quick | | | | | | |
| 18 Gal (70 L) Utility Box | | G2 (6x6 models only) | 715001999 | | | | |
| | | tever you do, this handy 18 gal (70 L) utility box is your mobile ent safe from the elements in all conditions. ith handles for easy access. | storage. | | | | |
| Cargo Box Net | | G2 (6x6 models only) | 715001371 | | | | |
| | Solid net designed to hook | to the bottom of the cargo box for secure and compact confi | nement of your cargo. | | | | |
| Soft Storage Bag | | G2, G2L, G2S | 715003759 | | | | |
| | 3 -section bag. Transport gear in a weathe 11.8 gal (45 L) capacity sof LinQ Luggage Rack (71500) | t cargo bag designed with vehicle's rack in mind to maximize | potential storage. | | | | |
| Storage 2.6 Gal (10 L) Bag | | | 269502121 | | | | |
| O P | Roll-Top dry bag for fully pr Fits in rear compartment o | otecting your cargo from the elements. f your vehicle. | | | | | |

CAN-AM WINDSHIELDS

| Deluxe Fairing | | G2 (except X mr & 6x6), G2L | 715001232 · Black 715000935 · Yellow 2000 715002479 · Light Gray | 715006125 · Squadron Green 715007073 · Tundra Green | | | | |
|---|--|---|---|--|--|--|--|--|
| | Innovative, richly featured w Quick tool-less removal onc on handlebar. Two cup holders. Ready for GPS mounting kit | e base brackets are mounted | Optional mirrors and auxilia Requires low, high or extra h Tapered Handlebar Adapter with 1¹/₄" (28 mm) tapered a | ra high windshield. oter Kit is required for vehicles | | | | |
| Camo Decals for Black Deluxe (Not illustrated) | e Fairing | Deluxe Fairing | 715002976 · Mossy Oak Break-Up Country Camo | 715001684 • Next G-1 Vista Camo | | | | |
| | Camo pattern perfectly matches your camo vehicle. | | | | | | | |
| Tapered Handlebar Adapter K (Not illustrated) | (it | Deluxe Fairing | | 715002470 | | | | |
| | Required to install Deluxe F aluminum handlebars. | airing on an Outlander X-TP and | l on any vehicle equipped with | 1 1⁄8" (28 mm) tapered | | | | |
| Extra High Windshield | | Deluxe Fairing | | 715000936 | | | | |
| | 16" (41 cm) windshield prov For wind protection and wir Tool-less installation and re | | ainst the elements while touring | j. | | | | |
| High Windshield | | Deluxe Fairing | | 715001211 | | | | |
| | Tool-less installation and re | placement. | | | | | | |
| Low Windshield | | Deluxe Fairing | | 715001227 | | | | |
| Accessories | | s you to keep your vehicle lookii y of enjoying directional lighting placement. | | e protection from the | | | | |
| Auxiliary Windshield Lighting | | Deluve Feiring | | 715002115 | | | | |
| | 2 premium LED spots for De 1,800 lumens. 2 x 10W LED Cree light kit. | Deluxe Fairing eluxe Fairing for both increased to 350' (107 m), drawing less the | | 715003115 | | | | |
| Deluxe Mirror Kit | | Deluxe Fairing | | 715002353 | | | | |
| | Improved mounting system. Wide rear view. Perfect fit with your Deluxe | | | | | | | |

| Extra High Windshield Kit | | G2, G2L, G2S (except X mr mo | odels) | 715003023 |
|---------------------------|--|---|--|--------------------------|
| | Made of polycarbonate with i turbulence and rumble noise and smoother ride. Quick tool-less removal once on handlebar. Fits straight and tapered han | e at high speeds for a quieter base brackets are mounted | Improved design for enhance Steering Cover (709400939) Mossy Oak models. 16" (41 cm) windshield. For ultimate wind protection |) is required for XT and |
| High Windshield Kit | | G2, G2L, G2S (except X mr mo | dels) | 715006382 |
| | Made of polycarbonate with i turbulence and rumble noise and smoother ride. Quick tool-less removal once on handlebar. Fits straight and tapered han | e at high speeds for a quieter base brackets are mounted | Improved design for enhance Steering Cover (709400939) Mossy Oak models. 11" (28 cm) windshield. For wind protection and wind |) is required for XT and |
| Low Windshield Kit | | G2, G2L, G2S (except X mr mo | dels) | 715003021 |
| | Made of polycarbonate with i turbulence and rumble noise and smoother ride. Quick tool-less removal once on handlebar. | e at high speeds for a quieter | Improved design for enhance Steering Cover (709400939 Mossy Oak models. 6" (15 cm) windshield. Allows you to keep your veh |) is required for XT and |

HANDLEBARS & MIRRORS

Handlebar Wind Deflectors G2, G2L, G2S Rugged injected plastic construction with Can-Am logo. Include removable cap for air flow adjustment. Mounting kit sold separately. **715000525** · Black / Yellow **715003813** · Orange / Black **715000537** · White / Black 715003814 · Octane Blue / Black 715001706 · Black / Black 715006117 · Squadron Green / Black **715003811** · Can-Am Red / Black 715006118 · Viper Red / Black 715003812 · Manta Green/Black **Passenger Wind Deflectors** G2 and G2L (MAX models only) 715001669 • These wind deflectors fit on the passenger handles and provide greater comfort while riding. - Easy to install and remove. **Full Wrap Aluminum Mounting Kit** G2, G2L, G2S 715001378

- Lightweight black die cast aluminum construction.
- Includes complete hardware.
 - Handlebar wind deflectors sold separately.

| Aluminum Tapered Handlebar | | G2, G2L, G2S | 715000550 |
|----------------------------|---|---|-----------|
| | %" - 1 1/2" (22 mm - 28 mm) ta Includes all hardware, center | apered handlebar made of 6061-T6 aluminum. er steering foam and cover. | |

115

Xt Handlebar Protector Kit

G2, G2L

• Not compatible with Mud Strap (715003053).



| Mirrors Left – ¾" (10 mm) | | G2, G2L, G2S | | 708200963 |
|---|--|---|--|-----------------------------|
| | True vision surface 5" x 3" (1 Matte finish. Stem includes %" (10 mm) tl Bracket (715000190) is requ Bracket not required for inst | hread. iired for installation on DS 45 | | |
| Mirrors Right – ¾" (10 mm) (Not illustrated) | | G2, G2L, G2S | | 709400523 |
| | True vision surface 5" x 3" (1 Matte finish. Stem includes %" (10 mm) the stem includes % and the s | | Bracket (715000190) require right hand brake. | ed except for vehicles with |
| Handlebar Mirrors | | G2, G2L, G2S | | 715005366 |
| | Adjustable handlebar mount | | Doesn't require a windshiel | d or fairing to be mounted. |



| Adjustable handlebar mounted convex mirrors. |
|--|
| The convex surface allows improved visibility with a |
| wider field of view. |

<u>SEATS</u>

| | G2L (except MAX models) | 715003941 |
|-----------------|----------------------------------|-----------|
| | G2 (except 6x6 & MAX models) | 715003940 |
| Driver Backrest | G2 (6x6 models only, except MAX) | 715003611 |


• Provides the rider's back with that extra support that makes riding that extra mile way more comfortable.

- Adjusts horizontally to match the driver's height and preference.
- Mounts and locks in firmly onto the vehicle.

| at Kit | G2 2015 & up, G2L (MAX models only) | 715002373 |
|---|-------------------------------------|-----------|
| Perfect to replace used or data | amaged passenger seat. | |



HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of ¼" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

Lighter than aluminum.

Superior stress crack resistance.

High impact strength.

OUTLANDER, RENEGADE

| | | G2 | | | i2 | | | G2L | | G | 2S |
|-----|--|---|------------------------------------|---|------------------------------------|---|------------------------------------|--|--|-------------------------|--------------|
| | | 2016 8 | & Prior 2017-20 | | 17-2018 2019 & Up | | & Up | | | 2017- 2018 Models | 2019 & Up |
| | | Except MAX & X mr 1000R models | MAX & X mr 1000R models only | Except Max & X mr 1000R models | MAX & X mr 1000R models only | Except MAX & X mr 1000R models | MAX & X mr 1000R models only | Except MAX models | MAX models only | | |
| ΗN | /WPE Skid P | late Pro | tection | Kit | | | | | | | |
| | | 715004214 | 715004215 | 715004209 | 715004210 | 715004806 | 715004807 | 715004211 | 715004212 | 715004213 | 715004809 |
| Inc | dividual HMV | VPE Ski | d Plates | S | I | | I | I | | I | |
| 1 | A-Arm Protectors | 715002924 | 715002924 | 715002924 | 715002924 | 715004822 | 715004822 | 715002924 | 715002924 | 715002924 | 715004822 |
| Ŭ | Underbelly Plates Footwell portion not compatible with Renegade X mr | 715002926 | 715002927 | 715002926 | 715002927 | 715002926 | 715002927 | 715002928 | 715002929 | 715002974 | 715002974 |
| 3 | Trailing Arm Protectors | - | - | 715003466 | 715003466 | 715004823 | 715004823 | 715003466 (2015 to 2020 models only) | 715003466 (2015 to 2020 models only) | 715003466 | 715004823 |

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/16" (4.5 mm) thick High Strength 5052 H32 Aluminum.


Ultimate durability.

High strength.

OUTLANDER

| | G2 | | | | | | G2L | |
|--------------------------------|--------------------------------------|------------------------------------|--------------------------------------|------------------------------------|--------------------------------------|------------------------------------|----------------------|--------------------|
| | 2016 8 | & prior | 2017-2018 | | 2019 & up | | Any year | |
| | Except MAX & X mr 1000R models | MAX & X mr 1000R models only | Except MAX & X mr 1000R models | MAX & X mr 1000R models only | Except MAX & X mr 1000R models | MAX & X mr 1000R models only | Except MAX models | MAX models only |
| Aluminum Skid Plate Protection | on Kit | | | | | | | |
| | 715002137 | 715002138 | 715004197 | 715004198 | 715004804 | 715004805 | 715004199 | 715004200 |
| Individual Aluminum Skid Plat | tes | | | | | | | |
| A-Arm Protectors | 715001667 | 715001667 | 715001667 | 715001667 | 715004820 | 715004820 | 715001667 | 715001667 |
| 2 Front Skid Plate | 715000926 | 715000926 | 715000926 | 715000926 | 715000926 | 715000926 | 715001906 | 715001906 |
| ③ Central Skid Plate | 715002078 | 715002078 | 715002078 | 715002078 | 715002078 | 715002078 | 715002078 | 715002078 |
| Footwell Protector Plates | 715000922 | 715000922 | 715000922 | 715000922 | 715000922 | 715000922 | 715000922 | 715000922 |
| 5 Trailing Arm Protectors | _ | _ | 715008595 | 715008595 | 715004821 | 715004821 | 715008595 | 715008595 |
| Rear Differential Protectors | 715000920 | 715000920 | 715000920 | 715000920 | 715000920 | 715000920 | 715000920 | 715000920 |
| ⑦ Rear Skid Plate | 715002028 | 715002029 | 715002028 | 715002029 | 715002028 | 715002029 | 715002028 | 715002029 |

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/16" (4.5 mm) thick High Strength 5052 H32 Aluminum.


Ultimate durability.

High strength.

| | G2S | | | | | |
|--------------|---|--|--|--|--|--|
| 2016 & prior | 2017-2018 | 2019 & up | | | | |
| | | | | | | |
| 715002139 | 715004201 | 715004808 | | | | |
| | | | | | | |
| 715001667 | 715001667 | 715004820 | | | | |
| 715000925 | 715000925 | 715000925 | | | | |
| 715002078 | 715002078 | 715002078 | | | | |
| 715001359 | 715001359 | 715001359 | | | | |
| 715001129 | 715008595 | 715004821 | | | | |
| 715000920 | 715000920 | 715000920 | | | | |
| 715002028 | 715002028 | 715002028 | | | | |
| | 715002139 715001667 715000925 715002078 715001359 715001129 715000920 | G2S 2016 & prior 2017-2018 715002139 715004201 715001667 715001667 715000925 715000925 715002078 715002078 715001359 715001359 71500120 71500325 715001359 71500320 715000920 71500320 | | | | |

RENEGADE

HMWPE & ALUMINUM SKID PLATES



Our Plastic and Aluminum Plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

HMWPE

Made of ¼" (6 mm) thick abrasion resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.

ALUMINUM

Made with High Strength 3/6" (4.5 mm) thick 5052 H32 Aluminum.

- Ultimate durability.
- High strength.

OUTLANDER 6X6

| | G2 6x6 | | | G2L 6x6 | |
|--|--------------------------------|-------------|--------------------------------|---|--|
| | 2016 & prior | 2017 - 2018 | 2019 & up | Any year | |
| Individual HMWPE Skid Plates | S | | | | |
| () HMWPE A-Arm Protectors | 715002924 | 715002924 | 715004822 | 715002924 | |
| (2) HDPE Full Underbelly Skid Plate | 715005290 (except Max) | 715005290 | 715005290 (except Max) | 715005259 | |
| | 715003647 (Max Only) | 715003647 | 715003647 (Max Only) | (Max Only) | |
| 3 HMWPE Trailing Arm Protectors | - | 715003466 | 715004823 | 715003466 (2020 models & prior only | |
| Individual Aluminum Skid Plat | tes | | | | |
| Aluminum A-Arm Protectors | 715001667 | 715001667 | 715004820 | 715001667 | |
| 2 Aluminum Full Underbelly Skid Plate | | | | | |
| ③ Aluminum Trailing Arm Protectors | | 715008595 | 715004821 | 715008595 | |

BUMPERS & GUARDS

Bumpers

| Expedition Front Bumper | | G2, G2L (except X mr models & X xc models 2022 & up) | 715007233 |
|-------------------------|--|---|--------------|
| | Protects and doesn't obstru Integrated mounting spots | tubes for complete protection of the vehicle's front. uct the vehicle's headlights. | |
| Expedition Rear Bumper | | G2, G2L | 715007234 |
| | Protects and doesn't obstru Inside and outside anticorre | tubes for complete protection of the vehicle's rear. Jet the vehicle's taillights. osion coating with a durable powder coat finish. per installation requires 705008164 and 705008165. | |
| NEW X mr Front Bumper | | G2S 2023 & up | 715008198 |
| | Enhanced vehicle front prof | tection. Required as a mounting point for Radiator Relocator | (715008898). |
| XT Front Bumper | | G2 | 715004837 |
| | Standard on XT, XT-P, Moss | added on base Outlander model to convert vehicle into XT m | odel. |
| XT Rear Bumper | | G2 | 715004920 |
| | Standard on XT, XT-P, Moss | added on base Outlander model to convert vehicle into XT m | odel. |
| XT Front Bumper | | G2L | 715001910 |
| | Winch compatible. Large tube construction. Protects vehicle against observations Standard on XT models. | stacles. | |
| | | | 715001911 |
| XT Rear Bumper | | G2L | 110001011 |

| | | | 1 | | |
|---|---|---|-----------------------------------|--|--|
| Extrama Erent Bumper | | G2 | 715001286* | | |
| Extreme Front Bumper | | G2L | 715004279 | | |
| | Ultra-sturdy build. | | | | |
| a maintain to | Enhances front-vehicle pro | | | | |
| JA VIV AND | Compatible with XT Front E | | | | |
| | · | < System (when side panels are removed). | | | |
| | *Not compatible with Front Hitch | | | | |
| Complete Rancher Protection | on Kit | G2, G2L (except X mr & 6x6 models) | 715003463 | | |
| - | | and fender guards are designed to pull double duty: prote | ect your ATV and anything it come | | |
| | | enhancing the look of your ATV. | | | |
| | Made tough and designed farmer, rancher and forestr | to deliver a rugged appearance, together they offer front, v applications. | rear and full side protection for | | |
| | | tor Extensions (715003460) for installation on MAX model | ls. | | |
| | This kit includes: | | | | |
| | – Rancher Front Bumper (7 | 715003461). | | | |
| | – Rancher Rear Bumper (7 | 15003462). | | | |
| The second se | – Body Side Protector (715 | 003459). | | | |
| Rancher Front Bumper | | G2, G2L (except X mr models) | 715003461 | | |
| | | n and plates allow you to use your ATV within cattle herds | and guard the safety of both the | | |
| (Co - 62) | vehicle and the animals. | | | | |
| | • | ates gently prodding cattle or pushing light objects, e.g. cl | - | | |
| Contraction and and and and and and and and and an | | extends to provide an extra layer of defense to your headli | ghts and radiator. | | |
| 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | | rosion coating with durable powder coat finish. | | | |
| | Not compatible with track s | systems, plows and front hitch. | | | |
| Rancher Rear Bumper | | G2, G2L (except 6x6 models) | 715003462 | | |
| | Ideal for using your ATV with | thin cattle herds and guarding the safety of both the vehic | le and the animals. | | |
| Son Harrison I a Sa | •• | le an extra layer of defense to your tail lights. | | | |
| | Inside and outside anti-corr | rosion coating with durable powder coat finish. | | | |
| | Not compatible with track s | systems. | | | |
| | | | | | |
| | | | | | |
| Renegade Extreme Front Bu | mper | G2S 2022 and prior (except X mr models) | 715002469 | | |
| | Enhanced vehicle front pro | tection. | | | |
| | Required as a mounting po | int for Radiator Relocator (715008898). | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Guards | | | | | |
| Guarus | | | | | |
| | G2 2012 to 2018 with stock Y | T Bumper, G2 2012 & up with Rancher Bumper, | | | |
| | G2L with Rancher Bumper, (et | | 715003459 | | |
| De du Cide Duete star | | rs, (except X mr and 6X6 models) | 715004940* | | |
| Body Side Protector | G2L with XT Bumpers, (excep | · · · · · · · · · · · · · · · · · · · | 715003614 | | |
| | The heavy-duty fender guan the look of your ATV. | rd designed to pull double duty, protecting your ATV and a | Ilso enhancing | | |
| | • | to deliver a rugged appearance, this fender guard offers fu | ull side protection for farmer | | |
| | rancher and forestry applic | | | | |
| | Built of durably hold 1 25" (3 cm) diameter steel-tube construction with inside and outside anti-corrosion coating with | | | | |

- Built of durably bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish.
- Not compatible with Self Clearing Footwell.
- XT Front and Rear Bumpers or Rancher Front and Rear Bumpers are required for installation.
- Requires Body Side Protector Extensions (715003460) for installation on MAX models.

*Not compatible with Front and Rear Rancher Bumpers.

| Body Side Protector Extensions (Not illustrated) | G2, G2L (MAX models only) | 715003460 | |
|--|---------------------------|-----------|--|
| This specially designed extension for the Body Side Protector is made specifically to fit and seamlessly inter the look of Outlander MAX models. | | | |

| Mud Flaps | | G2 (with stock fender flares) | 715007089 |
|--------------------------|--|---|------------------------------|
| 6 | Keeps mud, snow and debri Adds aesthetic appearance Requires stock fender flare. Sold in pairs. | - | ou. |
| | G2 2012-2018 (except with 30 | " tyres) (except 6x6 models) | 715001764* |
| | G2 2019 & up (with 30" tyres) | (except 6x6 models) | 715004250** |
| | G2L | | 715001909*** |
| Fender Flares | G2L European vehicles only 2 | 015 & up | 715004487 |
| | Made of injected plastic that Gives vehicle added flair for | nsions and all mounting hardware. 9 & up (except X mr models). | riding in the mud. |
| | | G2 (avaant 6x6 madala) | 715005111* |
| Fender Flare Extensions | | G2 (except 6x6 models) G2L | 715003615** |
| Fender Flares | | for G2 (715001764). | 705012695 vater. |
| Flatbed Protection Tubes | | G2 (6x6 models only) | 715002030 |
| | Bolt-on bumpers for the sid Protect the exterior plastic of areas or loading cargo onto | components of the flatbed from rocks, trees and other obstacl | les when traversing enclosed |
| Flatbed Protection Tubes | | G2L (6x6 models only) | 715005266 |
| S | Bolt-on bumpers for the side Protect the exterior plastic of areas or loading cargo onto | components of the flatbed from rocks, trees and other obstacl | les when traversing enclosed |

LIGHTS & ELECTRICAL


| ntegrated Heated Grips & | I numb I nrottle Combo | G2, G2L, G2S (2021 & up) | | 715005072 |
|---------------------------------------|---|---|---|--|
| | Heat levels for grips and thu vehicle screen. Ergonomic button integrate Single button for both grips Five temperature settings for Adjustable heat ratio between | d on LH grip. and thumb heat selection. or the thumb and grips. | Hold button to reach maxin Remembers your last heat IP67-rated waterproof seal ECE compliant. Plug-and-play installation. Clamp-on grips, no glue reaction | setting. ing keeps the elements out. |
| | | up models equipped with 850 en 100R engine, T Category models) | | 715003250 Not compatible with Intelligent Throttle Contro (iTC) |
| leated Grips & Thumb hrottle Combo | G2, G2L, G2S (2020 & up mod and 2019 & up models with 10 | els equipped with 850 engine 100R engine, T Category models) | | 715008739 Compatible with Intelligen Throttle Control (iTC) |
| | LED dimmer facilitates read 4 temperature settings with and grips. Returns to previous heat set | individual controls for thumb | One-touch shutdown. Wiring Cable is required for only. | r installation on G2L models |
| Viring Cable | | | | 710004567 |
| lot illustrated) | Required for installation of I | G2L Heated Hand Grips & Throttle C | ombo. | 710004567 |
| leated Visor Outlet | | G2, G2L | | 715001246 |
| leated Passenger Grips & | Optional visor outlet that de Quick and easy installation. Sold individually. Heated Visor not included. | /ehicle to maintain your agility. livers fog-free riding. | | 715008794 |
| | Replace your stock passeng Dual temperature switch int Heated visor outlet integrate | egrated into seat arm for 3-zone | e heated handles and grips. | |
| ISB Power Outlet Kit | | G2, G2L, G2S | | 219400510 |
| (Cost) | Dual port USB connectors. | levices while riding [.] (smartphor able of recharging all device typ | | |
| eat Heater | | G2, G2L | | 715007211 |
| | 25 W seat heater delivers ch One temperature only. Heated pad and electrical h Heavy Duty Seat Cover (715) | · | allation. | |
| leavy-Duty Seat Cover | | G2, G2L | | 715007212 |
| | Heavy-duty materials to cov Abrasion- and tear-resistant Simply installs by stretching | | astic holds the cover | |

| Electronic Device Holder | | G2, G2L (except 6x6 & X mr mo | odels) | 715004919 |
|--------------------------------|--|---|--|---|
| | Robust injected-polypropyle the right fit and easy installa Adjustable unit safely holds with a length or width mesu and 5.1" (13.0 cm) with or w | ition. smartphones or small tablets ring between 2.9" (7.5 cm) | Guiding wire grooves to pass charging cable through the lid. Possibility of relocating 12V power outlet or installing USB outlet in storage compartment (USB power outlet sold separately). | |
| | Integrated storage (0.6 gal / | | Not compatible with windsh | ields or Snorkel Kit. |
| 3.5" (9 cm) LED Lights (2 X 14 | 4W) LED Driving | | | |
| _ights | ····, ·····g | G2, G2L (except X mr models) | | 715003666 |
| | 14W LED lights producing 1 Equipped with 6 high power cast aluminum housing. Features 2 attachment poin fails due to a collision, rotate and re-mount the light. | r LEDs in a heavy-duty die ts — if one attachment point | Sold in pairs. EC compliant. Spot lens for a narrow and l when driving at higher spee Expedition Front Bumper (7 Cable (715007275) required | eds. 15007233) and Light Power |
| 3.5" (9 cm) LED Lights (2 X 14 | 4W) LED Flood Lights | G2, G2L (except X mr models) | | 715003665 |
| | 14W LED lights producing 1 Equipped with 6 high power cast aluminum housing. Features 2 attachment poin fails due to a collision, rotate and re-mount the light. | LEDs in a heavy-duty die | Sold in pairs. EC compliant. Flood lens for a wide light b applications like plowing or riding conditions. Expedition Front Bumper (7 Cable (715007275) required | for cornering, dusty or foggy 15007233) and Light Power |
| 4" (10 cm) Round LED Lights | (2 x 25 W) | G2, G2L (except X mr models) | | 715002935 |
| | 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and sy Can-Am branded grill. | witch. | Sold in pairs. Not EC compliant. Expedition Front Bumper (7 Cable (715007275) required | |
| 0" (25 cm) Double Stacked Ll | ED Light Bar (60 Watts) | G2, G2L (except X mr models) | | 715002933 |
| (BREER) | Equipped with 12 5W Cree I 5,400 lumens. Rugged and waterproof. Packs a big punch for its siz | | EC compliant. Expedition Front Bumper (7 Cable (715007275) required | |
| Light Power Cable | | G2, G2L | | 715007275 |
| | Required for installation of t | he 10'' (25 cm) LED Light Bar, th | ne 3.5" (9 cm) and 4" (10 cm) Ll | ED Lights. |
| Bluetooth Handlebar Soundb | ar by Mtx | G2, G2L, G2S | | 219400840 |
| | Bluetooth speaker with the fingertip control. Rugged IP66-rated weather for outdoor use. Driven by 150 watts of quali Seamless integration and op | -resistant speaker designed ty audio power. | Includes input, ground and port and 3.5" (8.89 cm) com Not compatible with XT Har EC compliant. Note: We recommend you use 32 AIFF, WAV formats to match the p | nector cable. ndlebar Protector Kit. 0 Kbps MP3 - 192-256 Kbps AAC otential of the speaker. More |
| | enabled devices. | | compressed formats will probably | |
| Multi Position Light Mount K | | G2, G2L, G2S | | 715004274 |
| | | s that fit on various tubing sizes of the 2" (5 cm) Square LED Lig unts and power cables. | | n). |

| Baja Designs High Beam Kit | | G2 (2022 and prior) | | 715004284 | |
|--------------------------------|--|---|---|---|--|
| | your stock high beam lights • Each spot is equipped with | s to these powerful Baja Desig 4 Cree LEDs producing 4,900 | on right into the original high be ns Squadron Pro LED Lights be lumens at 40 watts. both near field applications and | comes child's play. | |
| 2" (5 cm) Square LED Lights (| 2 X 10 Watts) | G2, G2L, G2S | | 715004293 | |
| | 2 x 900 lumens 10W LED Cree light kit. Long-range illumination up to 350' (107 m), drawing less than 1 amp per light. Multi-Position Light Mount Kit is required for installation. Not EC compliant. | | | | |
| RAM [†] LED Spotlight | | G2, G2L, G2S | | 710005423 | |
| A CONTRACT | 540 lumens LED light (9W) rubber-coated double ball a | | -equipped with 1" (2.5 cm) diam | eter | |
| Center Console Day Light | | G2S (except X mr) | | 715000691 | |
| | Mountable on top end of ce Enhances look of vehicle. | enter console. | | | |
| Battery Charger/Maintainer | | | | 715005061 | |
| | Keeps stored lead-acid batt Charges and maintains smatrix Microprocessor controlled added precision, safety and Automatically detects 6- or Reverse hook-up protection charger from damage. | all batteries. multi-stage charging for d battery life. 12-volt batteries. | Auto-voltage detection. Press the display button to Content: 3 amp battery cha adapter, 24" (61 cm) fused weather cap, owner's man Not EC compliant. | arger, clamp adapter, DC ring leads harness with | |
| ump Starter | | | | 715005062 | |
| | 4 LED battery indicators for easy read on battery charge level. Compact design, will conveniently fit in your backpack, glove box or any other storage compartment. Short circuit, low voltage, reverse charging. Built-in LED light (3 mode) Content: 300CA jump star | | | | |
| Quick Connect Battery Cable | | | | 715005408 | |
| | | and charge different items wit rger/Maintainer (715005061). | | | |

Quick Connect Cable with Battery Indicator

715006055



• Quickly and easily connect and charge different batteries with your charger.

Guickly and easily connect and charge unifient batteries with your charge
 3-colour LED indicator provides constant battery health indication.

Sold individually.

| GPS RAM [,] Mount for Han | dlebar | G2, G2L, G2S | | 715001985 While supplies last |
|--|---|--|---|---------------------------------------|
| | Convenient bracket for insta | illing the Garmin Montana GPS | (not included) onto your unit's | nandlebar. |
| Digitally Encoded Securit Green Key | ty System (D.E.S.S.) | G2, G2S (2018 & up) | | 710005232 |
| 30 | Anti-theft technology, Digita (D.E.S.S) key snaps easily or riders easy and quick starts The key communicates with vehicle starts only when the vehicle, for ultimate peace of | n the vehicle and provides every time. I the vehicle wirelessly so the e key code matches the | to 3 modes: - Work mode: Limits vehicle but does not limit engine t | orque. le speed to 70 kph (44 mph) |

- Performance mode: No restrictions.

WINCHES

Can-Am HD Winches

Can-Am HD 2500 Winch

G2, G2L

G2, G2L

G2. G2L. G2S

G2, G2L, G2S

715006414

- · Heavy-duty four-way roller fairlead.
- · Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- · Wired Remote Control sold separately.

Can-Am HD 3500 Winch

- · Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- · Wired Remote Control sold separately.

- Plug-and-play wiring and attachment brackets.
- · Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.
- EC-compliant.

715006415

- · Plug-and-play wiring and attachment brackets.
- · Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.
- EC-compliant.

WARN[†] VRX Winches

WARN VRX 25 Winch

WARN VRX 35 Winch

| Concession of the local division of the loca | Extreme IP68-rated waterproof sealing keeps the |
|--|---|
| - | elements out. |
| | Durable all-metal construction. |

- · Black powder-coated finish and stainless-steel fasteners for corrosion resistance.
- Robust new clutch design based on 70+ years of WARN 4WD hub lock know-how.
- · Handlebar-mounted rocker control.
- · Load-holding brake for great control.
- · Smooth and reliable all-metal three-stage planetary gear

Black powder-coated finish and stainless-steel fasteners

- Robust new clutch design based on 70+ years of WARN

Smooth and reliable all-metal three-stage planetary gear

715006107

• Pulling strength capability of 2,500 lb (1,134 kg).

· Limited lifetime warranty (mechanical), 3-year warranty

- 50 ft. of 3/16" (15 m of 4.8 mm) wire steel cable.
- Roller fairlead.

(electrical).

- Wire harness (715002453) required for installation.
- Winch mounting plate is required for G2S
- (STD & X xc 2022 & prior only).
- EC-compliant.

Durable all-metal construction.

for corrosion resistance.

4WD hub lock know-how.

- Handlebar-mounted rocker control.

Load-holding brake for great control.

train.

train.

elements out.

- 715006108
- Extreme IP68-rated waterproof sealing keeps the · Limited lifetime warranty (mechanical), 3-year warranty (electrical). Pulling strength capability of 3,500 lb (1,361 kg).

 - 50 ft. of 7/32" (15 m of 5.5 mm) wire steel cable.
 - Roller fairlead.
 - Wire harness (715002453) required for installation.
 - Winch mounting plate is required for G2S
 - (STD & X xc 2022 & prior only).
 - EC-compliant.

WARN VRX 35-S Winch

| WARN VRX 35-S Winch | | G2, G2L, G2S | | 715006109 |
|---------------------|--|---|--|---|
| WARN WARN | Extreme IP68-rated waterpreelements out. Durable all-metal constructi Black powder-coated finish for corrosion resistance. Robust new clutch design b 4WD hub lock know-how. Handlebar-mounted rocker Load-holding brake for great Smooth and reliable all-meta train. | on. and stainless-steel fasteners ased on 70+ years of WARN control. t control. | Limited lifetime warranty (m (electrical). Pulling strength capability o 50 ft. of ¾" (15 m of 4.8 mm Cast aluminum fairlead. Wire harness (715002453) r Winch mounting plate is req (STD & X xc 2022 & prior on EC-compliant. | f 3,500 lb (1,361 kg).) synthetic rope. equired for installation. uired for G2S |

| Nireless Remote Control | | WARN Winches | 715002542 |
|-------------------------|---|--|---|
| | mounting hardware | you to operate your winch from anywhere within a 5 covery options. | - |
| | WARN Winches | | 715006378 |
| | | (715006414 & 715006415) | 715006555 |
| lired Remote Control | Can-Am HD Winches | (715008140 & 715008141) | 715008121 |
| 2/ | remote to their win • This kit allows winc to vehicles with a s | ch. • EC-com ch owners to add the handheld remote | emote & Remote Socket included. pliant. |
| Winch Accessories Kit | | | 715002409 |
| | , , , | g power, change your pulling direction and keep you s, snatch block, shackle and winching gloves. | · · · · · · · · · · · · · · · · · · · |
| | | | |
| VARN Hawse Fairlead | | WARN Winches | 715007698 |
| NARN Hawse Fairlead | Double powder-coa Required to use the Cable (715004254) To be used with syn | ated construction. 9 Synthetic Winch. | 715007698 |
| | Required to use the Cable (715004254) | ated construction. e Synthetic Winch. on WARN winches. hthetic winch cables only. | |
| | Required to use the Cable (715004254) | ated construction. Synthetic Winch. on WARN winches. | 715007698 715007699 715007699 710007459 |
| | Required to use the Cable (715004254) To be used with syn | ated construction. Synthetic Winch. on WARN winches. hthetic winch cables only. WARN Winches | <u>715007699</u> 710007459 |
| Roller Fairlead | Required to use the Cable (715004254) To be used with syn Fo be used with syn Features top, botto winching. | ated construction. e Synthetic Winch. on WARN winches. nthetic winch cables only. WARN Winches Can-Am HD Winch | <u>715007699</u> 710007459 |
| ARN Hawse Fairlead | Required to use the Cable (715004254) To be used with syr Features top, botto winching. | ated construction. e Synthetic Winch. on WARN winches. hthetic winch cables only. WARN Winches Can-Am HD Winch m and side rollers for less cable wear and smoother Can-Am HD Winches Can-Am HD Winches | 715007699 710007459 • operation from any direction for easier |
| Roller Fairlead | Required to use the Cable (715004254) To be used with syr Features top, botto winching. trap Kit Heavy-duty winch-re | ated construction. e Synthetic Winch. on WARN winches. hthetic winch cables only. WARN Winches Can-Am HD Winch m and side rollers for less cable wear and smoother Can-Am HD Winches Can-Am HD Winches | 715007699 710007459 r operation from any direction for easier |

Replacement Wire Rope – ATV WARN Winches

-0

Play it safe, always carry a replacement wire rope.

- 3,500 lb (1,588 kg) pulling strength.
- 50 ft. of 7/32" (15.2 m of 5.5 mm) aircraft grade steel wire.

| Synthetic Winch Cable | | ATV WARN Winches | 715004254 |
|---|--|---|-------------------|
| | Easier to manipulate than st Replaces the original cable Kit includes synthetic rope a Always use with the new Ha 50 ft. (15.2 m) of %" (15.2 m) 3,500 lb (1,588 kg) pulling st | on any factory installed WARN winch or sold as an a and rock guard sleeve. awse Fairlead (715007698). a of 4.8 mm) synthetic rope. | accessory by BRP. |
| Winch Mounting Plate | | G2S | 715000927 |
| Ŕ | Adds functionality to your R Fits Can-Am winches by WA | - | |
| Winch Wire Harness (Not illustrated) | | G2 2021 & up, G2S 2021 & up and G2L | 715002453 |
| | Required plug-and-go wiring | g to install WARN winch only. | |

Not required for Can-Am HD winches.

HITCHES

| Hitches | | |
|------------------------------|---|-----------|
| Rear Hitch | G2, G2L (except 6x6 models), G2S | 715001925 |
| | E-coat finish. Fixed hitch ball mounting bracket. Provides fixed mounting point for trailer ball to provide vehicle with towing capabilities This hitch offers 1,300 lb (590 kg) of towing capacity. Hitch ball not included. | |
| Front and Rear Hitch Drawbar | G2, G2L, G2S | 715008350 |
| 27 | Standard on 2" (5 cm) receiver hitch. It offers 1,650 lb (750 kg) of towing capacity. Hitch ball not included. Forged steel. | |

| Rear Receiver Hitch | | G2S 2012 with 800R or 1000 engines G2S 2013 & up, G2L & G2 | 715005186 | |
|----------------------|--|--|-----------|--|
| | E-coat finish. | | | |
| 202 | Does not affect ground clear | rance. | | |
| | Trailer ball not included. | | | |
| | | s 1,500 lb (680 kg) of towing capacity. | | |
| | , | 1,654 lb (750 kg) of towing capacity. | | |
| | Compliant with European T | 5 | | |
| | Not compatible with G2L me | dels with Rear Skid Plates. | | |
| Front Receiver Hitch | | G2 | 715000921 | |
| | Front receiver hitch for Outla | ander with or without a winch. | | |
| | This hitch offers 1,300 lb (590 kg) of towing capacity. | | | |
| | Allows you to maneuver your trailer easily in tight, confined areas. | | | |
| | Hitch bar sold separately. | | | |
| | Not compatible with Extrem | e Front Bumper, Rancher Bumper and ProMount Plows. | | |
| Rubber Receiver Plug | | | 705204503 | |
| | - Dubber con for 2" (F cm) bit | | | |
| | Rubber cap for 2" (5 cm) hite | ch receiver. | | |
| | | | | |
| MATTERATION | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | NAF | | | |
| PERFORMA | NCF | | | |

| Renegade Snorkel Kit | | G2S (2020 & prior) G2S (2021 & up) | 715006000 715007083 |
|-------------------------|---|---|---------------------------------|
| | Comprehensive kit. Extended air intakes and CV CVT outlet integrates into po Ideal for muddy conditions. | | |
| | | G2S 2023 & up | 715008898 |
| Renegade Radiator Reloc | ator Kit | G2S 2022 & prior | 715001929 |
| | Radiator not included. | and hoses. and hoses. I system bleeding and maintenance. Imper (715002469) required for G2S 2022 and prior o | r X mr Front Bumper (715008198) |
| Mud Strap | | G2, G2L, G2S | 715003053 |
| | | dle. ir weight for improved traction in demanding condition dlebar Protector Kit (703100352). | ns. |

| Radiator Protector | | G2, G2S (except G2S with 500 | engine) | 715001744 |
|-----------------------------|---|--|--|-----------------------|
| | Metal shield that mounts ov | er radiator face, providing prote | ction from stones and branche | 28. |
| Outlander Snorkel Kit | | G2 2015 & up, G2L (except X n | nr & 6x6 models) | 715005999 |
| | Comprehensive kit. Extended air intakes and CV CVT outlet integrates into point of the second second | od cover. sle without XT Handlebar Protec | stor Kit. | |
| Outlander Snorkel Kit | | G2 (X mr models only), G2L (X | mr models only) | 715002518 |
| | Comprehensive kit. Extended air intakes and CV CVT outlet integrates into p Must be installed on a vehic Protector Kit. Ideal for muddy conditions. Not compatible with windsh | od cover. de without XT Handlebar | Raised horn only. Provides higher intake. For best fit and finish, approis required. | opriate gauge support |
| Outlander Radiator Relocato | r Kit | G2, G2L (except 6x6 models) | | 715001930 |
| | Relocates radiator to top mo Prevents cooling performar Uses existing radiator. Includes support, hardware Engineered for easy cooling Radiator not included. | ce loss in muddy conditions. | nce. | |
| X mr Traction Plates | | G2 (MAX models only), G2L | | 715001752 |
| And Party | | iver when riding in extreme mu ding position to maximize vehic | | |
| Self-Clearing Footwells | | G2 2015 & up, G2L | | 715004759 |
| | Made from aluminum. Replace original footwells. Feature large evacuation por Aggressive design for impro Not compatible with Body S Sold in pairs. | | umulation in footwells. | |
| Footpeg Kit | | G2, G2L | | 715001131 |
| | - | ed grip and more stability during d grip during hard cornering. | g vigorous riding. | |

Foam Air Filter by Twinair[†]

G2, G2S, G2L

715001333

• Maximizes performance by increasing air flow throughout RPM range.

· Maintenance-friendly, i.e., just wash, re-oil and re-use after riding in severely dusty/muddy environments.

| (~) | 0 |
|-----|---|
| | |

G2 2012-2018 (Base model, DPS, XT, X mr with 650 engine only & Limited – except 6x6) G2S (Base model with 500 & 570 engines only) 715003199 · Front G2L (except Mossy Oak, PRO, 6x6 and X mr models) 715007203 · Front G2 2012-2018 (Base model, DPS, XT & X mr with 650 engine only – except 6x6) G2S (Base model with 500 & 570 engines only) 715003200 · Rear **Heavy-Duty Springs** G2 2019 & up (Base, DPS & XT models, except 6x6) 715005159 · Front & Rear · Heavy-duty springs provide enhanced stiffness. · Perfect for snow clearing and hauling heavy loads. · Improves handling and helps prevent accidental overturns. Kit includes 4 springs. - Standard on Outlander PRO and Mossy Oak models. Т T

| Front Shock Covers | | G2, G2L, G2S | 715500301 |
|--------------------|---|--------------|-----------|
| | F eature ventilation holes. | | |



Offer added protection in rough terrain and weather conditions.

Sold in pairs.

Yoshimura

| Yoshimura Slip-On Exhaust | – Outlander | G2 (except 6x6 models) | 715005480 |
|---------------------------|---|--|-----------|
| | USDF/USDA approved spa Non-EPA compliant (for rac Not EC compliant. Fuel injection system tuning | king and lighter than stock muffler. rk arrester. ing application only). | ? & up. |
| /oshimura Slip-On Exhaust | – Renegade | G2S 2012 & up (except 570 engine and X mr models) | 715005481 |
| | USDF/USDA approved spa Non-EPA compliant (for rac Not EC compliant. Fuel injection system tuning | king and lighter than stock muffler. rk arrester. ing application only). | • & un |

Emergency Accessories

Emergency Kit

- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tyre-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

715006102

COVERS, DECALS & ADD-ONS

| | | G2 (except MAX models) | 715001737 |
|--|--|--|--|
| | | G2 (MAX and X mr 1000R models only) | 715001736 |
| | | G2L (except MAX models) | 715002026 |
| | | G2L (MAX models only) | 715002025 |
| Trailering Covers | | G2S (except X mr models) | 715000683 |
| Storage Covers | Protect windshield and color All high-abrasion areas are r Opening for fuel cap access Weather-resistant trailering Quick and easy installation. Designed to perfectly fit you • Weather-resistant storage ca For vehicle storage only. UV-resistant solution-dyed p Quick and easy installation. | UV-resistant solution-dyed polyester. ured panels from abrasion. reinforced with a double canvas layer. cover protects your vehicle during transportation. ur vehicle with or without Can-Am accessories. G2, G2L, G2 X mr (except 1000), G2L X mr, G2S, G2S X mr G2, G2L (MAX and X mr 1000R models only) G2 (6x6 models only) G2, G2L (except MAX models) G2 MAX, G2 X mr 1000, G2L MAX overs. | 715000683 715001720 715001668 715002492 715001735 · Mossy Oak Break-Up Country Camo |
| lag <i>Can-am</i> | Make sure everyone knows Perfect for the dunes and ne 8-ft. (2.4 m) length. Includes flag mount (715000) | ew riders. | 715000277 · Yellow |
| Flag Mount | | | |
| Not illustrated) | | | 715000127 |
| | heting Tie-Downs | | 715000127 295100737 |
| (Not illustrated) Bolt-On [†] Retractable Rate | Perfect for transporting your Mounts easily: Bolts on any t 1" x 6' (2.5 cm x 1.8 m) tie-do 1,500 lb (680 kg) break stren Convenient retractable push tightens the strap snugly to strap | r powersport vehicle or securing loads. flat surface (e.g., truck bed or frame). own strap with heavy-duty stitching that delivers a 500 lb (226 ogth. • button automatically slackens, spools and stores away strap secure your vehicle or load into place. • ovides firm grip, and the hook is vinyl coated to protect what | 295100737 6 kg) working load strength and 9, while the ratchet mechanism |
| | Perfect for transporting your Mounts easily: Bolts on any for the series of the se | flat surface (e.g., truck bed or frame). own strap with heavy-duty stitching that delivers a 500 lb (226 ngth. n button automatically slackens, spools and stores away strap secure your vehicle or load into place. | 295100737 6 kg) working load strength an 9, while the ratchet mechanism |

Т

| Heavy-Duty Ratchet Tie-Do | own | | 715008308 |
|---------------------------|--|--|-----------|
| | 1,000 lb (454 kg) safe work 1.5" x 6' (38 mm x 1.8 m) st Deluxe ratchet with rubber Black-coated clip hooks. 12" (300 mm) webbing incl Pack of two. | rap with BRP brands. r handle. | |
| Shifter Lock | | G2, G2L | 715007337 |
| | Secure the vehicle's shifter Prevents the vehicle from g | r by locking it in position. going into neutral without the lock key. | |
| Lockable Gas Tank Cap | | G2, G2L, G2S | 860200387 |
| | Protects your fuel. Meets EPA requirements. | | |
| | | G2L | 715002498 |
| License Plate Bracket | | G2S | 715001401 |
| | Provides specific area to in Mounts to rear of vehicle. | stall license plate. | |

APACHE TRACK SYSTEMS

nache Track Syste

| Apache Track System | S | | |
|--|--|---|--------------------|
| Apache Backcountry Track Sy | stem | G2 (except 6x6 models), G2S, G2L 71500524 | |
| | Contact patch is 23% bigge Impressive added ground c Aggressive track design wit | t flotation level and deep-snow performance on the market. r than the Apache 360 LT. learance of 7" (18 cm), keeps the vehicle out of deep snow. ch 2" (5 cm) lug height for maximum traction on snow. ting Kit and engine and air intake pre-filters are required. | |
| dler Wheel Kit | | Apache Backcountry Track System (rear tracks only) | 860201230 · 141 mm |
| 00 | Reduces drag and rolling resistance. Includes 2 wheels, brackets and hardware. Add up to 2 kits per rear track. Can extend slider life in hardened snow conditions. | | |
| Sliders with Vespel [†] Inserts | | Apache Backcountry Track System | 503194815 |
| • 100 | Use DuPont Vespel inserts Longer life. Can be cut to desired lengtl 8 needed per vehicle. Sold individually. | | |
| Rail Ice Scratchers | | Apache Backcountry Track System | 860201728 |
| HAN - BO | Provide additional lubricatio Rail mounted, small, light. Design expands on coil con Easily stored when not in us | cept to allow reversing without damage. | |
| Apache 360 & 360 LT | | | |
| Apache 360 Track System | | G2 (except 6x6 models), G2L, G2S | 715006323 |
| A | · · • | - | |
| Apache 360 LT Track System | | G2, G2L, G2S | 715005103 |
| | - Multifunctional tracks doois | anod to support began loads and to fit on most Can Am Off Day | |

- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
 - Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
 - Average ground clearance increase of 4.5" (11.4 cm).
 - 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Reliable heavy-duty build.
- EC compliant.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and air intake pre-filters are required.

Apache 360 LT 6x6

| Apache 360 I | LT (6x6) Track Sys | stem | G2, G2L (6x6 only) | 715005104 |
|--------------|--------------------|--|---|----------------------|
| | | Multifunctional tracks desig | ned to support heavy loads and to fit on most Can-A | m Off-Road vehicles. |

- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
 Average ground clearance increase of 4.5" (11.4 cm).
 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
 - Apache 360 LT Mounting Kit, Track DPS Module and Engine & Pre-Filter Kit are required.
 - Reliable heavy-duty build.
 - EC compliant.
 - Exclusively for the Outlander 6x6.
 - Recommended for use on snow only.

Apache Accessories

| Apache Backcountry Mounting Kit | G2 2018 & prior, G2S 2018 & prior, G2L | 715004830 |
|--|---|----------------------------------|
| (Not illustrated) | G2 2019, G2S 2019 | 715004796 |
| Required for inst | stallation of the Apache Backcountry Track System. | |
| DPS module an | nd pre-filter are required and sold separately. | |
| | | |
| Track DPS Modulo | | |
| • An innovative D track control an | 5 | 715007338 |
| • An innovative D track control an | DPS module that ensures speedometer accuracy and optimized steeri | |
| (Not illustrated) • An innovative D track control an | DPS module that ensures speedometer accuracy and optimized steeri nd riding ease. | ng assist, which make for perfec |
| • An innovative D track control an | DPS module that ensures speedometer accuracy and optimized steerind riding ease. tall the Apache and Backcountry Track Systems. | ng assist, which make for perfec |
| track control an | DPS module that ensures speedometer accuracy and optimized steerind riding ease. tall the Apache and Backcountry Track Systems. G2 2018 & prior (except 6x6 models) G2S 2018 & prior, G | ng assist, which make for perfec |

DPS module and pre-filter not included.

Apache Track System Accessories

| Air Intake Pre-Filter | | | 715003483 |
|------------------------------|---|--|-----------|
| | Filter blocks particles large Easy, tool-less installation. Necessary to maintain vehi Required to install the Apace | icle warranty when tracks are installed. che and Backcountry Track Systems.), 650 X mr, 850, 1000, 1000R engines and G2L PRO. | |
| Engine Air Intake Pre-Filter | | G2, G2L, G2S | 715004729 |
| | Filter blocks particles large | ur engine in harsh riding conditions. r than 0.005" (0.13 mm). icle warranty when tracks are installed. | |

APACHE TRACK SYSTEMS FITTING GUIDE

| Apache Backcountry | | | | | |
|----------------------|-----------|-------------|---------------------|-----------------------------------|---------------------------|
| Model Year / Model | Track | Track Mount | Track DPS Module | Prefilter without Snorkel | Prefilter with Snorkel |
| 2015 & Up G2L | | 715004000 | | 715004729 | |
| 2018 & Prior G2, G2S | 715005247 | 715004830 | 715007338 | & 715003483 (standard on G2 | 715004729 |
| 2019 & Up G2, G2S | - | 715004796 | - | models and G2L PRO model) | |

| Apache 360 and Apache 360 LT | | | | | | |
|------------------------------|--------------------|-------------|---------------------|------------------------------|--|-----------|
| Model Year / Model | Track | Track Mount | Track DPS Module | Prefilter without Snorkel | Prefilter with Snorkel | |
| 2015 & Up G2L | 715006323 | 745007007 | | 715004729 | | |
| 2018 & Prior G2, G2S | (Apache 360) OR | ••• | 715007207 | 715007338 | & 715003483 (standard on G2 | 715004729 |
| 2019 & Up G2, G2S | (Apache 360 LT) | 715007206 | | models and G2L PRO model) | | |
| | | | | | | |

| Apache 360 LT 6x6 | | | | | |
|---------------------|-----------|-------------|---------------------|-----------------------------------|---------------------------|
| Model Year / Model | Track | Track Mount | Track DPS Module | Prefilter without Snorkel | Prefilter with Snorkel |
| 2018 & Prior G2 6x6 | | 715004991 | | 715004729 | |
| 2019 & Up G2L 6x6 | 715005104 | 715004991 | 715007338 | & 715003483 (standard on G2 | 715004729 |
| 2019 & Up G2 6x6 | - | 715005105 | - | models and G2L PRO model) | |

PROMOUNT PLOWS

PROMOUNT PLOW KITS

| Reference Chart | | | | | | | |
|-----------------|--------------------|---------------------|--------------------|---------------------|--------------------|---------------------|--------------|
| | 54" Black Steel | 54" Yellow Steel | 60" Black Steel | 60" Yellow Steel | 66" Black Steel | 66" Yellow Steel | 60" Flex2 |
| Plow Kit | 715007753 | 715008178 | 715007754 | 715008179 | 715007755 | 715008180 | 715008181 |
| Blade | 715004472 | 715005316 | 715004202 | 715005317 | 715006337 | 715006338 | 715004203 |
| Push Frame | 715007752 | 715007752 | 715007752 | 715007752 | 715007752 | 715007752 | 715007752 |
| Mounting Plate | 715007751 | 715007751 | 715007751 | 715007751 | 715007751 | 715007751 | 715007751 |

| Steel Plows | | | |
|--|--|--------------|---|
| Can-Am ProMount Steel Plow 54" (137 cm) Blade | Kits | G2, G2L, G2S | 715007753 · Black 715008178 · Yellow |
| | These kits include: Can-Am ProMount Steel B Push Frame with Quick-Att Mounting Plate | | |
| Can-Am ProMount Steel Plow 60" (152 cm) Blade | Kits | G2, G2L, G2S | 715007754 · Black 715008179 · Yellow |
| | These kits include: Can-Am ProMount Steel B Push Frame with Quick-Att Mounting Plate | | |
| Can-Am ProMount Steel Plow 66" (168 cm) Blade | Kits | G2, G2L, G2S | 715007755 · Black 715008180 · Yellow |
| | These kits include: Can-Am ProMount Steel B Push Frame with Quick-Att Mounting Plate | | |
| Can-Am ProMount Steel Blade | S | | 715004472 · Black |

| 54" (137 cm) Blade | | Fits ProMount Push Frame | 715005316 · Yellow |
|---|---|--|---------------------------|
| | Blades available individually | to create your own kit. | |
| Constant of the second s | | Mount Blade accessories to further enhance plow versatility not compatible with 54" (137 cm) plows). | |
| A CONTRACTOR OF THE OWNER OF THE | Not compatible with ProMotion | unt Drift Cutters, Blade Extensions and Edge Markers. | |
| | Clears 50" (127 cm) when pl | ow is fully angled. | |
| | Blade height of 14.75" (37 cr | n). | |

| Can-Am ProMount Steel Blades 60" (152 cm) Blade | Fits ProMount Push Frame | 715004202 · Black 715005317 · Yellow |
|--|----------------------------|--------------------------------------|
| Blades available individual | ly to create your own kit. | |

Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

- Clears 54" (137 cm) when plow is fully angled.
 - Blade height of 17" (43 cm).

| Can-Am ProMount Steel Blades 66" (168 cm) Blade | Fits ProMount Push Frame | 715006337 · Black 715006338 · Yellow |
|--|--|---|
| Blades | s available individually to create your own kit. | |

- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

| Can-Am ProMount Steel Blades 72" (183 cm) Blade | Fits ProMount Push Frame | 715004474 · Black 715006021 · Yellow |
|--|-------------------------------|--|
| | ually to create your own kit. | |

- · Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
 - Clears 66" (168 cm) when plow is fully angled.
 - Blade height of 17" (43 cm).

Can-Am ProMount Flex2 Plow Kit

| Can-Am ProMount Flex2 – 60" (152 cm) Plow Kit | G2, G2L, G2S | 715008181 |
|---|--------------|-----------|
| These kits include: Can-Am ProMount Flex2 B Push Frame with Quick-At Mounting Plate | | |

NEW Can-Am ProMount Flex2 - 66" (168 cm) **Plow Kit**

G2, G2L, G2S



- This kit includes:
- Can-Am ProMount Flex2 blade - Push Frame with Quick-Attach System
- Mounting plate

CAN-AM ATVs ACCESSORIES 213

715008182 · Black

| Angle Plows | | | | |
|--|---|---|---|--|
| Can-Am ProMount Angle Bla 0" (152 cm) Steel Oneway S | ades State Blade | G2, G2L, G2S | | 715007261 |
| | further out of the way. • Wing end of plow measures • One-way "winged" state plo | 25" (63 cm) high and tapers d w designed to throw snow hig | | |
| an-Am ProMount Angle Bla 6" (168 cm) Steel Oneway S | | G2, G2L, G2S | | 715007263 |
| | further out of the way. • Wing end of plow measures • One-way "winged" state plo | 25" (63 cm) high and tapers d w designed to throw snow hig | | |
| an-Am ProMount Angle Bla 2" (183 cm) Steel Oneway S | | G2, G2L, G2S | | 715007264 |
| | further out of the way. • Wing end of plow measures • One-way "winged" state plo | 25" (63 cm) high and tapers d w designed to throw snow hig | | |
| | | | | |
| | ade Rubber Flap | | | 715007299 |
| | _ | ow projections in various snow | v conditions. | 715007299 |
| lot illustrated) | Allows for more efficient sn | ow projections in various snow | v conditions. | 715007299 |
| ^{tot illustrated)} Can-Am ProMount F an-Am ProMount Flex2 Bla | Allows for more efficient sn | ow projections in various snow | v conditions. | 715007299 715004203 |
| roMount One-Way State Bla lot illustrated) Can-Am ProMount Flex2 Bla lade | Allows for more efficient sn | Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate | Conditions. Blade design provides best Compatible with Can-Am Pr further enhance plow versa Clears 54" (137 cm) when p | 715004203 snow roll-off at any angle. roMount Blade accessories t tility. |
| ^{tot illustrated)} Can-Am ProMount F an-Am ProMount Flex2 Bla | Allows for more efficient sn Ilex2 Plows des – 60" (152 cm) Plow blade made of UHMW absorbing material prevents accidental impacts occur. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. | Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate | Blade design provides best Compatible with Can-Am Pr further enhance plow versa | 715004203 snow roll-off at any angle. roMount Blade accessories t tility. |
| In tillustrated) | Allows for more efficient sn Ilex2 Plows ades – 60" (152 cm) Plow blade made of UHMW absorbing material prevents accidental impacts occur. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. x2 66" (168 cm) Blade Plow blade made of UHMW | Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate Fits ProMount Push Frame PE, flexible and impact s damaging your plow when | Blade design provides best Compatible with Can-Am Pr further enhance plow versa | 715004203 snow roll-off at any angle. roMount Blade accessories tility. low is fully angled. 715006265 snow roll-off at any angle. low is fully angled. roMount Blade accessories to the state of the state |
| Can-Am ProMount F an-Am ProMount Flex2 Bla lade | Allows for more efficient sn Ilex2 Plows Ides - 60" (152 cm) Plow blade made of UHMW absorbing material prevents accidental impacts occur. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. X2 66" (168 cm) Blade Plow blade made of UHMW absorbing material prevents accidental impact occurs. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. | Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate Fits ProMount Push Frame PE, flexible and impact s damaging your plow when | Blade design provides best Compatible with Can-Am Pr further enhance plow versa Clears 54" (137 cm) when p Blade design provides best Clears 60" (152 cm) when p Blade height of 17" (43 cm). Compatible with Can-Am Pr | 715004203 snow roll-off at any angle. roMount Blade accessories t tility. low is fully angled. 715006265 snow roll-off at any angle. low is fully angled. roMount Blade accessories t |

| System | | G2, G2L, G2S | | 715007752 |
|---------------------------|--|--|---|--|
| | roughest use. • Mid-mount carriage pro and traction. • Designed for maximum • Features a self aligning | designed to withstand the vides ultimate push strength | Plow Roller Fairlead and Pl recommended to extend w Can-Am ProMount Mounti installation. Blade swivels left or right, t Large pin designed for eas dirt and snow buildup at pi | rinch cable lifespan. ng Plate required for 5 positions. y blade rotation to eliminate |
| an-Am ProMount Mountin | g Plate | G2, G2L, G2S | | 715007751 |
| | • | | • | clearance. |
| an-Am ProMount Push Fra | me Extension | G2, G2L, G2S | | 715006257 |
| | Required when plow is i | nstalled with Apache Track Syster | n. | |
| an-Am ProMount Edge Ma | arkers | G2, G2L, G2S | | 715004206 |
| 10 Million | Help locate the edges of Height: 24" (60 cm). Sold in pairs. Compatible with Can-Ar ProMount Steel 54" (13") | n ProMount Steel and Flex2 Blade | es with or without Blade Extensi | ons (except for the Can-Am |
| an-Am ProMount Drift Cut | ters | G2, G2L, G2S | | 715006258 |
| | Help keep snow in the p Dimensions: 17" x 13" (4 Sold in pairs. Compatible with Can-Ar ProMount Steel 54" (13") | 13.2 cm x 33 cm). n ProMount Steel and Flex2 Blade | es with or without Blade Extensi | ons (except for the Can-Am |
| an-Am ProMount Curved V | Near Plada | | | 715007791 · 60" (152 cm |
| an-Am Proiviount Curved v | | G2, G2L G2S | | 715007792 · 66" (168 cm |
| | The increased surface a | illows for less digging while plowi gravel, grass, paver stone and othe | • | |
| | | | | 715004480 • 54" (137 cr 715004481 • 60" (152 cr 715004482 • 66" (168 cr |
| an-Am ProMount Plastic W | Vear Blade | G2, G2L, G2S | | 715004483 · 72" (183 cr |
| | To help prevent scratche | es on smooth driveways and mark | able surfaces. | |

| Can-Am ProMount Blade | e Extensions | G2, G2L, G2S | | 715004205 · Black 715005319 · Yellow |
|---------------------------|---|---|---|--|
| | Longer Wear Blade | side. n-Am ProMount Blades (except for Ca can be installed to further extend the e n-Am ProMount Steel and Flex2 Blade | extra length already provide | ed by the extensions. |
| Back Drag Blade | | ProMount Plows (60'' and mo | ire) | 715007794 |
| | affect the scraping. Increased capacity t | hicle is moving forward so as not to | Adjustable in length fo and 72" blades. | ground so that it scrapes evenl or compatibility with 60 ", 66" lount blades (Flex and Steel). |
| Plow Roller Fairlead | | G2, G2L, G2S | | 705009222 |
| | Can be used with all | rer roller reduces wear on wire rope fo I ProMount plows. bunting plate kit (715007751). | r plow application. | |
| Pulley Kit for Alpine Sup | er-Duty Plow | G2, G2L | | 715000279 |
| Sec. | | in conjunction with the winch when u acrease winch efficiency. XT Front Bumper. | sing a snow plow. | |
| Synthetic Winch Cable f | or Plowing | | | 715000540 |
| | 8' (2.4 m) section of Stands up to repeate | ior plowing applications. durable, extra-strong synthetic rope. ed, sharp angle pulls used to lift heavy your winch rope for plow season to sa | | ope. |
| Plow Limit Switch | | G2. G2L. G2S | | 715006259 |
| , | • | ble tension when over raising your plo push frame and vehicle damage. | w system. | |
| Can-Am ProMount Plow | Angling System | G2, G2L, G2S | | 715007801 |
| | from the driver's sea • Using one hand to c | to control all plow motions will allow you trate and manage your plowing tasks. • Winch and plow sold separately. | | (715006257) is required for ont Rancher Bumper. |

TYRES & RIMS

| - | | | |
|----------------------------|--|--|--|
| Tyres | | | |
| | | | 705401333 · Front 705401334 · CC |
| Carlisle ACT Tyre | | G2 (500-1000 XT models only) | 705501769 · Rear 705501770 · C€ |
| | Front - 26" x 8" x 12". Rear - 26" x 10" x 12". | | |
| | | | 705400606 · Front 705400326 · €€ |
| Carlisle ACT Tyre | | G2 (400 XT models only) | 705500598 · Rear CC |
| | • Front - 25" x 8" x 12". • Rear - 25" x 11" x 12". | | |
| | | | 705402562 · Front |
| Carlisle ACT HD Tyre | | | 705502940 · Rear |
| | • Rear - 26" x 10" x 12". | 1 | 1 - |
| | | | 705401331 · Front 705401332 · € |
| Carlisle Badlands A/R Tyre | | G2 (500-1000 Base models only) | 705501767 · Rear 705501768 · C€ |
| | • Front - 26" x 8" x 12". • Rear - 26" x 10" x 12". | | |
| | | | 705402890 · Front 705400607 · €€ |
| Carlisle Trail Wolf Tyre | | G2 (400 Base models only) G2L (450/570) | 705503225 · Rear 705502165 · C€ |
| 00 | Front - 25" x 8" x 12". Rear - 25" x 11" x 12". | | |
| | | | 705402973 · Front |
| ITP TerraCross Tyre | | G2 XTP, G2 Limited | 705502858 · Rear |
| 00 | snow, sand and mud. • Features extreme-duty cor | Il command every bit of traction from the ground while still mainstruction for improved puncture protection and extra-tough runc tread pattern and wide footprint make it one of the toughest and pattern and p | Ibber compound for increased |

| | | | 705400600 · Front 705400475 · C€ |
|------------------------|---|---|--|
| TP Holeshot ATR Tyre | | G2S | 705500926 · Rear 705500820 · C€ |
| | Front - 205/80R12 - 25" x Rear - 270/60R12 - 25" x 1 | | |
| TP Mega Mayhem | | G2 X mr 570 & 650 2018 & up G2S X mr 570 2018 & up | 705402131 · Front 705502645 · Rear |
| 60 | 1.5" tread depth mud thro Surprisingly smooth ride of 6-ply rated. Front - 28" x 9" x 12". Rear - 28" x 11" x 12". | • | |
| TP Cryptid Tyre | | G2 X mr 850 & 1000R 2018 & up G2S X mr 1000R 2018 & up | 705402671 |
| | | paddle-like shoulder configuration provide maximum side bite fong ride comfort on trails and hard pack. | or climbing in and out of the |
| orilla Silverback Tyre | | G2 (850 & 1000 models only) | 705401501 |
| | AT30X9-14 Gorilla Silverb Sold individually. Not EC compliant. 30" x 9" x 14". | ack mud tyre. | |
| /laxxis Mudzilla Tyre | | G2 (X mr 570 & 650 models only) | 705501836 · Rear |
| 80 | Not EC compliant. Rear - 28" x 10" x 12". | | |
| Kenda Klaw MXR Tyre | | DS 90 X | V42711DGF01HLL • From V42712DGF01HLL • Rear |
| | Front - 20" x 6" x 10". Rear - 18" x 10.5" x 8". | | |

| | | | 705401853 · Front | Black and machined |
|---|---|--|--|---|
| | | | 705401852 · Front 705401851 · Front | Black with clear coat Silver with clear coat |
| | | G2 DPS, G2 XT, G2 MAX | 705502402 · Rear | Black and machined |
| 4" Rim | | 650, G2 MAX XT, G2 MAX Limited | 705502401 · Rear 705502400 · Rear | Black with clear coat Silver with clear coat |
| 4 Killi | | | | |
| ATATA | Premium cast aluminum bl and clear coat rim. | ack painted with machining | Front - 14" x 6.5" offset = 40 Rear - 14" x 8.5" offset = 50 provided in the second seco | |
| 6667 | • Center hole: 72 mm. • Bolt circle pattern: 1/136 mm | | Note: Matching Nuts - 250100100 Matching Cap - 705400928 |) Black, 250100082 Chrome/ |
| | | | 705402309 · Front 705402222 · Front 705402307 · Front | Black and machined Black with clear coat Silver with clear coat |
| 4" Rim | | G2 DPS, G2 XT, G2 MAX Limited, G2 North Edition, G2 MAX North Edition | 705502770 · Rear 705502702 · Rear 705502768 · Rear | Black and machined Black with clear coat Silver with clear coat |
| NARE | Rear - 14" x 8.5" offset = 50 | mm. | | |
| | | | | |
| | | | | |
| | | | 705401848 · Front | Black and machined |
| Outlander X mr and Defende | Cast aluminum rim with tre Front - 14" x 6.5" offset = 10 | | 705401849 · Front you can ride—and look—like a tr | ■ Black |
| Dutlander X mr and Defende | Cast aluminum rim with tre Front - 14" x 6.5" offset = 10 | front and rear wheels and setting explosive styling so 0 mm. | 705401849 · Front you can ride—and look—like a tr | ■ Black |
| | Cast aluminum rim with tre Front - 14" x 6.5" offset = 10 Note: Matching Nuts - 25010010 | front and rear wheels and setting explosive styling so 0 mm. | 705401849 · Front you can ride—and look—like a tr | ■ Black |
| | Cast aluminum rim with tre Front - 14" x 6.5" offset = 10 Note: Matching Nuts - 25010010 | front and rear wheels and setting explosive styling so 0 mm. | 705401849 · Front you can ride—and look—like a tr | Black |
| Outlander X mr and Defende | Cast aluminum rim with tre Front - 14" x 6.5" offset = 10 Note: Matching Nuts - 25010010 | front and rear wheels ind setting explosive styling so 0 mm. 0 Black, 250100082 Chrome/Match G2, G2L, G2S num rim. nm. | 705401849 · Front you can ride—and look—like a tr hing Cap - 705401541 705401127 · Front | Black railblazer. Black with clear coat |
| Outlander Rim (Camo Model | Cast aluminum rim with tre Front - 14" x 6.5" offset = 10 Note: Matching Nuts - 25010010 Black with clear coat alumi Front - 12" x 6" offset = 41 | front and rear wheels ind setting explosive styling so 0 mm. 0 Black, 250100082 Chrome/Match G2, G2L, G2S num rim. nm. | 705401849 · Front you can ride—and look—like a tr hing Cap - 705401541 705401127 · Front 705501493 · Rear | Black railblazer. Black with clear coat |
| Outlander Rim (Camo Model | Cast aluminum rim with tre Front - 14" x 6.5" offset = 11 Note: Matching Nuts - 25010010 Black with clear coat alumi Front - 12" x 6" offset = 41 Rear - 12" x 7.5" offset = 51 | front and rear wheels ind setting explosive styling so mm. 0 Black, 250100082 Chrome/Match G2, G2L, G2S num rim. mm. G2, G2L, G2S | 705401849 · Front you can ride—and look—like a tr hing Cap - 705401541 705401127 · Front 705501493 · Rear | Black Black with clear coat Black with clear coat Black with clear coat |
| | Cast aluminum rim with tre Front - 14" x 6.5" offset = 11 Note: Matching Nuts - 25010010 Black with clear coat alumi Front - 12" x 6" offset = 41 Rear - 12" x 7.5" offset = 51 Black with clear coat alumi | front and rear wheels ind setting explosive styling so mm. 0 Black, 250100082 Chrome/Match G2, G2L, G2S num rim. mm. G2, G2L, G2S num rim. 7) for installing the beadlock. (not included). nm. | 705401849 · Front you can ride—and look—like a tr hing Cap - 705401541 705401127 · Front 705501493 · Rear | Black Black with clear coat Black with clear coat Black with clear coat Black with clear coat Black |
| Outlander Rim (Camo Model | Cast aluminum rim with tre Front - 14" x 6.5" offset = 11 Note: Matching Nuts - 25010010 Black with clear coat alumi Front - 12" x 6" offset = 41 Rear - 12" x 7.5" offset = 51 Black with clear coat alumi Needs 16 bolts (25000078 Choice of beadlock colour Front - 12" x 6" offset = 41 | front and rear wheels ind setting explosive styling so mm. 0 Black, 250100082 Chrome/Match G2, G2L, G2S num rim. mm. G2, G2L, G2S num rim. 7) for installing the beadlock. (not included). nm. | 705401849 · Front you can ride—and look—like a tr hing Cap - 705401541 705401127 · Front 705501493 · Rear | Black Black with clear coat Black with clear coat Black with clear coat Black with clear coat Black |
| Outlander Rim (Camo Model Outlander Rim (Camo Model Outlander Rim 2" Beadlock Rim | Cast aluminum rim with tre Front - 14" x 6.5" offset = 11 Note: Matching Nuts - 25010010 Black with clear coat alumi Front - 12" x 6" offset = 41 Rear - 12" x 7.5" offset = 51 Black with clear coat alumi Needs 16 bolts (25000078 Choice of beadlock colour Front - 12" x 6" offset = 41 | front and rear wheels ind setting explosive styling so mm. 0 Black, 250100082 Chrome/Match G2, G2L, G2S num rim. mm. G2, G2L, G2S num rim. 7) for installing the beadlock. (not included). mm. mm. | 705401849 · Front you can ride—and look—like a tr hing Cap - 705401541 705401127 · Front 705501493 · Rear 705401678 · Front 705502244 · Rear 705401763 · Can-Am Red | Black Black with clear coat Black with clear coat Black with clear coat Black Black Black Coat Coat Coat Coat Coat Coat Coat Coat |

| | | | 705401594 · Front | Black | |
|-------------------|---|---|--|---|--|
| 4" Beadlock Rim | | G2 | 705503191 · Rear | Black | |
| | Black with clear coat alumini Choice of beadlock colour (r Needs 16 bolts (250000787) Front - 14" x 6.5" offset = 41 Rear - 14" x 8" offset = 51 mr | not included). for installing the beadlock. mm. | | | |
| 14" Beadlock Ring | | G2 | 705401586 · Manta Green 705401702 · Octane Blue | 705401837 · ■ Can-Am Red 705401840 · ■ Black | |
| | Cast aluminum beadlock. | · | | | |



Must be installed on Front Rim (705401594) and Rear Rim (705503191).

Note: Matching Nuts - 250100184 Black, 250100185 Chrome/Matching Cap - 705400928



PARTS AND MAINTENANCE

| Genuine Parts | 223 |
|----------------------------|-----|
| Lubricant & Oil Change Kit | 228 |
| Maintenance Products | 229 |
| Care Products | 231 |



GENUINE PARTS

Oil Filters

| Dil Filters | Models | Oil Filter | Sealing Ring (Oil Filter Cover) | Sealing Ring (Drain Plug) |
|---|---------------------------------|-----------------------|------------------------------------|------------------------------|
| and the second se | Defender/Defender MAX HD10, HD9 | 420256188 | 420230923 | 420552280 |
| | Defender/Defender MAX HD7 | 420256188 | 420230922 | 420552280 |
| RUTRX | Maverick X3 | 420956123 | 420230923 | 420552280 |
| | Maverick Trail & Sport | 420256188 | 420230923 | 420552280 |
| | G2S, G2 & G2L | 420256188 | 420230923 | 420552280 |
| RE-K353 | Commander | 420256188 | 420230922 | 420552280 |
| | Complete Engi | ine Oil Change Kit al | so available — see page 22 | 28 |

Air Filters

| Premium Air Filter | Premium quality filter. Prevents airborne contaminants from reaching your engine. Protects internal components against premature wear. | | | | |
|--|--|---|--|--|--|
| | Models | | | | |
| | Defender/Defender MAX | 715900394 | | | |
| | Maverick X3 | 715900422 | | | |
| ana para mana kana mana mana kana sa sa sa sa | Maverick Trail & Sport (Engines 700 & 1000) | 715900394 | | | |
| | Maverick Trail & Sport (Engine 1000R) | 715900422 | | | |
| | G2S, G2 & G2L | 707800371 | | | |
| | Commander (Engines 700 & 1000R) | 715900394 | | | |
| | Commander (Engine 1000R) | 715900422 | | | |
| Performance Air Filter by Twin Air [†] | The best choice for the harshest conditions. Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow. Washable and reusable. | | | | |
| | Models | | | | |
| | Models | | | | |
| | Maverick X3 | 715002895 | | | |
| Terto Altr com am | | 715002895 715002895 | | | |
| TETERATP Contrast | Maverick X3 | | | | |
| Terta Air com am | Maverick X3 Maverick Trail & Sport | 715002895 | | | |
| CVT Air Filter (Not illustrated) | Maverick X3 Maverick Trail & Sport G2S, G2 & G2L | 715002895 715001333 | | | |
| | Maverick X3 Maverick Trail & Sport G2S, G2 & G2L Commander | 715002895 715001333 | | | |
| | Maverick X3 Maverick Trail & Sport G2S, G2 & G2L Commander Models | 715002895 715001333 715001956 | | | |
| | Maverick X3 Maverick Trail & Sport G2S, G2 & G2L Commander Models Defender/Defender MAX (except X mr) | 715002895 715001333 715001956 706600419 | | | |
| | Maverick X3 Maverick Trail & Sport G2S, G2 & G2L Commander Models Defender/Defender MAX (except X mr) Maverick X3 | 715002895 715001333 715001956 706600419 706600416 | | | |
| | Maverick X3 Maverick Trail & Sport G2S, G2 & G2L Commander Models Defender/Defender MAX (except X mr) Maverick X3 Maverick Trail & Sport (except X mr) | 715002895 715001333 715001956 706600419 706600416 706600417 | | | |
| | Maverick X3 Maverick Trail & Sport G2S, G2 & G2L Commander Models Defender/Defender MAX (except X mr) Maverick X3 Maverick Trail & Sport (except X mr) Maverick Trail & Sport X mr | 715002895 715001333 715001956 706600419 706600416 706600417 706600418 | | | |

Spark Plug Spark Plug Models Defender HD10 715900244 Defender HD9 715900642 Defender HD7 715900785 Maverick X3 and Maverick X3 Turbo RR 415130363 715900244 Maverick Trail & Sport 1000R Maverick Trail & Sport 1000 715900642 715900785 Maverick Trail 700 ATV 450/850/1000R 715900352 ATV 570/650/1000 715900642 Commander 700 715900785 Commander 1000R 715900244

Batteries

Yuasa[†] Batteries

• Top of the line models from the leading preferred original equipment battery supplier in North America.

| | Models | 3 A Wet (YTX4L-BS) | 10 A Wet (YTX12-BS) | 18 A Wet (YTX20L-BS) | 30 A, requires Battery Holder (715004431) |
|------------|------------------------|-----------------------|------------------------|-------------------------|--|
| B B | Defender/Defender MAX | _ | _ | 296000444 | 515176151 Except Base and DPS models. |
| TT VUASA | Maverick X3 | - | _ | 296000444 | _ |
| Pb Pb | Maverick Trail & Sport | - | _ | 296000444 | _ |
| 0 | G2S, G2 & G2L | - | _ | 296000444 | _ |
| TUASA X | DS 50, 70 & 90 | V31500MAA020 | _ | _ | _ |
| TIT. O. O. | Renegade 70,110 | V31500MAA020 | | | |
| NCHISTLAR. | DS 250 | _ | 715900031 | | |
| | Commander | - | _ | 296000444 | _ |

Premium CV Axle

• Premium quality design ideal for off-roading, heavy-duty and low speed torque usage. • Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.

| | Models | Front Left | Front Right | Rear |
|---------------------|---|--|---------------------------|--------------------------------|
| | Defender MAX | 705401937 | 705401936 | 705502451 |
| | Defender XT-P | 705402353 | 705402353 | 705502451 |
| | Defender HD10 | 705401937 | 705401936 | 705502451 |
| | Defender HD9 | 705401937 | 705401936 | 705502451 |
| all all all | Defender HD7 | 705401937 | 705401936 | 705502478 (L) 705502479 (R) |
| | Maverick Sport (ABS) | 705402443 | 705402443 | 705502756 |
| Charles - | Maverick Sport Base, DPS | 705402031 | 705402030 | 705502552 |
| | Maverick Trail (W/O ABS) | 705402008 | 705402007 | 705502541 |
| | Maverick Trail (ABS) | 705402442 | 705402442 | 705502755 |
| | Commander | 705401871 | 705401872 | 705502411 |
| | All ATVs: Please contact your o | lealer or visit our online store at can- | amoffroad.com for suggest | ed fitment. |
| Performance CV Axle | | eal for off-road use with superior whe lunes, trails and desert riding. | eel power | |
| Not illustrated) | Includes CVs, shaft and boots | s with the best suited geometry for y | our Can-Am vehicle. | |
| | Models | Front Left | Front Right | Rear |
| | Defender X mr | 705402420 | 705402420 | _ |
| | Maverick Sport X mr/X rc | 705402282 | 705402282 | 705502757 |

Brakes

| Metallic Brake Pad Kit | Built strong to last long – heavy-duty construction stands up to hard braking. Designed to handle demanding riding conditions with challenging braking environments such as mud and dunes. Created specifically for use with Can-Am vehicles. | | | | | |
|------------------------|---|------------|-------------|-----------|------------|--|
| | Models | Front Left | Front Right | Rear Left | Rear Right | |
| | Defender MAX HD9/HD10 | 715900379 | 715900380 | 715900386 | 715900387 | |
| | Defender HD10 | 715900379 | 715900380 | 715900381 | 715900382 | |
| | Defender HD9 | 715900379 | 715900380 | 715900381 | 715900382 | |
| | Defender HD7 | 715900379 | 715900380 | - | 715900387 | |
| | Maverick X3 | 715900379 | 715900380 | 715900386 | 715900387 | |
| | Maverick Trail & Sport | 715900379 | 715900380 | 715900386 | 715900387 | |

715900379 Please contact your dealer or visit our online store at Can-Amoffroad.com for suggested fitment.

715900248

715900249

715900380

715900248

715900386

715900249

715900387

G2S, G2 & G2L

Commander

Parts 1 1

A-Arm Bushing Kit

• This bushing kit includes 2 bushings, a sleeve and a wear plate, as illustrated.

All you need to renew your suspension A-Arms.

| | Upper | 706202044 |
|-------------|--|-----------|
| | Upper (Maverick X3, Trail & Sport, Commander) | 706203084 |
| Ball Joints | Lower | 706202045 |



Robust design for off-road usage and sealed for prolonged durability.

| | 2020 models and prior | 293350118 |
|-------------------|-----------------------|-----------|
| Wheel Bearings | 2021 & up models | 293350126 |
| (Not illustrated) | Maverick X3 | 293350141 |

- Sealed bearings for additional protection from water and dirt.

Comes with clamps and grease.

CV Boot Kit

| | Front | Front | Rear Wheel & |
|---|------------|-------------------|-------------------|
| Models | Wheel Side | Differential Side | Differential Side |
| Defender | 705401345 | 705401355 | 705501864 |
| Maverick X3 | 705401354 | 705401354 | 715900450 |
| Maverick Sport (ABS, X xc, X mr, X rc) | 705401354 | 705401355 | 705501864 |
| Maverick Sport (w/o ABS), Maverick Trail | 705401345 | 705401355 | 705501864 |
| G2, G2L, G2S (except X mr) | 705401345 | 705401346 | 705501864 |
| X mr | 705401354 | 705401355 | 705501864 |
| Commander | 705401345 | 705401355 | 705501864 |



BRP Premium Drive Belt

High-performance design ideal for off-road use.

BRP-specific calibration adjusted to best suit your Can-Am vehicle.

| | Models | Premium Belt | CVT Gasket Cover | Upgrades |
|--|---|------------------------------|---------------------|---------------------|
| and and a second | Defender HD10 | 422280652 | 420450400 | _ |
| SP 1 | Defender HD9 | 422280656 | 420450400 | 422280652 |
| | Defender HD7 | 422280225 | _ | _ |
| 1 | Maverick X3 | 422280652 | 420450405 | _ |
| | Maverick Trail & Maverick Sport 1000 | 422280656 | 420450400 | 422280652 |
| D'ENTRAINEMENT | Maverick Trail 700 | 422280225 | | _ |
| | G2, G2S 450 CC & less | 422280283 | 420430126 | _ |
| | G2, G2S 500 CC & more | 422280366 | 420430126 | _ |
| | G2L Outlander 450 & Outlander MAX 450 | 422280283 | 420630292 | _ |
| | Commander 2020 & prior | 422280366 | 420450126 | _ |
| Contraction of the second seco | Commander 2021 & Up 1000 CC | 422280656 | 420450400 | 422280652 |
| | Commander 700 | 422280225 | _ | _ |
| Driven Pulley Adapter Tool Not illustrated) | Spreads the secondary clutch open for easy be | elt replacement. | | |
| Puller/Locking Tool Not illustrated) | Allows you to spread the secondary clutch ope | n for easy belt replacement. | | |
| | Models | Driven Pul | ley Adapter | Puller/Locking Tool |
| | Defender HD10-HD9 | 70820 | 00720 | 529000088 |
| | Defender HD7 | - | _ | 529036098 |
| | Maverick Trail & Sport | 70820 | 00720 | 529000088 |
| | Maverick X3 | 70820 | 00720 | 529000088 |
| | G2, G2S | - | _ | 529036098 |
| | G2L Outlander 450 & Outlander MAX 450 | - | _ | 529036098 |
| | Commander | - | _ | 529036352 |

pDrive Pulley Service kits

| | SSV pDrive (MY22) | 420629231 |
|-----------------------------|-------------------|--------------------|
| Ramp Roller Maintenance Set | SSV pDrive (MY23) | Coming winter 2023 |

pDrive Ramp Roller Set



| | SSV pDrive (MY22) | 420629224 |
|-------------------------------|-------------------|--------------------|
| Torque Roller Maintenance Set | SSV pDrive (MY23) | Coming winter 2023 |

pDrive Torque Roller Set



LUBRICANT & OIL CHANGE KIT

Lubricant

XPS 4T 10W-50 Synthetic Oil

9779234 · 1 qt / 946 ml

9779235 · 1 US gal / 3.785 L



- Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines.
- · Formulated using carefully selected and strenuously tested base stocks and custom additives.
- Offers thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum performance from your engine.

| XPS 4T 0W-40 Synthetic Oil | | 9779139 · 1 qt / 946 ml | 9779140 · 1 US gal / 3.785 L |
|----------------------------|--|---|-------------------------------------|
| +40° C +104° F | Powersport formula with premium anti-wear and The best choice for high-performance snowmob Provides superior engine and transmission prote Delivers optimal performance in high and low ter | ile, ATV and SXS 4-stroke engines us ction against heat, rust and corrosio | |

- · Powersport formula with premium anti-wear and anti-corrosion additives.
- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- Provides superior engine and transmission protection against heat, rust and corrosion.
- Delivers optimal performance in high and low temperatures.

| | 1 | I. |
|----------------------------------|--------------------------------|-------------------------------------|
| XPS 4T 5W-40 Synthetic Blend Oil | 9779133 · 1 qt / 946 ml | 9779134 · 1 US gal / 3.785 L |



| Off-road formula with premium anti-wear and anti-corrosion additives. |
|--|
| Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged powersports engines. |
| • Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions. |

Oil Change Kit

*


| Engine Oil Change Kit | | Models | |
|---|---|---|---------|
| | Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money. | 5W-40 Synthetic Blend Oil / 450cc or less | 9779256 |
| • Includes XPS Synthetic or Synthetic Blend Oil, oil filter, O-rings and washer. | | 0W-40 Synthetic Oil / 450cc or less | 9779257 |
| | | 5W-40 Synthetic Blend Oil / 500 cc or more V-twin engine | 9779258 |
| | | 0W-40 Synthetic Oil / 500 cc or more V-twin engine | 9779259 |
| | | 10W-50 Synthetic Oil / 500 cc or more V-twin engine | 9779252 |
| | | 5W-40 Synthetic Blend Oil / 900 ACE | 9779260 |
| | 10W-50 Synthetic Oil / 900 ACE | 9779261 | |

MAINTENANCE PRODUCTS

| | 75W-90 | 9779158 · 1 qt / 946 ml |
|--------------------|---------|--------------------------------|
| Synthetic Gear Oil | 75W-140 | 9779160 · 1 qt / 946 ml |

Uses custom additives to provide the best performance in Visco-Lok[™] and Smart-Lok[™] differentials.

Allows higher loads, superior shear stability and reduced oxidation.





Extended Life Pre-Mixed Coolant

9779150 · 1 qt / 946 ml

· Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems. · Long-life, 5-year formula specially formulated for BRP vehicles.

- Superior heat transfer.
- Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

| Anti-Corrosive Lubricant | 9779166 · US 12 oz / 340 g 9779167 · CDN 12 oz / 340 g |
|--------------------------|---|
| | 9779167 · CDN 12 oz / 340 g |

• Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.



Extreme Duty Suspension Grease

• It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

| (Not illustrated) | 9779708 · 14 oz / 400 g |
|---|--------------------------------|
| Designed to work specifically with the components found in Can-Am vehicle susper | sions. |
| It is highly stable and offers optimal lubrication at both extreme cold and high tempe suspension components from dirt and moisture, as well as corrosion under extreme | |
| | |

| DOT 4 | Brake | Fluid |
|-------|-------|-------|
|-------|-------|-------|

- · Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.



9779151 · 12 fl oz / 355 ml

Racing Brake Fluid RS600

9779152 · 12 fl oz / 355 ml

- Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- Will not harm seals or braking system components.
- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.



Fuel Stabilizer

9779171 · 8 fl oz / 236 ml



- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- Prevents problems associated with E10 fuels.

CARE PRODUCTS

| | | 9779328 · 22 fl oz / 650 ml | 9779329 · 2 qt / 1.89 L |
|--|--|---|-------------------------------------|
| | Ready-to-use formula. Cleans toughest dirt and grime. Phosphate free eco-friendly formula. Low-foam easy rinse formula. | | |
| atte Finish Waterless | s Cleaner | | 9779330 · 22 fl oz / 650 ml |
| | Easy waterless use. Perfect for matte, flat and denim surface Contains no wax or silicone. Leaves no unwanted streaks or marks. | S. | |
| Iulti-Surface and Glass Cleaner | | | 9779331 · 22 fl oz / 650 ml |
| | Easy waterless spray and wipe use. Polymer formula cleans and protects. Contains no wax or silicone. Leaves no unwanted streaks or marks. | | |
| lud and Dust Off-Roa | d Wash | 9779340 · 33 fl oz / 946 ml | 9779341 · 2 qt / 1.89 L |
| A LESS | Specially formulated for off-road vehicle The formula is biodegradable, eco-friend quick rinsing. Effective on oil, grease and other stubbe Safe for use on all surfaces. | lly with no phosphates or corrosive chemi | |
| lack Plastic and Rubber Restorer | | | 9779335 · 7.6 fl oz / 225 ml |
| A Contraction of the second se | Restores plastic, rubber and vinyl. Long-lasting formula. Protects against UV rays. | | |
| oaming Wash | | 9779337 · 16 fl oz / 473 ml | 9779338 · 2 qt / 1.89 L |
| | Concentrated formula for off-road vehicles, it produces a thick foam to lift dirt and prevent scratching. The pH neutral formula is safe for wax and paint sealants. Works in pressure washers or by hand. | | |

| Quick Detailer Gloss Enhancing | | 9779332 · 4 fl oz / 118 ml | 9779333 · 16 fl oz / 473 ml |
|--------------------------------|---------------------------|-----------------------------------|------------------------------------|
| | - Quiak datail aprovision | | |

- 4
- Quick detail spray wax.
- Leaves a high gloss finish at every wipe.
- Nanotechnology polymer formula.
- Repels dirt.
- No water needed.

EVERY FARMER SHOULD OWN A CAN-AM

The Can-Am Defender makes your job easier on the farm. The stability, suspension, handling, and power; there's really no comparison. Above all, it's got all the features & technology to make it safe for the whole family. Every farmer should own one.

Sir David Fagan

New Zealand Farmer. 16-time Record Winner Shearer. Can-Am Owner.



EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. BRP.COM





MMACraft

ski-doo Lynx Ser 200. Can-am ROTAX. ALUMACraft. Manitou QUINTREX





MY23 830201329

